


2024/05/15 0327Z

NZAA KAURI PEBLU SASRO MIKEL GEMAC FARRA YMML

1426.65 nm / 2642.15 km



Notes

Decoded

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZAA	-	-37.01438	0 ft	-	-
APT	-	174.77090	0 m		
KAURI	-	-37.03800	0 ft	4	-
FIX	-	174.69200	0 m		
PEBLU	-	-38.10983	0 ft	193	-
FIX	-	170.85767	0 m		
SASRO	-	-38.58078	0 ft	371	-
FIX	-	163.00000	0 m		
MIKEL	-	-38.59583	0 ft	256	-
FIX	-	157.53472	0 m		
GEMAC	-	-38.22389	0 ft	339	-
FIX	-	150.32500	0 m		
FARRA	-	-37.79500	0 ft	201	-
FIX	-	146.09111	0 m		
YMML	-	-37.66220	0 ft	59	-
APT	-	144.84819	0 m		

NZAA

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 1

Elevation: 23 ft / 7 m
Location: -37.008100 174.792000
Magnetic Var: 20.179 E

METAR

NZAA 150300Z AUTO 29009KT 260V330 9999 SCT026/// BKN043/// 19/14 Q1012

TAF

TAF NZAA 150214Z 1503/1606 29015KT 9999 -SHRA FEW020 BKN030 BECMG 1507/1509 35008KT BECMG 1514/1516 29015KT TEMPO

Frequencies

REC - 127.80 MHz - ATIS	REC - 127.00 MHz - ATIS
GND - 121.90 MHz - AUCKLAND GROUND	TWR - 118.70 MHz - AUCKLAND TOWER
TWR - 120.95 MHz - AUCKLAND TOWER	CLD - 128.20 MHz - CLEARANCE DELIVERY
APP - 120.10 MHz - AUCKLAND APPROACH	APP - 124.30 MHz - AUCKLAND APPROACH
APP - 129.50 MHz - AUCKLAND APPROACH	APP - 129.60 MHz - AUCKLAND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	151 ft	12,040 ft	70.92	CONCRETE	1,250 ft	0 ft
	46 m	3,670 m	50.74		381 m	0 m
23L	151 ft	12,040 ft	250.90	CONCRETE	0 ft	131 ft
	46 m	3,670 m	230.72		0 m	40 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IAA	110.30 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
23L	DME	IMG	109.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
05R	LOC-ILS	IAA	110.30 MHz	18 nm	70.91	-	23 ft
				33 km	50.73		23 m
23L	LOC-ILS	IMG	109.90 MHz	18 nm	250.91	-	23 ft
				33 km	230.73		23 m
05R	GS	IAA	110.30 MHz	10 nm	70.91	3.00	23 ft
				19 km	50.73		23 m
23L	GS	IMG	109.90 MHz	10 nm	250.91	3.00	23 ft
				19 km	230.73		23 m

YMML

Region: AUSTRALIA
Timezone: AUSTRALIA/MELBOURNE
Runways: 2

Elevation: 433 ft / 132 m
Location: -37.665500 144.837000
Magnetic Var: 11.562 E

METAR

YMML 150300Z 26006KT 9999 FEW032 16/07 Q1028

TAF

TAF YMML 150229Z 1503/1606 24008KT 9999 FEW035 FM150500 19006KT 9999 FEW035 FM151000 32005KT CAVOK

Frequencies

REC - 132.67 MHz - YMML ATIS
GND - 121.70 MHz - MELBOURNE GND
APP - 132.00 MHz - MELBOURNE APP

CLD - 127.20 MHz - MELBOURNE INTL CLD
TWR - 120.50 MHz - MELBOURNE TWR
DEP - 118.90 MHz - MELBOURNE DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,513 ft	94.00	ASPHALT	0 ft	197 ft
	45 m	2,290 m	82.44		0 m	60 m
27	148 ft	7,513 ft	273.98	ASPHALT	0 ft	174 ft
	45 m	2,290 m	262.42		0 m	53 m
16	155 ft	12,012 ft	171.60	ASPHALT	0 ft	200 ft
	47 m	3,661 m	160.04		0 m	61 m
34	155 ft	12,012 ft	351.60	ASPHALT	0 ft	200 ft
	47 m	3,661 m	340.04		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IMS	109.70 MHz	18 nm	171.60	-	433 ft
				33 km	160.04		433 m
27	LOC-ILS	IMW	109.30 MHz	18 nm	273.99	-	433 ft
				33 km	262.43		433 m
16	GS	IMS	109.70 MHz	10 nm	171.60	3.00	433 ft
				19 km	160.04		433 m
27	GS	IMW	109.30 MHz	10 nm	273.99	3.00	433 ft
				19 km	262.43		433 m