

NLWW

Wallis Hihifo Airport


NSTU

Pago Pago Intl

2024/05/16 0115Z

NLWW OVLAD **B577** FA NSTU

328.71 nm / 608.76 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NLWW APT	-	-13.23830 -176.19900	0 ft 0 m	-	Wallis Hihifo Airport
OVLAD FIX	-	-13.45560 -174.71800	31,200 ft 9,510 m	87	-
ALAPI FIX	B577 AWY-HI	-13.76190 -172.50200	23,600 ft 7,193 m	130	-
FA VOR	B577 AWY-HI	-13.82870 -171.99300	17,200 ft 5,243 m	29	FALEOLO
NSTU APT	-	-14.33010 -170.71000	0 ft 0 m	80	Pago Pago Intl

NSTU

Region: AMERICAN SAMOA
Timezone: UNKNOWN
Runways: 2

Elevation: 0 ft / 0 m
Location: -14.330100 -170.710000
Magnetic Var: 12.022 E

METAR

NSTU 160050Z 09012G15KT 12SM FEW020 SCT040 SCT100 BKN200 32/27 A2981 RMK SLP095 T03160270

TAF

TAF NSTU 152320Z 1600/1624 10012G20KT P6SM VCSH SCT020 BKN040 FM160600 09012G20KT P6SM -SHRA SCT020 OVC040

Frequencies

COM - 122.90 MHz - CTAF
APP - 126.90 MHz - FALEOLO APP/DEP

COM - 118.30 MHz - UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	151 ft	10,016 ft	60.00	ASPHALT	1,001 ft	390 ft
	46 m	3,053 m	47.98		305 m	119 m
23	151 ft	10,016 ft	240.00	ASPHALT	784 ft	226 ft
	46 m	3,053 m	227.98		239 m	69 m
08	98 ft	3,907 ft	89.93	ASPHALT	0 ft	371 ft
	30 m	1,191 m	77.91		0 m	113 m
26	98 ft	3,907 ft	269.93	ASPHALT	112 ft	0 ft
	30 m	1,191 m	257.90		34 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ITUT	110.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
05	LOC-ILS	ITUT	110.30 MHz	18 nm	58.08	-	9 ft
				33 km	46.05		9 m
05	GS	ITUT	110.30 MHz	10 nm	60.00	3.25	28 ft
				19 km	47.98		28 m