

FMEE

Roland Garros


LFPG

Paris Charles De Gaulle

2024/05/29 0109Z

FMEE PONIR **UR780** UVENA **UN304** DENLI ANKOR **UM665** MAV **UG300** TIKAT **UR611** KTM **UA727** MRW MRW **UR611** ATMUL
R2 BNA BNA **M621** OLMAX **UM621** EVIRA **M621** GILIO **M729** ELB **L50** BANKO **A1** SPR **UH10** DJL **UH37** TUNOR LFPG

5104.97 nm / 9454.41 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 37000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FMEE	-	-20.88930	0 ft	-	Roland Garros
APT	-	55.51770	0 m	-	
PONIR	-	-20.07500	19,200 ft	53	-
FIX	-	55.11120	5,852 m	-	-
UVENA	UR780	-18.60530	37,000 ft	96	-
FIX	AWY-HI	54.40170	11,278 m	-	-
ANVOR	UN304	-18.09750	37,000 ft	33	-
FIX	AWY-HI	54.15940	11,278 m	-	-
MAEVA	UN304	-16.39580	37,000 ft	112	-
FIX	AWY-HI	53.35860	11,278 m	-	-
MIDRI	UN304	-13.43390	37,000 ft	194	-
FIX	AWY-HI	52.00000	11,278 m	-	-
IXEBU	UN304	-12.12110	37,000 ft	86	-
FIX	AWY-HI	51.41000	11,278 m	-	-
DENLI	UN304	-10.00000	37,000 ft	138	-
FIX	AWY-HI	50.47000	11,278 m	-	-
ANKOR	-	-10.00000	37,000 ft	6	-
FIX	-	50.57830	11,278 m	-	-
UVESO	UM665	-7.00000	37,000 ft	213	-
FIX	AWY-HI	48.65990	11,278 m	-	-
ANTIS	UM665	-4.19858	37,000 ft	198	-
FIX	AWY-HI	46.89800	11,278 m	-	-
MITCH	UM665	-2.00000	37,000 ft	155	-
FIX	AWY-HI	45.52690	11,278 m	-	-
ITLOX	UM665	-1.17196	37,000 ft	58	-
FIX	AWY-HI	45.02610	11,278 m	-	-
RAGGS	UM665	0.32500	37,000 ft	103	-
FIX	AWY-HI	44.16000	11,278 m	-	-
TULAP	UM665	1.30944	37,000 ft	68	-
FIX	AWY-HI	43.58080	11,278 m	-	-
MAV	UM665	3.94033	37,000 ft	188	MANDERA
VOR	AWY-HI	41.86420	11,278 m	-	
IBTAN	UG300	5.23872	37,000 ft	98	-
FIX	AWY-HI	40.85430	11,278 m	-	-
UTSOR	UG300	6.22673	37,000 ft	76	-
FIX	AWY-HI	40.03920	11,278 m	-	-
MASLO	UG300	7.41597	37,000 ft	92	-
FIX	AWY-HI	39.05410	11,278 m	-	-
GETOL	UG300	8.18000	37,000 ft	55	-
FIX	AWY-HI	38.53830	11,278 m	-	-
ETIVA	UG300	8.38817	37,000 ft	15	-
FIX	AWY-HI	38.39710	11,278 m	-	-
ITPOG	UG300	8.73508	37,000 ft	25	-
FIX	AWY-HI	38.16380	11,278 m	-	-
GETIN	UG300	8.93667	37,000 ft	14	-
FIX	AWY-HI	38.03170	11,278 m	-	-
ETOKO	UG300	9.13775	37,000 ft	14	-
FIX	AWY-HI	37.88840	11,278 m	-	-
ETONI	UG300	10.01050	37,000 ft	63	-
FIX	AWY-HI	37.29070	11,278 m	-	-
TIKAT	UG300	12.40670	37,000 ft	173	-
FIX	AWY-HI	35.63670	11,278 m	-	-
EMITA	UR611	14.35860	37,000 ft	161	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	33.74580	11,278 m		
KTM	UR611	15.56610	37,000 ft	100	KHARTOUM
VOR	AWY-HI	32.55340	11,278 m		
ALPOX	UA727	17.19190	37,000 ft	100	-
FIX	AWY-HI	32.14190	11,278 m		
MRW	UA727	18.41360	37,000 ft	75	MEROWE
VOR	AWY-HI	31.83030	11,278 m		
MRW	-	18.44980	37,000 ft	2	MEROWE VOR-DME
DME	-	31.81870	11,278 m		
ATMUL	UR611	22.00000	37,000 ft	262	-
FIX	AWY-HI	29.09080	11,278 m		
TULOP	R2	25.36920	37,000 ft	251	-
FIX	AWY-HI	26.37390	11,278 m		
DITAR	R2	26.98420	37,000 ft	122	-
FIX	AWY-HI	25.00000	11,278 m		
ARADA	R2	30.77670	37,000 ft	290	-
FIX	AWY-HI	21.56330	11,278 m		
BNA	R2	32.12440	37,000 ft	105	BENINA (BENGHAZI)
VOR	AWY-HI	20.25360	11,278 m		
BNA	-	32.12500	37,000 ft	0	BENINA VOR-DME
DME	-	20.25330	11,278 m		
RZAAM	M621	32.80500	37,000 ft	64	-
FIX	AWY-HI	19.26000	11,278 m		
FARUJ	M621	33.52330	37,000 ft	50	-
FIX	AWY-HI	18.73170	11,278 m		
ERMIX	M621	33.97190	37,000 ft	31	-
FIX	AWY-HI	18.40030	11,278 m		
OLMAX	M621	34.33330	37,000 ft	25	-
FIX	AWY-HI	18.13060	11,278 m		
BEKNI	UM621	35.20420	37,000 ft	61	-
FIX	AWY-HI	17.46860	11,278 m		
RUDOG	UM621	35.43330	37,000 ft	16	-
FIX	AWY-HI	17.29190	11,278 m		
EVIRA	UM621	35.88140	37,000 ft	31	-
FIX	AWY-HI	16.94170	11,278 m		
ASKOT	M621	36.50000	37,000 ft	44	-
FIX	AWY-HI	16.45140	11,278 m		
ERNAM	M621	36.85830	37,000 ft	25	-
FIX	AWY-HI	16.16250	11,278 m		
ABUKI	M621	37.53360	37,000 ft	49	-
FIX	AWY-HI	15.55920	11,278 m		
TADIX	M621	38.83030	37,000 ft	96	-
FIX	AWY-HI	14.36110	11,278 m		
AMANO	M621	39.42170	37,000 ft	44	-
FIX	AWY-HI	13.79670	11,278 m		
GILIO	M621	42.36670	37,000 ft	219	-
FIX	AWY-HI	10.92610	11,278 m		
ELB	M729	42.73070	37,000 ft	32	ELBA
VOR	AWY-HI	10.39570	11,278 m		
BAKRO	L50	43.18810	37,000 ft	35	-
FIX	AWY-HI	9.88750	11,278 m		
KONER	L50	43.50470	37,000 ft	24	-
FIX	AWY-HI	9.53000	11,278 m		
TIDKA	L50	43.80000	37,000 ft	23	-
FIX	AWY-HI	9.19194	11,278 m		
UNITA	L50	43.94440	37,000 ft	11	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	9.02500	11,278 m		
IXITO	L50	44.13470	37,000 ft	14	-
FIX	AWY-HI	8.80361	11,278 m		
ANAKI	L50	44.20110	37,000 ft	5	-
FIX	AWY-HI	8.72556	11,278 m		
LAGEN	L50	44.39420	37,000 ft	15	-
FIX	AWY-HI	8.49806	11,278 m		
NEDED	L50	44.69390	37,000 ft	23	-
FIX	AWY-HI	8.14056	11,278 m		
TOP	L50	44.92540	37,000 ft	18	TORINO
VOR	AWY-HI	7.86167	11,278 m		
TUPUP	L50	45.22140	37,000 ft	21	-
FIX	AWY-HI	7.59778	11,278 m		
ADISO	L50	45.55920	37,000 ft	24	-
FIX	AWY-HI	7.29333	11,278 m		
KUKEV	L50	45.65280	37,000 ft	6	-
FIX	AWY-HI	7.20806	11,278 m		
BANKO	L50	45.82000	37,000 ft	11	-
FIX	AWY-HI	7.05472	11,278 m		
SPR29	A1	46.06360	37,000 ft	17	-
FIX	AWY-LO	6.82806	11,278 m		
SPR20	A1	46.18940	37,000 ft	8	-
FIX	AWY-LO	6.71083	11,278 m		
TMA32	A1	46.27330	37,000 ft	5	-
FIX	AWY-LO	6.63250	11,278 m		
SPR	A1	46.46870	37,000 ft	14	ST PREX
VOR	AWY-LO	6.44806	11,278 m		
SIROD	UH10	46.72690	37,000 ft	23	-
FIX	AWY-HI	6.01944	11,278 m		
DJL	UH10	47.27080	31,200 ft	49	DIJON LONGVIC
VOR	AWY-HI	5.09733	9,510 m		
TUNOR	UH37	47.88330	19,700 ft	53	-
FIX	AWY-HI	4.14111	6,005 m		
LFPG	-	49.00970	0 ft	92	Paris Charles De Gaulle
APT	-	2.56257	0 m		

FMEE

Region: COMOROS, MAYOTTE, RÉUNION AND MADAGASCAR Elevation: 66 ft / 20 m
Timezone: INDIAN/REUNION Location: -20.889300 55.517700
Runways: 2 Magnetic Var: 18.757 W

METAR

FMEE 290030Z AUTO 13019KT CAVOK 24/19 Q1017 BECMG 14016G30KT

TAF

TAF FMEE 282300Z 2900/3006 14016G30KT 9999 SCT023 TEMPO 3000/3003 4500 SHRA SCT020TCU

Frequencies

REC - 126.80 MHz - ATIS
TWR - 118.40 MHz -
APP - 127.20 MHz -
GND - 121.90 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,492 ft	102.28	ASPHALT	397 ft	0 ft
	45 m	3,198 m	121.03		121 m	0 m
30	148 ft	10,492 ft	282.26	ASPHALT	0 ft	0 ft
	45 m	3,198 m	301.02		0 m	0 m
14	148 ft	8,768 ft	116.58	ASPHALT	328 ft	0 ft
	45 m	2,672 m	135.34		100 m	0 m
32	148 ft	8,768 ft	296.58	ASPHALT	1,175 ft	0 ft
	45 m	2,672 m	315.33		358 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	SD	110.30 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
14	LOC-ILS	SD	110.30 MHz	18 nm	116.63	-	66 ft
				33 km	135.39		66 m
14	GS	SD	110.30 MHz	10 nm	117.09	3.00	46 ft
				19 km	135.85		46 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.502 E

METAR

LFPG 290030Z 22010KT 9999 BKN018 BKN032 15/12 Q1015 NOSIG

TAF

TAF LFPG 282300Z 2900/3006 22010KT 9999 SCT020 BKN030 TX16/2915Z TN13/2904Z BECMG 2902/2904 BKN012 TEMPO 2904/291

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m