

# LIBP

Pescara Abruzzo "Pasquale Liberi"


# LIME

Bergamo-Orio Al Serio "Il Caravaggio"

2024/04/28 0259Z

LIBP GUBIN **M872** LIKNO **Q95** LUTOR LIME

274.19 nm / 507.81 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 290ft
- Cruise Speed: 330kts
- Descent Rate: 1500ft/min
- Descent Speed: 220kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIBP	-	42.43120	0 ft	-	Pescara Abruzzo	"Pasquale Liberi"
APT	-	14.18290	0 m			
GUBIN	-	43.48690	200 ft	88	-	
FIX	-	12.77420	61 m			
LIKNO	M872	43.79390	200 ft	26	-	
FIX	AWY-HI	12.34830	61 m			
PELEG	Q95	44.22780	200 ft	37	-	
FIX	AWY-HI	11.73530	61 m			
PETAS	Q95	44.34810	200 ft	10	-	
FIX	AWY-HI	11.56310	61 m			
PIGAK	Q95	44.38640	200 ft	3	-	
FIX	AWY-HI	11.50810	61 m			
LUTOR	Q95	44.48810	200 ft	8	-	
FIX	AWY-HI	11.36080	61 m			
LIME	-	45.67200	0 ft	99	Bergamo-Orio Al Serio	"Il Caravaggio"
APT	-	9.70681	0 m			

## LIBP

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 45 ft / 14 m  
Location: 42.431200 14.182900  
Magnetic Var: 4.052 E

## METAR

LIBP 280220Z AUTO 21004KT 9999 NCD 08/08 Q1019

## TAF

TAF LIBP 272300Z 2800/2824 VRB05KT CAVOK BECMG 2808/2810 07010KT BECMG 2816/2818 VRB05KT

## Frequencies

TWR - 118.45 MHz - PESCARA TOWER

APP - 120.05 MHz - PESCARA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	7,943 ft	37.38	ASPHALT	341 ft	0 ft
	46 m	2,421 m	33.33		104 m	0 m
22	151 ft	7,943 ft	217.39	ASPHALT	610 ft	0 ft
	46 m	2,421 m	213.34		186 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	IPS	110.70 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
22	LOC-ILS	IPS	110.70 MHz	18 nm	217.39	-	48 ft
				33 km	213.34		48 m
22	GS	IPS	110.70 MHz	10 nm	217.40	3.00	48 ft
				19 km	213.35		48 m

## LIME

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 776 ft / 237 m  
Location: 45.672000 9.706810  
Magnetic Var: 3.339 E

## METAR

LIME 280220Z 09003KT 9999 BKN035 12/09 Q1018 NOSIG

## TAF

TAF LIME 272300Z 2800/2824 08007KT 9000 BKN050 TEMPO 2800/2806 4000 RA BKN014 BECMG 2809/2811 14010KT BECMG 2815/2817 14010KT

## Frequencies

GND - 120.50 MHz - ORIO GROUND  
REC - 114.95 MHz - ATIS  
APP - 126.75 MHz - MILANO RADAR

TWR - 125.87 MHz - ORIO TOWER  
APP - 126.30 MHz - MILANO RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	59 ft	2,670 ft	121.46	ASPHALT	200 ft	0 ft
	18 m	814 m	118.12		61 m	0 m
30	59 ft	2,670 ft	301.47	ASPHALT	312 ft	0 ft
	18 m	814 m	298.13		95 m	0 m
10	148 ft	9,439 ft	104.87	ASPHALT	718 ft	0 ft
	45 m	2,877 m	101.53		219 m	0 m
28	148 ft	9,439 ft	284.90	ASPHALT	443 ft	0 ft
	45 m	2,877 m	281.56		135 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	BRM	108.70 MHz	18 nm	-	-	779 ft
				33 km	-		779 m
28	LOC-ILS	BRM	108.70 MHz	18 nm	285.08	-	779 ft
				33 km	281.74		779 m
28	GS	BRM	108.70 MHz	10 nm	285.80	3.00	779 ft
				19 km	282.46		779 m