

KBOI

Boise Air Terminal (Gowen Field)


KRDM

Roberts Fld

2024/05/02 1630Z

KBOI 4400N12000W KRDM

218.13 nm / 403.98 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBOI	-	43.55624	0 ft	-	Boise Air Terminal (Gowen Field)
APT	-	-116.21495	0 m		
4400N12000W	-	44.00000	10,100 ft	166	-
LATLON	-	-120.00000	3,078 m		
KRDM	-	44.25407	0 ft	51	Roberts Fld
APT	-	-121.14996	0 m		

KBOI

Region: UNITED STATES
Timezone: AMERICA/BOISE
Runways: 2

Elevation: 2,872 ft / 875 m
Location: 43.564400 -116.223000
Magnetic Var: 12.620 E

METAR

KBOI 021553Z 11012KT 10SM OVC090 11/M06 A2995 RMK A02 SLP137 T01061056

TAF

KBOI 021136Z 0212/0312 12009KT P6SM OVC100 FM021600 13014KT P6SM VCSH OVC070 TEMPO 0218/0220 5SM -SHRA OVC050 FM030000 15018KT P6SM BKN040

Frequencies

REC - 123.90 MHz - D-ATIS	COM - 122.95 MHz - BOISE UNICOM
GND - 121.70 MHz - BOISE GROUND	TWR - 118.10 MHz - BOISE TOWER
TWR - 119.00 MHz - BOISE TOWER	CLD - 125.90 MHz - BOISE CLEARANCE DELIVERY
DEP - 119.60 MHz - BIG SKY DEPARTURE	DEP - 126.90 MHz - BIG SKY DEPARTURE
APP - 119.60 MHz - BIG SKY APPROACH	APP - 126.90 MHz - BIG SKY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	150 ft	9,982 ft	115.22	ASPHALT	0 ft	197 ft
	46 m	3,043 m	102.60		0 m	60 m
28R	150 ft	9,982 ft	295.24	ASPHALT	0 ft	200 ft
	46 m	3,043 m	282.62		0 m	61 m
10R	150 ft	9,746 ft	115.20	ASPHALT	0 ft	200 ft
	46 m	2,971 m	102.58		0 m	61 m
28L	150 ft	9,746 ft	295.23	ASPHALT	0 ft	200 ft
	46 m	2,971 m	282.61		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10R	DME	IBOI	111.10 MHz	18 nm	-	-	2,879 ft
				33 km	-		2,879 m
28R	LOC-ILS	IAAD	110.15 MHz	18 nm	295.23	-	2,872 ft
				33 km	282.61		2,872 m
10R	LOC-ILS	IBOI	111.10 MHz	18 nm	115.22	-	2,872 ft
				33 km	102.60		2,872 m
10R	GS	IBOI	111.10 MHz	10 nm	115.42	3.00	2,872 ft
				19 km	102.80		2,872 m
28R	GS	IAAD	110.15 MHz	10 nm	295.23	3.00	2,872 ft
				19 km	282.61		2,872 m

KRDM

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 3,081 ft / 939 m
Location: 44.254100 -121.150000
Magnetic Var: 13.934 E

METAR

KRDM 021556Z 31004KT 10SM SCT009 07/04 A2993 RMK A02 SLP136 T00670039

TAF

TAF TAF AMD KRDM 021507Z 0215/0312 VRB03KT P6SM VCSH BKN035 FM021900 34007KT P6SM FEW010 BKN025 FM022300 32007KT P

Frequencies

REC - 119.02 MHz - REDMOND ATIS
GND - 121.80 MHz - REDMOND GROUND

COM - 122.95 MHz - REDMOND UNICOM
TWR - 124.50 MHz - REDMOND TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	7,025 ft	60.27	ASPHALT	0 ft	0 ft
	46 m	2,141 m	46.34		0 m	0 m
23	150 ft	7,025 ft	240.29	ASPHALT	0 ft	0 ft
	46 m	2,141 m	226.35		0 m	0 m
11	100 ft	6,995 ft	121.98	ASPHALT	0 ft	0 ft
	30 m	2,132 m	108.05		0 m	0 m
29	100 ft	6,995 ft	302.00	ASPHALT	0 ft	0 ft
	30 m	2,132 m	288.06		0 m	0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	IRDM	109.10 MHz	18 nm	240.28	-	3,081 ft
				33 km	226.35		3,081 m
23	GS	IRDM	109.10 MHz	10 nm	240.28	3.00	3,081 ft
				19 km	226.35		3,081 m