


2024/05/08 1727Z

KIAD JERES KMDT

87.68 nm / 162.39 km



Notes

Requested: KIAD JERES KMDT

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KIAD APT	-	38.94771 -77.46086	0 ft 0 m	-	Washington Dulles Intl
JERES FIX	-	39.64289 -77.45506	0 ft 0 m	41 -	
KMDT APT	-	40.19319 -76.76262	0 ft 0 m	45	HARRISBURG INTL

KIAD

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 312 ft / 95 m
Location: 38.947700 -77.460900
Magnetic Var: 10.663 W

METAR

KIAD 081652Z 29010G22KT 10SM FEW060 BKN140 BKN250 28/13 A2967 RMK A02 SLP045 T02830133

TAF

KIAD 081509Z 0815/0918 19006KT P6SM BKN150 FM081700 27008G16KT P6SM FEW110 SCT250 FM082300 28006KT P6SM SCT250 FM090100 28006KT P6SM SCT250

Frequencies

COM - 122.95 MHz - UNICOM	REC - 134.85 MHz - D-ATIS
CLD - 135.70 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - DULLES GROUND
GND - 121.90 MHz - DULLES GROUND	TWR - 120.10 MHz - DULLES TOWER
TWR - 120.25 MHz - DULLES TOWER	TWR - 134.42 MHz - DULLES TOWER
APP - 120.45 MHz - POTOMAC APPROACH	APP - 126.10 MHz - POTOMAC APPROACH
APP - 128.52 MHz - POTOMAC APPROACH	DEP - 126.65 MHz - POTOMAC DEPARTURE
DEP - 125.05 MHz - POTOMAC DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	151 ft	9,408 ft	0.64	CONCRETE	0 ft	404 ft
	46 m	2,868 m	11.30		0 m	123 m
19R	151 ft	9,408 ft	180.64	CONCRETE	0 ft	404 ft
	46 m	2,868 m	191.30		0 m	123 m
01C	151 ft	11,510 ft	0.65	CONCRETE	0 ft	407 ft
	46 m	3,508 m	11.31		0 m	124 m
19C	151 ft	11,510 ft	180.65	CONCRETE	0 ft	43 ft
	46 m	3,508 m	191.31		0 m	13 m
01R	151 ft	11,510 ft	0.66	CONCRETE	0 ft	43 ft
	46 m	3,508 m	11.33		0 m	13 m
19L	151 ft	11,510 ft	180.66	CONCRETE	0 ft	387 ft
	46 m	3,508 m	191.33		0 m	118 m
12	151 ft	10,513 ft	110.71	CONCRETE	0 ft	20 ft
	46 m	3,204 m	121.37		0 m	6 m
30	151 ft	10,513 ft	290.73	CONCRETE	0 ft	387 ft
	46 m	3,204 m	301.39		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	IIAD	110.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
19L	DME	ISGC	110.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
19R	DME	IISU	110.75 MHz	18 nm	-	-	313 ft
				33 km	-		313 m
01C	LOC-ILS	IOSZ	111.30 MHz	18 nm	0.65	-	312 ft
				33 km	11.31		312 m
01R	LOC-ILS	IIAD	110.10 MHz	18 nm	0.67	-	312 ft
				33 km	11.33		312 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IAJU	109.30 MHz	18 nm	110.74	-	312 ft
				33 km	121.40		312 m
19C	LOC-ILS	IDLX	111.30 MHz	18 nm	180.65	-	312 ft
				33 km	191.31		312 m
19L	LOC-ILS	ISGC	110.10 MHz	18 nm	180.67	-	312 ft
				33 km	191.33		312 m
19R	LOC-ILS	IISU	110.75 MHz	18 nm	180.58	-	312 ft
				33 km	191.24		312 m
01L	LOC-ILS	IOIU	110.75 MHz	18 nm	0.58	-	312 ft
				33 km	11.24		312 m
01C	GS	IOSZ	111.30 MHz	10 nm	0.65	3.00	312 ft
				19 km	11.31		312 m
01R	GS	IIAD	110.10 MHz	10 nm	0.67	3.00	312 ft
				19 km	11.33		312 m
12	GS	IAJU	109.30 MHz	10 nm	110.74	3.00	312 ft
				19 km	121.40		312 m
19C	GS	IDLX	111.30 MHz	10 nm	180.65	3.00	312 ft
				19 km	191.31		312 m
19L	GS	ISGC	110.10 MHz	10 nm	180.67	3.00	312 ft
				19 km	191.33		312 m
19R	GS	IISU	110.75 MHz	10 nm	180.58	3.00	312 ft
				19 km	191.24		312 m
01L	GS	IOIU	110.75 MHz	10 nm	0.58	3.00	312 ft
				19 km	11.24		312 m

KMDT

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 1

Elevation: 310 ft / 94 m
Location: 40.193200 -76.762600
Magnetic Var: 11.260 W

METAR

KMDT 081656Z 28010G17KT 10SM SCT045 27/16 A2960 RMK A02 SLP023 T02670161

TAF

TAF AMD KMDT 081513Z 0815/0912 27007G14KT P6SM SCT050 BKN150 FM081630 27014G24KT P6SM SCT050 SCT250 FM090000 2800

Frequencies

REC - 118.80 MHz - HARRISBURG ATIS	GND - 121.70 MHz - HARRISBURG GROUND
TWR - 124.80 MHz - HARRISBURG TOWER	APP - 118.25 MHz - HARRISBURG APPROACH
APP - 124.10 MHz - HARRISBURG APPROACH	APP - 126.45 MHz - HARRISBURG APPROACH
DEP - 118.25 MHz - HARRISBURG DEPARTURE	DEP - 124.10 MHz - HARRISBURG DEPARTURE
DEP - 126.45 MHz - HARRISBURG DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	200 ft	10,010 ft	116.88	ASPHALT	1,004 ft	138 ft
	61 m	3,051 m	128.13		306 m	42 m
31	200 ft	10,010 ft	296.90	ASPHALT	1,004 ft	49 ft
	61 m	3,051 m	308.16		306 m	15 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	IMDT	110.90 MHz	18 nm	116.89	-	310 ft
				33 km	128.15		310 m
31	LOC-ILS	IHQA	110.90 MHz	18 nm	296.89	-	310 ft
				33 km	308.15		310 m
13	GS	IMDT	110.90 MHz	10 nm	116.89	3.00	310 ft
				19 km	128.15		310 m
31	GS	IHQA	110.90 MHz	10 nm	296.89	3.00	310 ft
				19 km	308.15		310 m