


2024/05/01 2357Z

BGBW 6100N0-4400W 6100N0-4300W 6100N0-4200W 6100N0-4100W 6200N0-3800W 6200N0-3700W 6200N0-3600W  
6200N0-3500W 6200N0-3400W 6200N0-3300W 6200N0-3200W 6200N0-3100W 6300N0-2800W 6300N0-2700W  
6300N0-2600W 6300N0-2500W BIKF

703.43 nm / 1302.75 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BGBW	-	61.16070	0 ft	-	Narsarsuaq
APT	-	-45.42570	0 m	-	
6100N0-4400W	-	61.00000	15,100 ft	42	-
LATLON	-	-44.00000	4,602 m	-	-
6100N0-4300W	-	61.00000	25,500 ft	29	-
LATLON	-	-43.00000	7,772 m	-	-
6100N0-4200W	-	61.00000	35,000 ft	29	-
LATLON	-	-42.00000	10,668 m	-	-
6100N0-4100W	-	61.00000	35,000 ft	29	-
LATLON	-	-41.00000	10,668 m	-	-
6200N0-3800W	-	62.00000	35,000 ft	104	-
LATLON	-	-38.00000	10,668 m	-	-
6200N0-3700W	-	62.00000	35,000 ft	28	-
LATLON	-	-37.00000	10,668 m	-	-
6200N0-3600W	-	62.00000	35,000 ft	28	-
LATLON	-	-36.00000	10,668 m	-	-
6200N0-3500W	-	62.00000	35,000 ft	28	-
LATLON	-	-35.00000	10,668 m	-	-
6200N0-3400W	-	62.00000	35,000 ft	28	-
LATLON	-	-34.00000	10,668 m	-	-
6200N0-3300W	-	62.00000	35,000 ft	28	-
LATLON	-	-33.00000	10,668 m	-	-
6200N0-3200W	-	62.00000	35,000 ft	28	-
LATLON	-	-32.00000	10,668 m	-	-
6200N0-3100W	-	62.00000	35,000 ft	28	-
LATLON	-	-31.00000	10,668 m	-	-
6300N0-2800W	-	63.00000	35,000 ft	102	-
LATLON	-	-28.00000	10,668 m	-	-
6300N0-2700W	-	63.00000	30,300 ft	27	-
LATLON	-	-27.00000	9,235 m	-	-
6300N0-2600W	-	63.00000	24,400 ft	27	-
LATLON	-	-26.00000	7,437 m	-	-
6300N0-2500W	-	63.00000	18,600 ft	27	-
LATLON	-	-25.00000	5,669 m	-	-
BIKF	-	63.98160	0 ft	86	Keflavik
APT	-	-22.61460	0 m	-	

## BIKF

Region: ICELAND  
Timezone: ATLANTIC/REYKJAVIK  
Runways: 2

Elevation: 168 ft / 51 m  
Location: 63.981600 -22.614600  
Magnetic Var: 12.376 W

## METAR

BIKF 012330Z 17013KT 9999 -DZ FEW018 BKN030 OVC100 06/03 Q1019

## TAF

TAF BIKF 011933Z 0121/0221 18012KT 9999 BKN025 TX09/0215Z TN05/0206Z TEMPO 0121/0221 4500 -DZRA OVC010

## Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.39		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.39		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.33		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.38		0 m	67 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.39		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.36		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.39		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.36		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.39		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.36		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.39		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.36		169 m