

YSSY

Sydney Kingsford Smith Intl


VHHH

Hong Kong Intl

2024/05/07 1750Z

YSSY SCATZ **V316** ANBAN **W811** AGETA **R340** AMN **A461** ZAM **A583** CH VHHH

4002.33 nm / 7412.32 km



Notes

Requested: YSSY SCATZ V316 ANBAN W811 AGETA R340 AMN A461 ZAM A583 CH VHHH

Unmatched points: W811

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YSSY	-	-33.94610	0 ft	-	Sydney Kingsford Smith Intl
APT	-	151.17700	0 m	-	
SCATZ	-	-32.65500	0 ft	90	-
FIX	-	150.25500	0 m	-	-
ANBAN	V316	-31.33000	0 ft	94	-
FIX	AWY-LO	149.27100	0 m	-	-
AGETA	W811	-30.02870	0 ft	97	-
FIX	AWY-LO	148.12800	0 m	-	-
ONIVI	R340	-28.98420	0 ft	78	-
FIX	AWY-HI	147.23100	0 m	-	-
MIMIB	R340	-27.75420	0 ft	91	-
FIX	AWY-HI	146.20500	0 m	-	-
VILOL	R340	-25.96420	0 ft	132	-
FIX	AWY-HI	144.76400	0 m	-	-
TAVEV	R340	-24.26000	0 ft	125	-
FIX	AWY-HI	143.44300	0 m	-	-
SARIK	R340	-22.00900	0 ft	163	-
FIX	AWY-HI	141.76300	0 m	-	-
TASHA	R340	-20.11230	0 ft	137	-
FIX	AWY-HI	140.39800	0 m	-	-
RUVPAP	R340	-18.22240	0 ft	142	-
FIX	AWY-HI	138.88300	0 m	-	-
EGORE	R340	-15.36390	0 ft	213	-
FIX	AWY-HI	136.66800	0 m	-	-
DUMAV	R340	-13.94080	0 ft	105	-
FIX	AWY-HI	135.59600	0 m	-	-
IGOPO	R340	-11.94440	0 ft	147	-
FIX	AWY-HI	134.11800	0 m	-	-
GUTEV	R340	-8.07327	0 ft	285	-
FIX	AWY-HI	131.32700	0 m	-	-
AMN	R340	-3.61492	0 ft	326	AMBON
VOR	AWY-HI	128.18600	0 m	-	
BONDA	A461	2.04489	0 ft	393	-
FIX	AWY-HI	124.88000	0 m	-	-
MOLLY	A461	4.00000	0 ft	136	-
FIX	AWY-HI	123.71800	0 m	-	-
TANAL	A461	6.56119	0 ft	176	-
FIX	AWY-HI	122.26300	0 m	-	-
ZAM	A461	6.92469	0 ft	25	ZAMBOANGA
VOR	AWY-HI	122.05500	0 m	-	
MASUN	A583	7.30043	0 ft	25	-
FIX	AWY-HI	121.87100	0 m	-	-
MARAN	A583	10.23380	0 ft	196	-
FIX	AWY-HI	120.41600	0 m	-	-
PALOS	A583	11.02850	0 ft	53	-
FIX	AWY-HI	120.01600	0 m	-	-
TOKON	A583	11.70050	0 ft	45	-
FIX	AWY-HI	119.67500	0 m	-	-
LEGED	A583	13.02030	0 ft	88	-
FIX	AWY-HI	119.00200	0 m	-	-
REKEL	A583	13.59040	0 ft	38	-
FIX	AWY-HI	118.70900	0 m	-	-
IBOBI	A583	14.31170	0 ft	48	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	118.33600	0 m		
AKOTA	A583	16.46200	0 ft	144	-
FIX	AWY-HI	117.20700	0 m		
MAVRA	A583	17.77780	0 ft	88	-
FIX	AWY-HI	116.50200	0 m		
SABNO	A583	18.98500	0 ft	81	-
FIX	AWY-HI	115.84500	0 m		
CH	A583	22.21950	0 ft	219	CHEUNG CHAU
VOR	AWY-HI	114.03000	0 m		
VHHH	-	22.30890	0 ft	8	Hong Kong Intl
APT	-	113.91500	0 m		

YSSY

Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 3

Elevation: 21 ft / 6 m
Location: -33.946100 151.177000
Magnetic Var: 12.671 E

METAR

YSSY 071730Z AUTO 22013KT 9999 // SCT053 OVC064 15/14 Q1029 RESHRA

TAF

TAF YSSY 071405Z 0715/0818 30006KT 9999 -SHRA SCT025 FM080100 VRB05KT 9999 -SHRA SCT030 FM080300 13008KT 9999 -SHRA

Frequencies

REC - 118.55 MHz - ATIS	REC - 126.55 MHz - ATIS
TWR - 124.70 MHz - SYDNEY TOWER	TWR - 120.50 MHz - SYDNEY TOWER
GND - 126.50 MHz - SYDNEY GROUND	GND - 121.70 MHz - SYDNEY GROUND
GND - 130.95 MHz - ANSETT APRON	GND - 127.60 MHz - SYDNEY COORDINATOR
CLD - 133.80 MHz - SYDNEY CLEARANCE DELIVERY	APP - 124.40 MHz - SYDNEY APPROACH
APP - 128.30 MHz - SYDNEY APPROACH	APP - 135.90 MHz - SYDNEY APPROACH
APP - 126.10 MHz - SYDNEY DIRECT	APP - 125.30 MHz - SYDNEY DIRECT
APP - 133.95 MHz - ILS MONITOR	APP - 119.45 MHz - ILS MONITOR
DEP - 129.70 MHz - SYDNEY DEPARTURE	DEP - 128.30 MHz - SYDNEY DEPARTURE
DEP - 123.00 MHz - SYDNEY DEPARTURE	DEP - 118.40 MHz - SYDNEY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,018 ft	167.85	ASPHALT	758 ft	295 ft
	45 m	2,444 m	155.18		231 m	90 m
34R	148 ft	8,018 ft	347.85	ASPHALT	125 ft	295 ft
	45 m	2,444 m	335.18		38 m	90 m
07	148 ft	8,285 ft	74.14	ASPHALT	0 ft	489 ft
	45 m	2,525 m	61.46		0 m	149 m
25	148 ft	8,285 ft	254.12	ASPHALT	331 ft	197 ft
	45 m	2,525 m	241.45		101 m	60 m
16R	148 ft	13,029 ft	167.86	ASPHALT	279 ft	299 ft
	45 m	3,971 m	155.19		85 m	91 m
34L	148 ft	13,029 ft	347.85	ASPHALT	0 ft	620 ft
	45 m	3,971 m	335.18		0 m	189 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISY	109.90 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	ISS	110.90 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25	DME	ISW	109.70 MHz	18 nm	-	-	33 ft
				33 km	-		33 m
34R	DME	IKN	109.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
07	LOC-ILS	ISY	109.90 MHz	18 nm	74.13	-	21 ft
				33 km	61.46		21 m
16L	LOC-ILS	ISS	110.90 MHz	18 nm	167.85	-	21 ft
				33 km	155.18		21 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKS	109.50 MHz	18 nm	167.86	-	21 ft
				33 km	155.19		21 m
25	LOC-ILS	ISW	109.70 MHz	18 nm	254.13	-	21 ft
				33 km	241.46		21 m
34L	LOC-ILS	ISN	110.10 MHz	18 nm	347.86	-	21 ft
				33 km	335.19		21 m
34R	LOC-ILS	IKN	109.30 MHz	18 nm	347.85	-	21 ft
				33 km	335.18		21 m
07	GS	ISY	109.90 MHz	10 nm	74.13	3.00	21 ft
				19 km	61.46		21 m
16L	GS	ISS	110.90 MHz	10 nm	167.85	3.00	21 ft
				19 km	155.18		21 m
16R	GS	IKS	109.50 MHz	10 nm	167.86	3.00	21 ft
				19 km	155.19		21 m
25	GS	ISW	109.70 MHz	10 nm	254.13	3.00	21 ft
				19 km	241.46		21 m
34L	GS	ISN	110.10 MHz	10 nm	347.86	3.00	21 ft
				19 km	335.19		21 m
34R	GS	IKN	109.30 MHz	10 nm	347.85	3.00	21 ft
				19 km	335.18		21 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.237 W

METAR

VHHH 071730Z 10007KT 9999 FEW025 SCT035 26/22 Q1014 NOSIG

TAF

TAF VHHH 071400Z 0715/0821 08010KT 9000 FEW015 SCT030 TX30/0806Z TN25/0722Z TEMPO 0715/0718 10015G25KT TEMPO 0803

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.02		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m