


2024/05/15 2053Z

EHEH SORAT EHBK

35.61 nm / 65.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 33000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHEH	-	51.45000	0 ft	-	Eindhoven
APT	-	5.37444	0 m		
SORAT	-	51.21580	4,100 ft	16	-
FIX	-	5.59667	1,250 m		
EHBK	-	50.91580	0 ft	19	Maastricht Aachen
APT	-	5.77694	0 m		

EHEH

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 1

Elevation: 144 ft / 44 m
Location: 51.450000 5.374440
Magnetic Var: 2.258 E

METAR

EHEH 152025Z AUTO 03003KT 360V130 4600 -DZ BKN061 BKN067 BKN078 15/14 Q1007 GRN TEMPO 4000 SHRA RA SCT006 BKN012

TAF

TAF EHEH 151715Z 1518/1624 VRB02KT 9999 FEW008 OVC040 TEMPO 1518/1624 4000 RA SHRA SCT008 OVC012 SCT030CB PROB40 1

Frequencies

REC - 126.02 MHz - INFORMATION	GND - 121.92 MHz - GROUND
TWR - 122.10 MHz - TOWER	TWR - 131.00 MHz - TOWER
APP - 123.10 MHz - RAPCON SOUTH	APP - 124.50 MHz - ARRIVAL
APP - 122.10 MHz - ARRIVAL	APP - 132.50 MHz - ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,833 ft	34.92	ASPHALT	820 ft	0 ft
	45 m	2,997 m	32.66		250 m	0 m
21	148 ft	9,833 ft	214.94	ASPHALT	797 ft	0 ft
	45 m	2,997 m	212.68		243 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	EHZ	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
21	DME	EHO	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
03	LOC-ILS	EHZ	109.75 MHz	18 nm	34.94	-	74 ft
				33 km	32.68		74 m
21	LOC-ILS	EHO	109.75 MHz	18 nm	214.94	-	74 ft
				33 km	212.68		74 m
03	GS	EHZ	109.75 MHz	10 nm	34.94	3.00	74 ft
				19 km	32.68		74 m
21	GS	EHO	109.75 MHz	10 nm	214.94	3.00	74 ft
				19 km	212.68		74 m

EHBK

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 1

Elevation: 375 ft / 114 m
Location: 50.915800 5.776940
Magnetic Var: 2.389 E

METAR

EHBK 152025Z AUTO 06003KT 4200 DZ NSC 14/14 Q1007 TEMPO 8000

TAF

TAF EHBK 151707Z 1518/1624 VRB02KT 8000 -RA SCT015 BKN040 PROB30 TEMPO 1518/1522 6000 RA SHRA SCT008 BKN012 FEW030

Frequencies

REC - 124.57 MHz - MAASTRICHT INFORMATION
TWR - 119.70 MHz - BEEK TOWER
APP - 123.97 MHz - BEEK APPROACH

TWR - 119.47 MHz - BEEK TOWER
CLD - 121.82 MHz - BEEK DELIVERY
APP - 120.20 MHz - BEEK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,019 ft	32.54	ASPHALT	810 ft	0 ft
	45 m	2,749 m	30.15		247 m	0 m
21	148 ft	9,019 ft	212.56	ASPHALT	814 ft	0 ft
	45 m	2,749 m	210.17		248 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	BKZ	111.55 MHz	18 nm	-	-	375 ft
				33 km	-		375 m
21	DME	BKN	111.55 MHz	18 nm	-	-	375 ft
				33 km	-		375 m
03	LOC-ILS	BKZ	111.55 MHz	18 nm	32.56	-	375 ft
				33 km	30.17		375 m
21	LOC-ILS	BKN	111.55 MHz	18 nm	212.56	-	375 ft
				33 km	210.17		375 m
03	GS	BKZ	111.55 MHz	10 nm	32.56	3.00	375 ft
				19 km	30.17		375 m
21	GS	BKN	111.55 MHz	10 nm	212.56	3.00	375 ft
				19 km	210.17		375 m