

# DAAG

Alger/Houari Boumediene


# LFLL

Lyon Saint Exupery

2024/05/23 0501Z

DAAG ZEM **B16** PECES **UN853** LUMAS **UM976** SOSUR **B16** MTG **A6** MTL LFLL

563.81 nm / 1044.18 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DAAG	-	36.69750	0 ft	-	Alger/Houari Boumediene
APT	-	3.21225	0 m		
ZEM	-	36.79500	6,500 ft	18	ZEMMOURI
VOR	-	3.57083	1,981 m		
PECES	B16	38.48030	35,000 ft	102	-
FIX	AWY-HI	3.94972	10,668 m		
MAMOM	UN853	39.21750	35,000 ft	44	-
FIX	AWY-HI	4.09083	10,668 m		
MHN	UN853	39.86360	35,000 ft	39	MENORCA
VOR	AWY-HI	4.21631	10,668 m		
MEROS	UN853	40.50000	35,000 ft	38	-
FIX	AWY-HI	4.36658	10,668 m		
LAPIT	UN853	40.89540	35,000 ft	24	-
FIX	AWY-HI	4.46142	10,668 m		
CHELY	UN853	41.07500	35,000 ft	10	-
FIX	AWY-HI	4.50486	10,668 m		
LUMAS	UN853	41.73320	35,000 ft	40	-
FIX	AWY-HI	4.66667	10,668 m		
SOSUR	UM976	42.56020	35,000 ft	51	-
FIX	AWY-HI	4.99739	10,668 m		
AGAKI	B16	42.80470	35,000 ft	14	-
FIX	AWY-LO	5.02361	10,668 m		
IDELO	B16	43.04910	35,000 ft	14	-
FIX	AWY-LO	5.05003	10,668 m		
MTG	B16	43.38630	30,600 ft	20	MARTIGUES
VOR	AWY-LO	5.08683	9,327 m		
CM	A6	43.90830	23,700 ft	32	AVIGNON CAUMONT
NDB	AWY-LO	4.90539	7,224 m		
MTL	A6	44.55490	15,300 ft	39	MONTELMAR ANCONA
VOR	AWY-LO	4.77986	4,663 m		
LFLI	-	45.72580	0 ft	71	Lyon Saint Exupery
APT	-	5.09073	0 m		

## DAAG

Region: ALGERIA  
Timezone: AFRICA/ALGIERS  
Runways: 2

Elevation: 82 ft / 25 m  
Location: 36.697500 3.212250  
Magnetic Var: 1.711 E

## METAR

DAAG 230430Z 24002KT CAVOK 13/11 Q1016

## TAF

TAF DAAG 222300Z 2300/2324 VRB02KT CAVOK BECMG 2309/2311 04010KT PROB30 TEMPO 2312/2316 04015G25KT BECMG 2317/2319 04010KT CAVOK

## Frequencies

GND - 121.80 MHz - ALGIERS GROUND  
TWR - 119.70 MHz - ALGIERS TOWER  
REC - 128.52 MHz - ATIS

TWR - 118.70 MHz - ALGIERS TOWER  
APP - 121.40 MHz - ALGIERS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	12,468 ft	91.69	CONCRETE	984 ft	0 ft
	45 m	3,800 m	89.98		300 m	0 m
27	148 ft	12,468 ft	271.72	CONCRETE	0 ft	0 ft
	45 m	3,800 m	270.01		0 m	0 m
05	197 ft	11,494 ft	52.68	CONCRETE	0 ft	0 ft
	60 m	3,503 m	50.97		0 m	0 m
23	197 ft	11,494 ft	232.70	CONCRETE	0 ft	0 ft
	60 m	3,503 m	230.99		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	HB	108.50 MHz	18 nm	91.70	-	82 ft
				33 km	89.99		82 m
23	LOC-ILS	AG	110.30 MHz	18 nm	232.70	-	82 ft
				33 km	230.99		82 m
27	LOC-ILS	AL	109.50 MHz	18 nm	271.70	-	82 ft
				33 km	269.99		82 m
09	GS	HB	108.50 MHz	10 nm	91.70	3.00	82 ft
				19 km	89.99		82 m
23	GS	AG	110.30 MHz	10 nm	232.70	3.00	82 ft
				19 km	230.99		82 m
27	GS	AL	109.50 MHz	10 nm	271.70	3.00	82 ft
				19 km	269.99		82 m

## LFL

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 817 ft / 249 m  
Location: 45.725800 5.090730  
Magnetic Var: 2.262 E

## METAR

LFL 230430Z 26002KT 9999 BKN033 BKN070 13/10 Q1017 NOSIG

## TAF

TAF LFL 222300Z 2300/2406 VRB03KT 9999 SCT050 TEMPO 2308/2312 36005KT RA BKN020 SCT030TCU TEMPO 2312/2316 4000 SH

## Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.88		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.88		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.88		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.88		0 m	19 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.88		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.89		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.88		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.88		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.89		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.88		818 m