


2024/06/06 2233Z

KHLC YETRU V132 HUT V256 PER V77 IRW V17 ZALUN KTKI

433.96 nm / 803.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 7000ft
- Cruise Speed: 190kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KHLC APT	-	39.38020 -99.83150	0 ft 0 m	-	HILL CITY MUNI
YETRU FIX	-	38.10800 -98.21780	7,000 ft 2,134 m	107	-
OKZUC FIX	V132 AWY-LO	38.10070 -98.19880	7,000 ft 2,134 m	0	-
JASIG FIX	V132 AWY-LO	38.04890 -98.06640	7,000 ft 2,134 m	6	-
HUT VOR	V132 AWY-LO	37.99690 -97.93420	7,000 ft 2,134 m	6	HUTCHINSON
REKOC FIX	V256 AWY-LO	37.45900 -97.59750	7,000 ft 2,134 m	36	-
PER VOR	V256 AWY-LO	36.74650 -97.16020	7,000 ft 2,134 m	47	PIONEER (PONCA CITY)
ALCOR FIX	V77 AWY-LO	36.39640 -97.32630	7,000 ft 2,134 m	22	-
LARKO FIX	V77 AWY-LO	36.13200 -97.45080	7,000 ft 2,134 m	16	-
WENDY FIX	V77 AWY-LO	35.92500 -97.54750	7,000 ft 2,134 m	13	-
CASTN FIX	V77 AWY-LO	35.83650 -97.58870	7,000 ft 2,134 m	5	-
IRW VOR	V77 AWY-LO	35.35860 -97.60920	7,000 ft 2,134 m	28	WILL ROGERS (OKLAHOMA CITY)
HAVAK FIX	V17 AWY-LO	35.17800 -97.53890	7,000 ft 2,134 m	11	-
COFIX FIX	V17 AWY-LO	35.06420 -97.49480	7,000 ft 2,134 m	7	-
WETIX FIX	V17 AWY-LO	35.00320 -97.47120	7,000 ft 2,134 m	3	-
MUSKS FIX	V17 AWY-LO	34.84670 -97.41090	7,000 ft 2,134 m	9	-
ZALUN FIX	V17 AWY-LO	34.42810 -97.25050	7,000 ft 2,134 m	26	-
KTKI APT	-	33.17750 -96.58960	0 ft 0 m	82	COLLIN CO RGNL AT MC KINNEY

KTKI

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 584 ft / 178 m
Location: 33.177500 -96.589600
Magnetic Var: 2.449 E

METAR

KTKI 062153Z 08007KT 10SM CLR 35/16 A2987 RMK A02 SLP110 T03500156

TAF

UNKNOWN

Frequencies

REC - 119.92 MHz - ASOS
COM - 122.95 MHz - UNICOM
GND - 121.87 MHz -
APP - 124.30 MHz - REGIONAL APP/DEP
COM - 118.82 MHz - CTAF
CLD - 121.35 MHz - CLNC DEL
TWR - 118.82 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	100 ft	7,020 ft	182.10	ASPHALT	0 ft	0 ft
	30 m	2,140 m	179.66		0 m	0 m
35	100 ft	7,020 ft	2.10	ASPHALT	0 ft	0 ft
	30 m	2,140 m	359.65		0 m	0 m
18	150 ft	7,009 ft	182.10	ASPHALT	0 ft	0 ft
	46 m	2,136 m	179.65		0 m	0 m
36	150 ft	7,009 ft	2.10	ASPHALT	0 ft	0 ft
	46 m	2,136 m	359.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	IEFE	109.35 MHz	18 nm	-	-	585 ft
				33 km	-		585 m
18	DME	IEFE	109.35 MHz	18 nm	-	-	585 ft
				33 km	-		585 m
18	LOC-ILS	IEFE	109.35 MHz	18 nm	182.10	-	585 ft
				33 km	179.65		585 m
18	GS	IEFE	109.35 MHz	10 nm	182.21	3.00	585 ft
				19 km	179.76		585 m