


2024/05/02 1629Z

LOWI NATAG LSZA

125.54 nm / 232.50 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 15000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWI	-	47.26080	0 ft	-	Innsbruck
APT	-	11.34150	0 m		
NATAG	-	46.85800	13,600 ft	38	-
FIX	-	10.61870	4,145 m		
LSZA	-	46.00430	0 ft	87	Lugano
APT	-	8.91058	0 m		

LOWI

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 3

Elevation: 1,907 ft / 581 m
Location: 47.260800 11.341500
Magnetic Var: 3.777 E

METAR

LOWI 021550Z 14017KT 100V170 9999 FEW060 BKN100 18/05 Q1002 WS ALL RWY NOSIG

TAF

TAF LOWI 021115Z 0212/0312 10010KT 9999 BKN070 TX20/0212Z TN09/0304Z TEMPO 0212/0219 12015G30KT FEW060CB BECMG 02

Frequencies

APP - 119.27 MHz - INNSBRUCK RADAR
REC - 126.02 MHz - INNSBRUCK INFORMATION

TWR - 120.10 MHz - INNSBRUCK TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	6,548 ft	80.95	ASPHALT	335 ft	0 ft
	45 m	1,996 m	77.17		102 m	0 m
26	148 ft	6,548 ft	260.96	ASPHALT	0 ft	0 ft
	45 m	1,996 m	257.19		0 m	0 m
08C	125 ft	3,671 ft	81.00	GRASS	0 ft	0 ft
	38 m	1,119 m	77.22		0 m	0 m
26C	125 ft	3,671 ft	261.01	GRASS	0 ft	0 ft
	38 m	1,119 m	257.23		0 m	0 m
08L	164 ft	1,149 ft	81.11	GRASS	0 ft	0 ft
	50 m	350 m	77.33		0 m	0 m
26R	164 ft	1,149 ft	261.11	GRASS	0 ft	0 ft
	50 m	350 m	257.34		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	OEJ	109.70 MHz	30 nm	-	-	1,906 ft
				56 km	-		1,906 m
26	DME	OEV	111.10 MHz	27 nm	-	-	1,911 ft
				50 km	-		1,911 m
26	LOC-ILS	OEV	111.10 MHz	18 nm	260.96	-	1,907 ft
				33 km	257.18		1,907 m
26	GS	OEV	111.10 MHz	10 nm	260.96	3.77	1,907 ft
				19 km	257.18		1,907 m

LSZA

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 915 ft / 279 m
Location: 46.004300 8.910580
Magnetic Var: 3.171 E

METAR

LSZA 021620Z VRB02KT 9000 RA FEW004 SCT012 OVC050 12/10 Q1007

TAF

UNKNOWN

Frequencies

REC - 121.17 MHz - ATIS
TWR - 119.70 MHz -
TWR - 122.55 MHz -
GND - 121.77 MHz -
TWR - 120.25 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	98 ft 30 m	4,415 ft 1,346 m	18.79 15.61	CONCRETE	358 ft 109 m	16 ft 5 m
19	98 ft 30 m	4,415 ft 1,346 m	198.79 195.62	CONCRETE	673 ft 205 m	0 ft 0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	ILU	111.50 MHz	18 nm 33 km	- -	-	928 ft 928 m
01	LOC-ILS	ILU	108.90 MHz	18 nm 33 km	18.79 15.62	-	915 ft 915 m
01	GS	ILU	108.90 MHz	10 nm 19 km	18.79 15.62	6.00	915 ft 915 m