

LFLL

Lyon Saint Exupery


OMDB

Dubai Intl

2024/05/02 1220Z

LFLL BIBAN **L612** SRN **Z982** TZO VAKON **Q702** CHI **L614** ADORU **UA4** YAVRU **UA17** BAG **UG8** GEM GEM **UW73** ERH
ASKER DIGIL **UW73** DYB LEKRO **UP975** NOLDO **P975** SIDAD **R784** IMDAT **B416** ORSAR OMDB

2734.15 nm / 5063.64 km



Notes

Basic altitude profile:

- Ascent Rate: 3000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 40000ft
- Cruise Speed: 420kts
- Descent Rate: 1300ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFL APT	-	45.72580 5.09073	0 ft 0 m	-	Lyon Saint Exupery
BIBAN FIX	-	45.92560 7.45083	40,000 ft 12,192 m	99	-
GARLO FIX	L612 AWY-HI	45.87440 7.75028	40,000 ft 12,192 m	12	-
INVOP FIX	L612 AWY-HI	45.80280 8.15639	40,000 ft 12,192 m	17	-
SRN VOR	L612 AWY-HI	45.64600 9.02158	40,000 ft 12,192 m	37	SARONNO
TZO VOR	Z982 AWY-HI	45.55920 9.50700	40,000 ft 12,192 m	21	TREZZO
VAKON FIX	-	45.47810 10.00000	40,000 ft 12,192 m	21	-
USOBU FIX	Q702 AWY-HI	45.36970 10.63610	40,000 ft 12,192 m	27	-
CHI VOR	Q702 AWY-HI	45.07110 12.28140	40,000 ft 12,192 m	71	CHIOGGIA
AGOMO FIX	L614 AWY-HI	45.01690 12.80190	40,000 ft 12,192 m	22	-
LABIN FIX	L614 AWY-LO	44.98580 13.09140	40,000 ft 12,192 m	12	-
PUL VOR	L614 AWY-LO	44.89240 13.91810	40,000 ft 12,192 m	35	PULA
PALEZ FIX	L614 AWY-LO	44.57500 15.53310	40,000 ft 12,192 m	71	-
SONIK FIX	L614 AWY-LO	44.44830 16.14330	40,000 ft 12,192 m	27	-
ELTIB FIX	L614 AWY-LO	44.30360 16.81640	40,000 ft 12,192 m	30	-
SOLGU FIX	L614 AWY-LO	44.11580 17.66140	40,000 ft 12,192 m	38	-
KEB VOR	L614 AWY-LO	43.93390 18.44980	40,000 ft 12,192 m	35	SARAJEVO
MITNO FIX	L614 AWY-LO	43.77330 19.24170	40,000 ft 12,192 m	35	-
PESAK FIX	L614 AWY-LO	43.71860 19.50420	40,000 ft 12,192 m	11	-
TORTO FIX	L614 AWY-LO	43.67090 19.73130	40,000 ft 12,192 m	10	-
RAMAP FIX	L614 AWY-LO	43.41840 20.89110	40,000 ft 12,192 m	52	-
GINAM FIX	L614 AWY-LO	43.30860 21.37640	40,000 ft 12,192 m	22	-
NISVA FIX	L614 AWY-LO	42.97280 22.79750	40,000 ft 12,192 m	65	-
BLO VOR	L614 AWY-HI	42.66720 23.81390	40,000 ft 12,192 m	48	BAILOVO
DEDIN FIX	L614 AWY-HI	42.59420 24.07940	40,000 ft 12,192 m	12	-
GERGI FIX	L614 AWY-HI	42.18330 25.52190	40,000 ft 12,192 m	68	-
ADORU	L614	41.87170	40,000 ft	50	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	26.56830	12,192 m		
SERCE	UA4	41.57720	40,000 ft	37	-
FIX	AWY-HI	27.30920	12,192 m		
TIRER	UA4	41.13640	40,000 ft	55	-
FIX	AWY-HI	28.38420	12,192 m		
BKZ	UA4	41.12700	40,000 ft	34	BEYKOZ
VOR	AWY-HI	29.14290	12,192 m		
GAYEM	UA4	41.04580	40,000 ft	22	-
FIX	AWY-HI	29.63000	12,192 m		
ERKAL	UA4	40.98670	40,000 ft	16	-
FIX	AWY-HI	29.97980	12,192 m		
NUMSO	UA4	40.92270	40,000 ft	17	-
FIX	AWY-HI	30.34540	12,192 m		
ERSEN	UA4	40.86560	40,000 ft	14	-
FIX	AWY-HI	30.66610	12,192 m		
YAVRU	UA4	40.58220	40,000 ft	55	-
FIX	AWY-HI	31.83280	12,192 m		
KIZIK	UA17	40.41830	40,000 ft	17	-
FIX	AWY-HI	32.14940	12,192 m		
BAG	UA17	40.06990	40,000 ft	36	BAGLUM (ANKARA)
VOR	AWY-HI	32.81040	12,192 m		
KUBER	UG8	39.83220	40,000 ft	39	-
FIX	AWY-HI	33.61060	12,192 m		
GOBIT	UG8	39.77610	40,000 ft	13	-
FIX	AWY-HI	33.88690	12,192 m		
MARTI	UG8	39.40170	40,000 ft	64	-
FIX	AWY-HI	35.18280	12,192 m		
GEM	UG8	39.15530	40,000 ft	42	GEMEREK VOR-DME
DME	AWY-HI	36.02920	12,192 m		
GEM	-	39.15380	40,000 ft	0	GEMEREK
VOR	-	36.02850	12,192 m		
UREBO	UW73	38.78940	40,000 ft	56	-
FIX	AWY-HI	37.14420	12,192 m		
ERH	UW73	38.44160	40,000 ft	48	ERHAC TACAN
DME	AWY-HI	38.08620	12,192 m		
ASKER	-	38.27690	40,000 ft	34	-
FIX	-	38.78470	12,192 m		
DIGIL	-	38.19530	40,000 ft	14	-
FIX	-	39.07720	12,192 m		
MOVUL	UW73	38.15290	40,000 ft	7	-
FIX	AWY-HI	39.23200	12,192 m		
DYB	UW73	37.87340	40,000 ft	49	DIYARBAKIR
VOR	AWY-HI	40.20820	12,192 m		
LEKRO	-	37.27740	40,000 ft	51	-
FIX	-	40.97150	12,192 m		
LESRI	UP975	37.07220	40,000 ft	17	-
FIX	AWY-HI	41.23030	12,192 m		
SIDNA	UP975	36.56610	40,000 ft	37	-
FIX	AWY-HI	41.68310	12,192 m		
TUBEN	UP975	35.29000	40,000 ft	97	-
FIX	AWY-HI	42.90940	12,192 m		
MUTAG	UP975	34.50080	40,000 ft	59	-
FIX	AWY-HI	43.64280	12,192 m		
SOGUM	UP975	34.20330	40,000 ft	22	-
FIX	AWY-HI	43.91500	12,192 m		
PUTSI	UP975	33.53330	40,000 ft	53	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	44.61670	12,192 m		
SINKA	UP975	33.36030	40,000 ft	13	-
FIX	AWY-HI	44.79810	12,192 m		
NOLDO	UP975	32.82560	40,000 ft	42	-
FIX	AWY-HI	45.35810	12,192 m		
KATUT	P975	32.62690	40,000 ft	16	-
FIX	AWY-HI	45.57750	12,192 m		
DENKI	P975	32.37440	40,000 ft	20	-
FIX	AWY-HI	45.85610	12,192 m		
ILMAP	P975	31.35920	40,000 ft	82	-
FIX	AWY-HI	46.95060	12,192 m		
PEBAD	P975	30.83970	40,000 ft	42	-
FIX	AWY-HI	47.49940	12,192 m		
SIDAD	P975	29.87530	40,000 ft	77	-
FIX	AWY-HI	48.49560	12,192 m		
DESLU	R784	29.46670	40,000 ft	37	-
FIX	AWY-HI	49.03060	12,192 m		
NANPI	R784	29.08250	40,000 ft	34	-
FIX	AWY-HI	49.53250	12,192 m		
ALNIN	R784	28.55170	40,000 ft	46	-
FIX	AWY-HI	50.17670	12,192 m		
IMDAT	R784	27.68330	40,000 ft	74	-
FIX	AWY-HI	51.18330	12,192 m		
DURSI	B416	27.20530	39,900 ft	53	-
FIX	AWY-HI	52.02890	12,162 m		
PEGET	B416	27.07610	37,200 ft	14	-
FIX	AWY-HI	52.25420	11,339 m		
EGMIT	B416	26.56110	26,700 ft	56	-
FIX	AWY-HI	53.14030	8,138 m		
LEVNA	B416	26.25970	20,600 ft	32	-
FIX	AWY-HI	53.64920	6,279 m		
ORSAR	B416	26.07500	16,900 ft	20	-
FIX	AWY-HI	53.95830	5,151 m		
OMDB	-	25.25110	0 ft	91	Dubai Intl
APT	-	55.37110	0 m		

```
Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2
```

Elevation: 817 ft / 249 m
Location: 45.725800 5.090730
Magnetic Var: 2.256 E

LFL 021204Z VRB02KT 9999 -RA FEW017 SCT028 BKN033 10/08 Q1008 NOSIG

TAF LFL 021100Z 0212/0318 31010KT 9999 FEW030 OVC040 PROB40 TEMPO 0212/0222 4000 RA FEW020TCU OVC022 BECMG 0216/0

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.89		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.89		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.89		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.89		0 m	19 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.88		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.89		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.88		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.88		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.89		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.88		818 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.351 E

METAR

OMDB 021200Z 20008KT 160V230 CAVOK 28/20 Q1005 NOSIG

TAF

TAF OMDB 021100Z 0212/0318 18008KT 8000 FEW040 PROB30 0212/0215 30012KT BECMG 0306/0308 29014KT BECMG 0316/0318 1

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.18		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m