

# LEPA

Palma De Mallorca


# LXGB

Gibraltar

2024/05/07 0916Z

LEPA IZA **B46** ALT **UN851** MGA LXGB

436.27 nm / 807.97 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEPA APT	-	39.55254 2.73496	0 ft 0 m	-	Palma De Mallorca
IZA NDB	-	38.91547 1.47041	24,000 ft 7,315 m	70	IBIZA NDB
BRUNO FIX	B46 AWY-LO	38.60830 0.48333	34,000 ft 10,363 m	49	-
MITOS FIX	B46 AWY-LO	38.44945 -0.01372	34,000 ft 10,363 m	25	-
POLOP FIX	B46 AWY-LO	38.39609 -0.17872	34,000 ft 10,363 m	8	-
ALT VOR	B46 AWY-LO	38.26828 -0.57012	34,000 ft 10,363 m	19	ALICANTE VOR-DME
RESTU FIX	UN851 AWY-HI	37.90755 -1.55757	34,000 ft 10,363 m	51	-
TOSGA FIX	UN851 AWY-HI	37.62567 -2.30736	34,000 ft 10,363 m	39	-
ROLAS FIX	UN851 AWY-HI	37.41565 -2.85436	30,600 ft 9,327 m	28	-
MGA VOR	UN851 AWY-HI	36.81431 -4.36952	12,200 ft 3,719 m	81	MALAGA VOR-DME
LXGB APT	-	36.15121 -5.34966	0 ft 0 m	61	Gibraltar

## LEPA

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 2

Elevation: 24 ft / 7 m  
Location: 39.551700 2.738890  
Magnetic Var: 1.677 E

## METAR

LEPA 070900Z 08003KT 9999 SCT035 21/11 Q1018 NOSIG

## TAF

TAF LEPA 070500Z 0706/0806 05008KT 9999 FEW040 TX21/0712Z TN13/0805Z BECMG 0709/0711 23012KT TEMPO 0713/0716 3001

## Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.81		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.83		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.81		69 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.79		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.82		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.79		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.79		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.82		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.79		24 m