


2024/06/04 1329Z

MDST BIBAS MDSD

79.16 nm / 146.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MDST	-	19.40610	0 ft	-	Cibao Intl
APT	-	-70.60470	0 m		
BIBAS	-	19.23030	5,000 ft	14	-
FIX	-	-70.43610	1,524 m		
MDSD	-	18.42960	0 ft	64	Las Americas Intl
APT	-	-69.66890	0 m		

MDST

Region: DOMINICAN REPUBLIC
Timezone: AMERICA/SANTO_DOMINGO
Runways: 1

Elevation: 567 ft / 173 m
Location: 19.406100 -70.604700
Magnetic Var: 11.638 W

METAR

MDST 041300Z 00000KT 9999 BKN016 BKN300 26/25 Q1013

TAF

TAF MDST 041000Z 0412/0512 00000KT 9999 SCT020 BKN300 PROB30 0412/0418 8000 -RA BKN018 BKN300 BECMG 0414/0416 1000

Frequencies

GND - 121.90 MHz - SANTIAGO GROUND

TWR - 118.30 MHz - SANTIAGO TOWER

APP - 119.00 MHz - PUERTO PLATA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	8,610 ft	103.16	ASPHALT	0 ft	184 ft
	45 m	2,625 m	114.79		0 m	56 m
29	148 ft	8,610 ft	283.16	ASPHALT	108 ft	194 ft
	45 m	2,625 m	294.80		33 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	EXP	109.30 MHz	18 nm	-	-	563 ft
				33 km	-		563 m
11	LOC-ILS	EXP	109.30 MHz	18 nm	103.11	-	565 ft
				33 km	114.74		565 m
11	GS	EXP	109.30 MHz	10 nm	103.16	2.80	565 ft
				19 km	114.79		565 m

MDSD

Region: DOMINICAN REPUBLIC
Timezone: AMERICA/SANTO_DOMINGO
Runways: 1

Elevation: 59 ft / 18 m
Location: 18.429600 -69.668900
Magnetic Var: 11.994 W

METAR

MDSD 041300Z 16012KT 9999 BKN016 BKN300 29/26 Q1013

TAF

TAF MDSD 041000Z 0412/0512 16008KT 9999 FEW016CB BKN018 BKN300 PROB30 0412/0418 7000 -TSRA FEW012CB BKN014 BKN070

Frequencies

REC - 127.65 MHz - ATIS
TWR - 118.10 MHz - LAS AMERICAS TOWER
GND - 121.90 MHz - LAS AMERICAS GROUND
APP - 119.30 MHz - LAS AMERICAS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	197 ft	11,014 ft	160.76	ASPHALT	0 ft	43 ft
	60 m	3,357 m	172.75		0 m	13 m
35	197 ft	11,014 ft	340.76	ASPHALT	0 ft	43 ft
	60 m	3,357 m	352.76		0 m	13 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	ICDO	108.90 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
17	LOC-ILS	ICDO	108.90 MHz	18 nm	160.59	-	58 ft
				33 km	172.58		58 m
17	GS	ICDO	108.90 MHz	10 nm	161.57	3.00	35 ft
				19 km	173.56		35 m