

KLAX

Los Angeles Intl


LFPG

Paris Charles De Gaulle

2024/06/06 1311Z

KLAX BASAL **V394** MMM **V21** MLF **T298** MTU **V208** CKW **V26** DDY **V235** ECS ROCNO BFFLO **V491** DIXLE
4600N-10200W OHROR **V169** DVL **V430** NERDE ZOMTA **V181** YRL RL **AR19** YTL 5400N0-8900W 5500N0-8700W
5500N0-8600W YPO 5500N0-8500W 5600N0-8300W 5600N0-8200W 5600N0-8100W YSK **AR16** YPX **AR43** YAS
6000N0-6800W 6000N0-6700W 6000N0-6600W 6000N0-6500W 6000N0-6400W 6000N0-6300W 6000N0-6200W
6000N0-6100W 6000N0-6000W 6100N0-5700W 6100N0-5600W 6100N0-5500W 6100N0-5400W 6100N0-5300W
6100N0-5200W 6100N0-5100W 6100N0-5000W 6100N0-4900W 6100N0-4800W SI 6000N0-4500W 6000N0-4400W
6000N0-4300W 6000N0-4200W 6000N0-4100W 6000N0-4000W 6000N0-3900W 6000N0-3800W 6000N0-3700W
6000N0-3600W 6000N0-3500W 6000N0-3400W 6000N0-3300W 6000N0-3200W 6000N0-3100W 60/30 5900N0-2800W
5900N0-2700W 5900N0-2600W 5900N0-2500W 5800N0-2300W 5800N0-2200W 5800N0-2100W 5700N0-1900W
5700N0-1800W 5700N0-1700W 5700N0-1600W 5700N0-1500W 5600N0-1300W 5600N0-1200W MIMKU **N562** DONIB
RUBEX BEL **L10** DUFFY **L15** HON **L612** WOD **M605** SFD WAFFU HARDY XIDIL PETAX LFPG

5235.82 nm / 9696.73 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts

- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX APT	-	33.94310 -118.40900	0 ft 0 m	-	Los Angeles Intl
BASAL FIX	-	34.75780 -116.86200	32,400 ft 9,876 m	90	-
DAG VOR	V394 AWY-LO	34.96250 -116.57800	35,000 ft 10,668 m	18	DAGGETT
DISBE FIX	V394 AWY-LO	35.12010 -116.38200	35,000 ft 10,668 m	13	-
CHRLT FIX	V394 AWY-LO	35.14890 -116.34600	35,000 ft 10,668 m	2	-
CLARR FIX	V394 AWY-LO	35.67570 -115.68000	35,000 ft 10,668 m	45	-
OASYS FIX	V394 AWY-LO	35.90420 -115.38700	35,000 ft 10,668 m	19	-
LAS VOR	V394 AWY-LO	36.07970 -115.16000	35,000 ft 10,668 m	15	LAS VEGAS
SUVIE FIX	V394 AWY-LO	36.35940 -114.80500	35,000 ft 10,668 m	24	-
MMM VOR	V394 AWY-LO	36.76930 -114.27700	35,000 ft 10,668 m	35	MORMON MESA
HUNKU FIX	V21 AWY-LO	37.36500 -113.81200	35,000 ft 10,668 m	42	-
URIAH FIX	V21 AWY-LO	37.50280 -113.70300	35,000 ft 10,668 m	9	-
BERYL FIX	V21 AWY-LO	37.90000 -113.38600	35,000 ft 10,668 m	28	-
MLF VOR	V21 AWY-LO	38.36040 -113.01300	35,000 ft 10,668 m	32	MILFORD
DETAN FIX	T298 AWY-LO	38.37290 -112.63000	35,000 ft 10,668 m	18	-
EBOVE FIX	T298 AWY-LO	39.04560 -111.77300	35,000 ft 10,668 m	56	-
PUC VOR	T298 AWY-LO	39.60320 -110.75400	35,000 ft 10,668 m	57	CARBON (PRICE)
MTU VOR	T298 AWY-LO	40.14910 -110.12700	35,000 ft 10,668 m	43	MYTON
EGRW FIX	V208 AWY-LO	40.22090 -109.93100	35,000 ft 10,668 m	9	-
VEL VOR	V208 AWY-LO	40.37900 -109.49300	35,000 ft 10,668 m	22	VERNAL
SNKY FIX	V208 AWY-LO	41.19600 -108.37400	35,000 ft 10,668 m	70	-
CKW VOR	V208 AWY-LO	41.75570 -107.58200	35,000 ft 10,668 m	48	CHEROKEE
ARFEJ FIX	V26 AWY-LO	42.17390 -107.18100	35,000 ft 10,668 m	30	-
CHOMP FIX	V26 AWY-LO	42.60650 -106.75900	35,000 ft 10,668 m	32	-
ALCOS FIX	V26 AWY-LO	42.79080 -106.57600	35,000 ft 10,668 m	13	-
DDY VOR	V26 AWY-LO	43.09090 -106.27700	35,000 ft 10,668 m	22	MUDDY MOUNTAIN (CASPER)
WAPAP	V235	43.29420	35,000 ft	24	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-105.78300	10,668 m		
ECS	V235	43.88110	35,000 ft	73	NEWCASTLE
VOR	AWY-LO	-104.30800	10,668 m		
ROCNO	-	44.17900	35,000 ft	25	-
FIX	-	-103.89300	10,668 m		
BFFLO	-	44.72480	35,000 ft	51	-
FIX	-	-102.95300	10,668 m		
DIXLE	V491	45.46230	35,000 ft	44	-
FIX	AWY-LO	-102.89200	10,668 m		
4600N-10200W	-	46.00000	35,000 ft	49	-
LATLON	-	-102.00000	10,668 m		
OHROR	-	46.50270	35,000 ft	57	-
FIX	-	-100.83200	10,668 m		
BIS	V169	46.76180	35,000 ft	17	BISMARCK
VOR	AWY-LO	-100.66500	10,668 m		
ODUBY	V169	46.85020	35,000 ft	6	-
FIX	AWY-LO	-100.55500	10,668 m		
CHACE	V169	47.27800	35,000 ft	33	-
FIX	AWY-LO	-100.01100	10,668 m		
DVL	V169	48.11520	35,000 ft	67	DEVILS LAKE
VOR	AWY-LO	-98.91250	10,668 m		
NERDE	V430	48.08310	35,000 ft	14	-
FIX	AWY-LO	-98.54260	10,668 m		
ZOMTA	-	49.00000	35,000 ft	78	-
FIX	-	-97.13190	10,668 m		
YWG	V181	49.92780	35,000 ft	55	WINNIPEG
VOR	AWY-LO	-97.23920	10,668 m		
YRL	V181	51.07160	35,000 ft	149	RED LAKE
VOR	AWY-LO	-93.76200	10,668 m		
RL	-	51.06100	35,000 ft	1	RED LAKE
NDB	-	-93.78490	10,668 m		
ZRJ	AR19	52.94850	35,000 ft	145	ROUND LAKE
NDB	AWY-LO	-91.32400	10,668 m		
YTL	AR19	53.81580	35,000 ft	72	BIG TROUT LAKE
NDB	AWY-LO	-89.91290	10,668 m		
5400N0-8900W	-	54.00000	35,000 ft	34	-
LATLON	-	-89.00000	10,668 m		
5500N0-8700W	-	55.00000	35,000 ft	92	-
LATLON	-	-87.00000	10,668 m		
5500N0-8600W	-	55.00000	35,000 ft	34	-
LATLON	-	-86.00000	10,668 m		
YPO	-	54.99140	35,000 ft	19	PEAWANUCK
NDB	-	-85.44240	10,668 m		
5500N0-8500W	-	55.00000	35,000 ft	15	-
LATLON	-	-85.00000	10,668 m		
5600N0-8300W	-	56.00000	35,000 ft	90	-
LATLON	-	-83.00000	10,668 m		
5600N0-8200W	-	56.00000	35,000 ft	33	-
LATLON	-	-82.00000	10,668 m		
5600N0-8100W	-	56.00000	35,000 ft	33	-
LATLON	-	-81.00000	10,668 m		
YSK	-	56.54120	35,000 ft	67	SANIKILUAQ
NDB	-	-79.21420	10,668 m		
YPH	AR16	58.46750	35,000 ft	121	INUKJUAQ (INOUCDJOUAC)
NDB	AWY-LO	-78.07350	10,668 m		
LIBEN	AR16	59.80280	35,000 ft	82	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-77.40580	10,668 m		
YPX	AR16	60.05830	35,000 ft	15	PUVIRNITUQ
NDB	AWY-LO	-77.29740	10,668 m		
YAS	AR43	60.02570	35,000 ft	218	KANGIRSUK
NDB	AWY-LO	-70.00470	10,668 m		
6000N0-6800W	-	60.00000	35,000 ft	60	-
LATLON	-	-68.00000	10,668 m		
6000N0-6700W	-	60.00000	35,000 ft	30	-
LATLON	-	-67.00000	10,668 m		
6000N0-6600W	-	60.00000	35,000 ft	30	-
LATLON	-	-66.00000	10,668 m		
6000N0-6500W	-	60.00000	35,000 ft	30	-
LATLON	-	-65.00000	10,668 m		
6000N0-6400W	-	60.00000	35,000 ft	30	-
LATLON	-	-64.00000	10,668 m		
6000N0-6300W	-	60.00000	35,000 ft	30	-
LATLON	-	-63.00000	10,668 m		
6000N0-6200W	-	60.00000	35,000 ft	30	-
LATLON	-	-62.00000	10,668 m		
6000N0-6100W	-	60.00000	35,000 ft	30	-
LATLON	-	-61.00000	10,668 m		
6000N0-6000W	-	60.00000	35,000 ft	30	-
LATLON	-	-60.00000	10,668 m		
6100N0-5700W	-	61.00000	35,000 ft	107	-
LATLON	-	-57.00000	10,668 m		
6100N0-5600W	-	61.00000	35,000 ft	29	-
LATLON	-	-56.00000	10,668 m		
6100N0-5500W	-	61.00000	35,000 ft	29	-
LATLON	-	-55.00000	10,668 m		
6100N0-5400W	-	61.00000	35,000 ft	29	-
LATLON	-	-54.00000	10,668 m		
6100N0-5300W	-	61.00000	35,000 ft	29	-
LATLON	-	-53.00000	10,668 m		
6100N0-5200W	-	61.00000	35,000 ft	29	-
LATLON	-	-52.00000	10,668 m		
6100N0-5100W	-	61.00000	35,000 ft	29	-
LATLON	-	-51.00000	10,668 m		
6100N0-5000W	-	61.00000	35,000 ft	29	-
LATLON	-	-50.00000	10,668 m		
6100N0-4900W	-	61.00000	35,000 ft	29	-
LATLON	-	-49.00000	10,668 m		
6100N0-4800W	-	61.00000	35,000 ft	29	-
LATLON	-	-48.00000	10,668 m		
SI	-	60.69100	35,000 ft	45	SIMIUTAQ
NDB	-	-46.59720	10,668 m		
6000N0-4500W	-	60.00000	35,000 ft	63	-
LATLON	-	-45.00000	10,668 m		
6000N0-4400W	-	60.00000	35,000 ft	30	-
LATLON	-	-44.00000	10,668 m		
6000N0-4300W	-	60.00000	35,000 ft	30	-
LATLON	-	-43.00000	10,668 m		
6000N0-4200W	-	60.00000	35,000 ft	30	-
LATLON	-	-42.00000	10,668 m		
6000N0-4100W	-	60.00000	35,000 ft	30	-
LATLON	-	-41.00000	10,668 m		
6000N0-4000W	-	60.00000	35,000 ft	30	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-40.00000	10,668 m		
6000N0-3900W	-	60.00000	35,000 ft	30	-
LATLON	-	-39.00000	10,668 m		
6000N0-3800W	-	60.00000	35,000 ft	30	-
LATLON	-	-38.00000	10,668 m		
6000N0-3700W	-	60.00000	35,000 ft	30	-
LATLON	-	-37.00000	10,668 m		
6000N0-3600W	-	60.00000	35,000 ft	30	-
LATLON	-	-36.00000	10,668 m		
6000N0-3500W	-	60.00000	35,000 ft	30	-
LATLON	-	-35.00000	10,668 m		
6000N0-3400W	-	60.00000	35,000 ft	30	-
LATLON	-	-34.00000	10,668 m		
6000N0-3300W	-	60.00000	35,000 ft	30	-
LATLON	-	-33.00000	10,668 m		
6000N0-3200W	-	60.00000	35,000 ft	30	-
LATLON	-	-32.00000	10,668 m		
6000N0-3100W	-	60.00000	35,000 ft	30	-
LATLON	-	-31.00000	10,668 m		
60/30	-	60.00000	35,000 ft	30	-
LATLON	-	-30.00000	10,668 m		
5900N0-2800W	-	59.00000	35,000 ft	85	-
LATLON	-	-28.00000	10,668 m		
5900N0-2700W	-	59.00000	35,000 ft	30	-
LATLON	-	-27.00000	10,668 m		
5900N0-2600W	-	59.00000	35,000 ft	30	-
LATLON	-	-26.00000	10,668 m		
5900N0-2500W	-	59.00000	35,000 ft	30	-
LATLON	-	-25.00000	10,668 m		
5800N0-2300W	-	58.00000	35,000 ft	86	-
LATLON	-	-23.00000	10,668 m		
5800N0-2200W	-	58.00000	35,000 ft	31	-
LATLON	-	-22.00000	10,668 m		
5800N0-2100W	-	58.00000	35,000 ft	31	-
LATLON	-	-21.00000	10,668 m		
5700N0-1900W	-	57.00000	35,000 ft	88	-
LATLON	-	-19.00000	10,668 m		
5700N0-1800W	-	57.00000	35,000 ft	32	-
LATLON	-	-18.00000	10,668 m		
5700N0-1700W	-	57.00000	35,000 ft	32	-
LATLON	-	-17.00000	10,668 m		
5700N0-1600W	-	57.00000	35,000 ft	32	-
LATLON	-	-16.00000	10,668 m		
5700N0-1500W	-	57.00000	35,000 ft	32	-
LATLON	-	-15.00000	10,668 m		
5600N0-1300W	-	56.00000	35,000 ft	89	-
LATLON	-	-13.00000	10,668 m		
5600N0-1200W	-	56.00000	35,000 ft	33	-
LATLON	-	-12.00000	10,668 m		
MIMKU	-	56.00000	35,000 ft	67	-
FIX	-	-10.00000	10,668 m		
DONIB	N562	55.71920	35,000 ft	79	-
FIX	AWY-LO	-7.69556	10,668 m		
RUBEX	-	55.32000	35,000 ft	35	-
FIX	-	-6.93528	10,668 m		
BEL	-	54.66110	35,000 ft	46	BELFAST

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	-	-6.22991	10,668 m		
DUFFY	L10	54.51470	35,000 ft	15	-
FIX	AWY-LO	-5.86083	10,668 m		
PEPOD	L15	54.27110	35,000 ft	17	-
FIX	AWY-LO	-5.56917	10,668 m		
VAKPO	L15	54.19030	35,000 ft	8	-
FIX	AWY-LO	-5.37750	10,668 m		
MAKUX	L15	53.97500	35,000 ft	21	-
FIX	AWY-LO	-4.87444	10,668 m		
SOSIM	L15	53.81560	35,000 ft	16	-
FIX	AWY-LO	-4.50833	10,668 m		
GIGTO	L15	53.63360	35,000 ft	18	-
FIX	AWY-LO	-4.09750	10,668 m		
MALUD	L15	53.41330	35,000 ft	21	-
FIX	AWY-LO	-3.60833	10,668 m		
EPOXI	L15	53.33310	35,000 ft	7	-
FIX	AWY-LO	-3.45500	10,668 m		
AMPIT	L15	53.19420	35,000 ft	12	-
FIX	AWY-LO	-3.19250	10,668 m		
RISLA	L15	53.03080	35,000 ft	14	-
FIX	AWY-LO	-2.88667	10,668 m		
KEPAD	L15	52.80970	35,000 ft	19	-
FIX	AWY-LO	-2.47889	10,668 m		
HON	L15	52.35670	35,000 ft	40	HONILEY
VOR	AWY-LO	-1.66373	10,668 m		
IXURA	L612	52.06810	35,000 ft	19	-
FIX	AWY-LO	-1.42778	10,668 m		
EMKUK	L612	51.97690	35,000 ft	6	-
FIX	AWY-LO	-1.35417	10,668 m		
COWLY	L612	51.61610	35,000 ft	24	-
FIX	AWY-LO	-1.06500	10,668 m		
WOD	L612	51.45280	35,000 ft	12	WOODLEY
NDB	AWY-LO	-0.87880	10,668 m		
SFD	M605	50.76070	30,300 ft	56	SEAFORD
VOR	AWY-LO	0.12191	9,235 m		
WAFFU	-	50.58250	27,300 ft	13	-
FIX	-	0.34972	8,321 m		
HARDY	-	50.47110	25,500 ft	8	-
FIX	-	0.49111	7,772 m		
XIDIL	-	50.35170	23,500 ft	9	-
FIX	-	0.64139	7,163 m		
PETAX	-	50.18670	20,800 ft	12	-
FIX	-	0.84806	6,340 m		
LFPG	-	49.00970	0 ft	97	Paris Charles De Gaulle
APT	-	2.56257	0 m		

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.435 E

METAR

KLAX 061253Z VRB04KT 4SM BR FEW003 OVC007 17/15 A2988 RMK A02 SLP117 VIS N 2 1/2 T01670150

TAF

KLAX 061121Z 0612/0718 VRB03KT 4SM BR OVC005 FM061600 VRB03KT 6SM BR OVC008 FM061900 25010KT P6SM OVC012 FM070400

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.52		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.55	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.55	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.55	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.55	3.00	125 ft 125 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.505 E

METAR

LFPG 061300Z 30007KT 260V350 CAVOK 20/09 Q1018 NOSIG

TAF

TAF LFPG 061100Z 0612/0718 32005KT CAVOK TX21/0615Z TN07/0704Z

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.80		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.81		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.79		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.82		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.83		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.82		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.81		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.83		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.82		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.81		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.82		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.82		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.83		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.82		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.81		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.83		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.82		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.81		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.82		392 m