

# SBFL

Florianopolis Intl


# SBGR

Guarulhos-Andre Franco Montoro Intl

2024/05/23 1420Z

SBFL VUBUV **UM671** ANISE SBGR

284.38 nm / 526.68 km



## Notes

Requested: SBFL VUBUV UM671 ANISE UROS01D SBGR

Unmatched points: UROS01D

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBFL	-	-27.67030	0 ft	-	Florianopolis Intl
APT	-	-48.54680	0 m	-	
VUBUV	-	-26.71770	0 ft	59	-
FIX	-	-48.22690	0 m	-	
KUBLO	UM671	-26.33750	0 ft	28	-
FIX	AWY-HI	-47.92170	0 m	-	
UBROS	UM671	-26.12400	0 ft	15	-
FIX	AWY-HI	-47.75140	0 m	-	
KOXAG	UM671	-25.14310	0 ft	72	-
FIX	AWY-HI	-46.97890	0 m	-	
ANISE	UM671	-24.60220	0 ft	37	-
FIX	AWY-HI	-46.62530	0 m	-	
SBGR	-	-23.43230	0 ft	70	Guarulhos-Andre Franco Montoro Intl
APT	-	-46.46950	0 m	-	

## SBFL

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 2

Elevation: 17 ft / 5 m  
Location: -27.670300 -48.546800  
Magnetic Var: 20.241 W

## METAR

SBFL 231400Z 35014KT 9999 FEW027 24/20 Q1013

## TAF

TAF SBFL 230900Z 2312/2412 35010KT 9999 FEW015 TX25/2317Z TN20/2407Z BECMG 2319/2321 01015KT FEW030 BECMG 2402/2412 35014KT 9999 FEW027 24/20 Q1013

## Frequencies

REC - 127.45 MHz - FLORIANOPOLIS ATIS	GND - 121.70 MHz - FLORIANOPOLIS GROUND
TWR - 118.70 MHz - FLORIANOPOLIS TOWER	TWR - 122.80 MHz - FLORIANOPOLIS TOWER
APP - 119.50 MHz - FLORIANOPOLIS APPROACH	APP - 119.65 MHz - FLORIANOPOLIS APPROACH
APP - 128.95 MHz - FLORIANOPOLIS APPROACH	APP - 129.45 MHz - FLORIANOPOLIS APPROACH
APP - 129.60 MHz - FLORIANOPOLIS APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	7,881 ft	121.30	ASPHALT	0 ft	0 ft
	45 m	2,402 m	141.54		0 m	0 m
32	148 ft	7,881 ft	301.29	ASPHALT	0 ft	0 ft
	45 m	2,402 m	321.53		0 m	0 m
03	148 ft	4,343 ft	11.46	CONCRETE	0 ft	591 ft
	45 m	1,324 m	31.70		0 m	180 m
21	148 ft	4,343 ft	191.46	CONCRETE	459 ft	0 ft
	45 m	1,324 m	211.70		140 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IFL	110.30 MHz	18 nm	121.30	-	17 ft
				33 km	141.54		17 m
14	GS	IFL	110.30 MHz	10 nm	121.30	3.00	17 ft
				19 km	141.54		17 m

## SBGR

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 2

Elevation: 2,461 ft / 750 m  
Location: -23.432300 -46.469500  
Magnetic Var: 22.214 W

## METAR

SBGR 231400Z 33011KT CAVOK 26/13 Q1021

## TAF

TAF SBGR 230900Z 2312/2418 32012KT CAVOK TN17/2408Z TX29/2418Z BECMG 2321/2323 04005KT BECMG 2406/2408 02006KT BE

## Frequencies

REC - 127.75 MHz - GUARULHOS ATIS	CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 121.70 MHz - GUARULHOS GROUND	GND - 126.90 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER	TWR - 132.75 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER	APP - 129.75 MHz - SAO PAULO APPROACH
APP - 119.15 MHz - SAO PAULO APPROACH	APP - 120.45 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH	APP - 133.85 MHz - SAO PAULO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft	12,131 ft	73.60	ASPHALT	295 ft	190 ft
	45 m	3,698 m	95.81		90 m	58 m
27R	148 ft	12,131 ft	253.59	ASPHALT	200 ft	194 ft
	45 m	3,698 m	275.80		61 m	59 m
09R	148 ft	9,832 ft	73.60	ASPHALT	0 ft	194 ft
	45 m	2,997 m	95.82		0 m	59 m
27L	148 ft	9,832 ft	253.59	ASPHALT	0 ft	194 ft
	45 m	2,997 m	275.80		0 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm	73.59	-	2,461 ft
				33 km	95.80		2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm	73.60	-	2,461 ft
				33 km	95.81		2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm	253.60	-	2,459 ft
				33 km	275.81		2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm	253.59	-	2,459 ft
				33 km	275.80		2,459 m
09L	GS	IUC	110.70 MHz	10 nm	73.59	3.00	2,461 ft
				19 km	95.80		2,461 m
09R	GS	IGR	111.50 MHz	10 nm	73.60	2.92	2,461 ft
				19 km	95.81		2,461 m
27L	GS	IBC	111.10 MHz	10 nm	253.60	3.00	2,459 ft
				19 km	275.81		2,459 m
27R	GS	IGS	111.90 MHz	10 nm	253.59	3.00	2,458 ft
				19 km	275.80		2,458 m