


2024/05/06 1724Z

YWOL WOL YSCB

90.81 nm / 168.18 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YWOL	-	-34.56115	0 ft	-	Wollongong
APT	-	150.78814	0 m		
WOL	-	-34.55793	0 ft	0	WOLLONGONG NDB
NDB	-	150.79099	0 m		
YSCB	-	-35.30548	0 ft	90	Canberra
APT	-	149.19334	0 m		

YSCB

Region: AUSTRALIA
Timezone: AUSTRALIA/SYDNEY
Runways: 2

Elevation: 1,886 ft / 575 m
Location: -35.305500 149.193000
Magnetic Var: 12.470 E

METAR

YSCB 061700Z AUTO 12005KT 9999 // OVC026 09/08 Q1031 RF00.0/000.0

TAF

TAF AMD YSCB 061535Z 0615/0712 13006KT 9999 BKN025 FM062300 15007KT 9999 SCT030 TEMPO 0615/0622 9999 BKN018

Frequencies

REC - 127.45 MHz - CANBERRA ATIS	GND - 121.70 MHz - CANBERRA GROUND
TWR - 118.70 MHz - CANBERRA TOWER	COM - 118.70 MHz - CANBERRA CTAF
DEP - 125.90 MHz - CANBERRA DEPARTURE	DEP - 124.50 MHz - CANBERRA DEPARTURE
APP - 125.90 MHz - CANBERRA APPROACH	APP - 124.50 MHz - CANBERRA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	10,795 ft	179.99	ASPHALT	0 ft	148 ft
	45 m	3,290 m	167.52		0 m	45 m
35	148 ft	10,795 ft	359.99	ASPHALT	1,968 ft	92 ft
	45 m	3,290 m	347.52		600 m	28 m
12	148 ft	5,501 ft	130.00	ASPHALT	0 ft	0 ft
	45 m	1,677 m	117.53		0 m	0 m
30	148 ft	5,501 ft	310.00	ASPHALT	213 ft	0 ft
	45 m	1,677 m	297.52		65 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	DME	ICB	109.50 MHz	18 nm	-	-	1,888 ft
				33 km	-		1,888 m
35	LOC-ILS	ICB	109.50 MHz	18 nm	359.99	-	1,886 ft
				33 km	347.52		1,886 m
35	GS	ICB	109.50 MHz	10 nm	359.99	3.00	1,886 ft
				19 km	347.52		1,886 m