PANC – EHAM

Ted Stevens Anchorage — Amsterdam Schiphol

2024/05/01 2145Z

PANC SURES **T227** CAWIN **J115** FAI **J120** FYU **J160** ADREW **M453** BUDUM 8000N0-6700W 8000N0-6600W 8000N0-6500W 8000N0-6400W 8000N0-6300W 8000N0-6200W 8000N0-6100W 8000N0-6000W 8000N0-5900W 8000N0-5800W 8000N0-5700W 8000N0-5600W 8000N0-5500W 8000N0-5400W 8000N0-5300W 8000N0-5200W 8000N0-5100W 8000N0-5000W 8000N0-4900W 8000N0-4800W 8000N0-4700W 8000N0-4600W 8000N0-4500W 8000N0-4400W 7900N0-3800W 7900N0-3700W 7900N0-3600W 7900N0-3500W 7900N0-3400W 7900N0-3300W 7900N0-3200W 7900N0-3100W 7900N0-3000W 7900N0-2900W 7900N0-2800W 7700N0-2100W 7600N0-1700W 7500N0-1400W 7300N0-1000W 7200N0-800W 7000N0-500W 6900N0-400W 6700N0-200W 6500N0000E 6400N0100E BURIX **Z264** KARLI **P603** GREFI **UP603** MOKUM **UZ705** PAM EHAM

3976.45 nm / 7364.38 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min

- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PANC APT	–	61.17440 -149.99800	0 ft 0 m	–	Ted Stevens Anchorage
SURES FIX	–	62.27190 -149.57900	23,900 ft 7,285 m	66	–
CAWIN FIX	T227 AWY-LO	63.28090 -148.98800	35,000 ft 10,668 m	62	–
FAI VOR	J115 AWY-HI	64.80010 -148.01200	35,000 ft 10,668 m	94	FAIRBANKS
FYU VOR	J120 AWY-HI	66.57420 -145.27700	35,000 ft 10,668 m	126	FORT YUKON
ADREW FIX	J160 AWY-HI	69.16970 -141.00300	35,000 ft 10,668 m	183	–
RODLU FIX	M453 AWY-HI	74.38000 -130.00000	35,000 ft 10,668 m	373	–
ROKMA FIX	M453 AWY-HI	78.56330 -110.00000	35,000 ft 10,668 m	373	–
ROMDI FIX	M453 AWY-HI	80.07000 -90.00000	35,000 ft 10,668 m	238	–
BUDUM FIX	M453 AWY-HI	80.00000 -69.25000	35,000 ft 10,668 m	214	–
8000N0-6700W LATLON	– –	80.00000 -67.00000	35,000 ft 10,668 m	23	–
8000N0-6600W LATLON	– –	80.00000 -66.00000	35,000 ft 10,668 m	10	–
8000N0-6500W LATLON	– –	80.00000 -65.00000	35,000 ft 10,668 m	10	–
8000N0-6400W LATLON	– –	80.00000 -64.00000	35,000 ft 10,668 m	10	–
8000N0-6300W LATLON	– –	80.00000 -63.00000	35,000 ft 10,668 m	10	–
8000N0-6200W LATLON	– –	80.00000 -62.00000	35,000 ft 10,668 m	10	–
8000N0-6100W LATLON	– –	80.00000 -61.00000	35,000 ft 10,668 m	10	–
8000N0-6000W LATLON	– –	80.00000 -60.00000	35,000 ft 10,668 m	10	–
8000N0-5900W LATLON	– –	80.00000 -59.00000	35,000 ft 10,668 m	10	–
8000N0-5800W LATLON	– –	80.00000 -58.00000	35,000 ft 10,668 m	10	–
8000N0-5700W LATLON	– –	80.00000 -57.00000	35,000 ft 10,668 m	10	–
8000N0-5600W LATLON	– –	80.00000 -56.00000	35,000 ft 10,668 m	10	–
8000N0-5500W LATLON	– –	80.00000 -55.00000	35,000 ft 10,668 m	10	–
8000N0-5400W LATLON	– –	80.00000 -54.00000	35,000 ft 10,668 m	10	–
8000N0-5300W LATLON	– –	80.00000 -53.00000	35,000 ft 10,668 m	10	–
8000N0-5200W LATLON	– –	80.00000 -52.00000	35,000 ft 10,668 m	10	–
8000N0-5100W	–	80.00000	35,000 ft	10	–

Ident	Via	Lat	Alt	Dist	Name
Type		Lon		(nm)	
LATLON	-	-51.00000	10,668 m		
8000N0-5000W	-	80.00000	35,000 ft	10	-
LATLON	-	-50.00000	10,668 m		
8000N0-4900W	-	80.00000	35,000 ft	10	-
LATLON	-	-49.00000	10,668 m		
8000N0-4800W	-	80.00000	35,000 ft	10	-
LATLON	-	-48.00000	10,668 m		
8000N0-4700W	-	80.00000	35,000 ft	10	-
LATLON	-	-47.00000	10,668 m		
8000N0-4600W	-	80.00000	35,000 ft	10	-
LATLON	-	-46.00000	10,668 m		
8000N0-4500W	-	80.00000	35,000 ft	10	-
LATLON	-	-45.00000	10,668 m		
8000N0-4400W	-	80.00000	35,000 ft	10	-
LATLON	-	-44.00000	10,668 m		
7900N0-3800W	-	79.00000	35,000 ft	88	-
LATLON	-	-38.00000	10,668 m		
7900N0-3700W	-	79.00000	35,000 ft	11	-
LATLON	-	-37.00000	10,668 m		
7900N0-3600W	-	79.00000	35,000 ft	11	-
LATLON	-	-36.00000	10,668 m		
7900N0-3500W	-	79.00000	35,000 ft	11	-
LATLON	-	-35.00000	10,668 m		
7900N0-3400W	-	79.00000	35,000 ft	11	-
LATLON	-	-34.00000	10,668 m		
7900N0-3300W	-	79.00000	35,000 ft	11	-
LATLON	-	-33.00000	10,668 m		
7900N0-3200W	-	79.00000	35,000 ft	11	-
LATLON	-	-32.00000	10,668 m		
7900N0-3100W	-	79.00000	35,000 ft	11	-
LATLON	-	-31.00000	10,668 m		
7900N0-3000W	-	79.00000	35,000 ft	11	-
LATLON	-	-30.00000	10,668 m		
7900N0-2900W	-	79.00000	35,000 ft	11	-
LATLON	-	-29.00000	10,668 m		
7900N0-2800W	-	79.00000	35,000 ft	11	-
LATLON	-	-28.00000	10,668 m		
7700N0-2100W	-	77.00000	35,000 ft	148	-
LATLON	-	-21.00000	10,668 m		
7600N0-1700W	-	76.00000	35,000 ft	82	-
LATLON	-	-17.00000	10,668 m		
7500N0-1400W	-	75.00000	35,000 ft	75	-
LATLON	-	-14.00000	10,668 m		
7300N0-1000W	-	73.00000	35,000 ft	137	-
LATLON	-	-10.00000	10,668 m		
7200N0-800W	-	72.00000	35,000 ft	70	-
LATLON	-	-8.00000	10,668 m		
7000N0-500W	-	70.00000	35,000 ft	133	-
LATLON	-	-5.00000	10,668 m		
6900N0-400W	-	69.00000	35,000 ft	63	-
LATLON	-	-4.00000	10,668 m		
6700N0-200W	-	67.00000	35,000 ft	128	-
LATLON	-	-2.00000	10,668 m		
6500N0000E	-	65.00000	35,000 ft	129	-
LATLON	-	0.00000	10,668 m		
6400N0100E	-	64.00000	35,000 ft	65	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	1.00000	10,668 m		
BURIX	-	63.17690	35,000 ft	54	-
FIX	-	1.81864	10,668 m		
ROGLO	Z264	63.00000	35,000 ft	11	-
FIX	AWY-HI	2.00000	10,668 m		
KARLI	Z264	57.00000	35,000 ft	375	-
FIX	AWY-HI	5.50743	10,668 m		
NAMIK	P603	56.38140	35,000 ft	37	-
FIX	AWY-HI	5.44083	10,668 m		
BUSOM	P603	55.94190	35,000 ft	26	-
FIX	AWY-HI	5.39472	10,668 m		
GARKA	P603	55.77640	35,000 ft	10	-
FIX	AWY-HI	5.42778	10,668 m		
GREFI	P603	55.00000	35,000 ft	48	-
FIX	AWY-HI	5.85879	10,668 m		
LIMBI	UP603	54.55160	32,200 ft	27	-
FIX	AWY-HI	6.06300	9,815 m		
MOKUM	UP603	54.48420	31,300 ft	4	-
FIX	AWY-HI	6.09332	9,540 m		
PAM	UZ705	52.33480	2,600 ft	133	PAMPUS
VOR	AWY-HI	5.09216	792 m		
EHAM	-	52.30810	0 ft	12	Amsterdam Schiphol
APT	-	4.76417	0 m		

PANC

Region: USA (ALASKA)
Timezone: AMERICA/ANCHORAGE
Runways: 3

Elevation: 151 ft / 46 m
Location: 61.174300 -149.998000
Magnetic Var: 14.033 E

METAR

PANC 012053Z 14011G29KT 10SM BKN049 OVC060 09/00 A3008

TAF

TAF AMD PANC 012102Z 0121/0224 15014G28KT P6SM VCSH SCT045 OVC060 TEMPO 0121/0123 BKN045 FM020600 13007KT P6SM SC

Frequencies

REC - 135.50 MHz - D-ATIS
GND - 121.90 MHz - ANCHORAGE GROUND
CLD - 119.40 MHz - CLEARANCE DELIVERY
APP - 118.60 MHz - ANCHORAGE APPROACH
APP - 123.80 MHz - ANCHORAGE APPROACH
DEP - 118.60 MHz - ANCHORAGE DEPARTURE
DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM
TWR - 118.30 MHz - ANCHORAGE TOWER
CLD - 128.65 MHz - CLEARANCE DELIVERY
APP - 119.10 MHz - ANCHORAGE APPROACH
APP - 126.40 MHz - ANCHORAGE APPROACH
DEP - 119.10 MHz - ANCHORAGE DEPARTURE
DEP - 126.40 MHz - ANCHORAGE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft 61 m	12,357 ft 3,767 m	89.84 75.81	ASPHALT	0 ft 0 m	0 ft 0 m
25L	200 ft 61 m	12,357 ft 3,767 m	269.90 255.87	ASPHALT	0 ft 0 m	194 ft 59 m
07L	150 ft 46 m	10,566 ft 3,221 m	89.88 75.85	ASPHALT	0 ft 0 m	387 ft 118 m
25R	150 ft 46 m	10,566 ft 3,221 m	269.93 255.90	ASPHALT	0 ft 0 m	387 ft 118 m
15	200 ft 61 m	10,847 ft 3,306 m	164.89 150.86	ASPHALT	0 ft 0 m	397 ft 121 m
33	200 ft 61 m	10,847 ft 3,306 m	344.90 330.87	ASPHALT	463 ft 141 m	236 ft 72 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm 33 km	- -	-	152 ft 152 m
07R	DME	IANC	111.30 MHz	18 nm 33 km	- -	-	152 ft 152 m
15	DME	IBSC	111.75 MHz	18 nm 33 km	- -	-	152 ft 152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm 33 km	89.90 75.87	-	151 ft 151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm 33 km	89.87 75.84	-	151 ft 151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm 33 km	164.90 150.87	-	151 ft 151 m
07L	GS	ITGN	109.90 MHz	10 nm 19 km	89.90 75.87	3.00	151 ft 151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.84		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.87		151 m

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.040 E

METAR

EHAM 012125Z 05009KT CAVOK 19/15 Q1002 NOSIG

TAF

TAF TAF EHAM 011718Z 0118/0224 02010KT CAVOK BECMG 0118/0121 06010KT BECMG 0207/0210 09010KT BECMG 0211/0214 2701

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND
TWR - 118.10 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER
APP - 120.55 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH
APP - 131.15 MHz - SCHIPHOL ARRIVAL
REC - 122.20 MHz - SCHIPHOL ATIS
GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.90 MHz - SCHIPHOL GROUND
TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.27 MHz - SCHIPHOL TOWER
APP - 118.80 MHz - AMSTERDAM RADAR
APP - 127.78 MHz - AMSTERDAM RADAR
APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 118.40 MHz - SCHIPHOL ARRIVAL
DEP - 121.20 MHz - SCHIPHOL DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft 44 m	11,319 ft 3,450 m	86.77 84.73	ASPHALT	325 ft 99 m	0 ft 0 m
27	145 ft 44 m	11,319 ft 3,450 m	266.81 264.77	ASPHALT	0 ft 0 m	0 ft 0 m
18L	150 ft 46 m	11,150 ft 3,399 m	183.24 181.20	ASPHALT	1,886 ft 575 m	0 ft 0 m
36R	150 ft 46 m	11,150 ft 3,399 m	3.24 1.20	ASPHALT	0 ft 0 m	0 ft 0 m
18C	145 ft 44 m	10,813 ft 3,296 m	183.22 181.18	ASPHALT	0 ft 0 m	0 ft 0 m
36C	145 ft 44 m	10,813 ft 3,296 m	3.22 1.18	ASPHALT	1,473 ft 449 m	0 ft 0 m
18R	190 ft 58 m	12,467 ft 3,800 m	183.19 181.15	ASPHALT	886 ft 270 m	0 ft 0 m
36L	190 ft 58 m	12,467 ft 3,800 m	3.19 1.15	ASPHALT	0 ft 0 m	0 ft 0 m
06	150 ft 46 m	11,288 ft 3,441 m	57.85 55.82	ASPHALT	814 ft 248 m	0 ft 0 m
24	150 ft 46 m	11,288 ft 3,441 m	237.89 235.85	ASPHALT	0 ft 0 m	0 ft 0 m
04	140 ft 43 m	6,624 ft 2,019 m	41.18 39.14	ASPHALT	0 ft 0 m	0 ft 0 m
22	140 ft 43 m	6,624 ft 2,019 m	221.20 219.16	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	– –	–	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	– –	–	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	– –	–	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	– –	–	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	– –	–	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	– –	–	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.84	–	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.18	–	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.15	–	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.16	–	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.75	–	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.18	–	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.20	–	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.84	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.18	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.15	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.16	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.75	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.18	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.20	3.00	-11 ft -11 m