


2024/05/11 0310Z

RKSI GONAV **G597** DONVO **A326** CG ZBAA

529.92 nm / 981.41 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RKSI	-	37.46540	0 ft	-	Incheon Intl
APT	-	126.44300	0 m		
GONAV	-	37.18010	35,000 ft	98	-
FIX	-	124.41500	10,668 m		
AGAVO	G597	37.16670	35,000 ft	19	-
FIX	AWY-HI	124.00000	10,668 m		
DONVO	G597	37.56670	35,000 ft	39	-
FIX	AWY-HI	123.33300	10,668 m		
SANKO	A326	38.25000	35,000 ft	58	-
FIX	AWY-HI	122.45300	10,668 m		
POVAG	A326	38.27830	35,000 ft	9	-
FIX	AWY-HI	122.25200	10,668 m		
DOBGA	A326	38.41330	35,000 ft	38	-
FIX	AWY-HI	121.45800	10,668 m		
MAKNO	A326	38.46330	35,000 ft	14	-
FIX	AWY-HI	121.14800	10,668 m		
ALARA	A326	38.56170	35,000 ft	28	-
FIX	AWY-HI	120.55200	10,668 m		
UNSEK	A326	38.61330	35,000 ft	15	-
FIX	AWY-HI	120.23500	10,668 m		
ANRAT	A326	38.65830	35,000 ft	13	-
FIX	AWY-HI	119.95700	10,668 m		
PAMDA	A326	38.80330	32,200 ft	42	-
FIX	AWY-HI	119.06200	9,815 m		
KALBA	A326	38.90330	26,100 ft	28	-
FIX	AWY-HI	118.47000	7,955 m		
CG	A326	39.08000	15,000 ft	52	TIANJIN
NDB	AWY-HI	117.37500	4,572 m		
ZBAA	-	40.07870	0 ft	70	Beijing-Capital
APT	-	116.59500	0 m		

RKSI

Region: SOUTH KOREA
Timezone: UNKNOWN
Runways: 3

Elevation: 22 ft / 7 m
Location: 37.465400 126.443000
Magnetic Var: 8.783 W

METAR

RKSI 110300Z 20020G31KT 9999 BKN025 BKN070 21/14 Q1011 NOSIG

TAF

TAF AMD TAF AMD RKSI 110252Z 1103/1206 19025G35KT 9999 SCT025 BKN080 BKN160 TX21/1104Z TN10/1121Z TX19/1205Z TEMP

Frequencies

REC - 128.40 MHz - INCHEON ATIS
TWR - 118.20 MHz - INCHEON TOWER
DEP - 121.40 MHz - SEOUL DEPARTURE
GND - 121.75 MHz - INCHEON GROUND
APP - 119.75 MHz - SEOUL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	13,131 ft	144.75	ASPHALT	0 ft	394 ft
	60 m	4,002 m	153.54		0 m	120 m
34	197 ft	13,131 ft	324.77	ASPHALT	0 ft	394 ft
	60 m	4,002 m	333.55		0 m	120 m
15R	197 ft	12,311 ft	144.78	ASPHALT	0 ft	397 ft
	60 m	3,752 m	153.56		0 m	121 m
33L	197 ft	12,311 ft	324.79	ASPHALT	0 ft	394 ft
	60 m	3,752 m	333.57		0 m	120 m
15L	197 ft	12,312 ft	144.77	ASPHALT	0 ft	397 ft
	60 m	3,753 m	153.56		0 m	121 m
33R	197 ft	12,312 ft	324.79	ASPHALT	0 ft	394 ft
	60 m	3,753 m	333.57		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	ISLL	111.90 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
15R	DME	ISRR	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
33L	DME	INLL	109.30 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
33R	DME	INRR	108.90 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
15L	LOC-ILS	ISLL	111.90 MHz	18 nm	144.79	-	22 ft
				33 km	153.57		22 m
15R	LOC-ILS	ISRR	109.10 MHz	18 nm	144.79	-	22 ft
				33 km	153.57		22 m
16	LOC-ILS	IRKS	110.35 MHz	18 nm	144.77	-	22 ft
				33 km	153.55		22 m
33L	LOC-ILS	INLL	109.30 MHz	18 nm	324.79	-	22 ft
				33 km	333.57		22 m
33R	LOC-ILS	INRR	108.90 MHz	18 nm	324.79	-	22 ft
				33 km	333.57		22 m
34	LOC-ILS	IRKN	108.10 MHz	18 nm	324.77	-	22 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	333.55		22 m
15L	GS	ISLL	111.90 MHz	10 nm	144.79	3.00	22 ft
				19 km	153.57		22 m
15R	GS	ISRR	109.10 MHz	10 nm	144.79	3.00	22 ft
				19 km	153.57		22 m
16	GS	IRKS	110.35 MHz	10 nm	144.77	3.00	22 ft
				19 km	153.55		22 m
33L	GS	INLL	109.30 MHz	10 nm	324.79	3.00	22 ft
				19 km	333.57		22 m
33R	GS	INRR	108.90 MHz	10 nm	324.79	3.00	23 ft
				19 km	333.57		23 m
34	GS	IRKN	108.10 MHz	10 nm	324.77	3.00	22 ft
				19 km	333.55		22 m

ZBAA

Region: CHINA
Timezone: ASIA/SHANGHAI
Runways: 3

Elevation: 115 ft / 35 m
Location: 40.078700 116.595000
Magnetic Var: 7.353 W

METAR

ZBAA 110300Z 34010MPS CAVOK 23/M04 Q1012 NOSIG

TAF

TAF TAF ZBAA 102110Z 1100/1124 31007G15MPS CAVOK TX27/1107Z TN13/1121Z BECMG 1110/1111 01004MPS

Frequencies

REC - 127.60 MHz - ATIS	REC - 128.65 MHz - ATIS
CLD - 121.60 MHz - BEIJING DELIVERY	CLD - 121.65 MHz - BEIJING DELIVERY
GND - 121.90 MHz - BEIJING GROUND	GND - 121.80 MHz - BEIJING GROUND
GND - 121.70 MHz - BEIJING GROUND	GND - 121.75 MHz - BEIJING GROUND
GND - 121.85 MHz - BEIJING GROUND	GND - 122.22 MHz - BEIJING APRON
GND - 122.65 MHz - BEIJING APRON	TWR - 124.30 MHz - BEIJING TOWER
TWR - 118.50 MHz - BEIJING TOWER	TWR - 118.60 MHz - BEIJING TOWER
APP - 126.10 MHz - BEIJING APPROACH	APP - 119.00 MHz - BEIJING APPROACH
APP - 126.50 MHz - BEIJING APPROACH	APP - 121.10 MHz - BEIJING APPROACH
APP - 119.70 MHz - BEIJING APPROACH	APP - 124.70 MHz - BEIJING APPROACH
APP - 127.75 MHz - BEIJING APPROACH	APP - 120.60 MHz - BEIJING APPROACH
APP - 125.50 MHz - BEIJING APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	195 ft	12,481 ft	353.17	CONCRETE	0 ft	394 ft
	59 m	3,804 m	0.52		0 m	120 m
19	195 ft	12,481 ft	173.17	CONCRETE	0 ft	397 ft
	59 m	3,804 m	180.52		0 m	121 m
18L	197 ft	12,493 ft	173.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	180.52		0 m	58 m
36R	197 ft	12,493 ft	353.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	0.52		0 m	58 m
18R	164 ft	10,512 ft	173.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	180.50		0 m	61 m
36L	164 ft	10,512 ft	353.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	0.50		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18R	DME	ILG	110.30 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
01	LOC-ILS	INJ	108.50 MHz	18 nm	353.17	-	116 ft
				33 km	0.52		116 m
18L	LOC-ILS	IOR	109.30 MHz	18 nm	173.17	-	116 ft
				33 km	180.52		116 m
18R	LOC-ILS	ILG	110.30 MHz	18 nm	173.15	-	116 ft
				33 km	180.50		116 m
19	LOC-ILS	ISZ	108.90 MHz	18 nm	173.17	-	116 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	180.52		116 m
36L	LOC-ILS	IDK	111.70 MHz	18 nm	353.15	-	116 ft
				33 km	0.50		116 m
36R	LOC-ILS	IQU	109.90 MHz	18 nm	353.10	-	116 ft
				33 km	0.45		116 m
01	GS	INJ	108.50 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.52		116 m
18L	GS	IOR	109.30 MHz	10 nm	173.17	3.00	116 ft
				19 km	180.52		116 m
18R	GS	ILG	110.30 MHz	10 nm	173.15	3.00	116 ft
				19 km	180.50		116 m
19	GS	ISZ	108.90 MHz	10 nm	173.17	3.20	116 ft
				19 km	180.52		116 m
36L	GS	IDK	111.70 MHz	10 nm	353.15	3.00	116 ft
				19 km	0.50		116 m
36R	GS	IQU	109.90 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.52		116 m