

SVBC

General Jose Antonio Anzoategui Intl


SVMI

Caracas Simon Bolivar Intl

2024/05/04 1831Z

SVBC ISULA CBC TABOR SVMI

145.56 nm / 269.57 km



Notes

Decoded

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SVBC	-	10.09741	0 ft	-	-
APT	-	-64.69135	0 m		
ISULA	-	10.34642	0 ft	41	-
FIX	-	-65.34700	0 m		
CBC	-	10.57697	0 ft	43	-
VOR	-	-66.04839	0 m		
TABOR	-	10.47142	0 ft	50	-
FIX	-	-66.90369	0 m		
SVM1	-	10.59869	0 ft	9	-
APT	-	-66.99768	0 m		

SVBC

Region: VENEZUELA
Timezone: AMERICA/CARACAS
Runways: 2

Elevation: 25 ft / 8 m
Location: 10.108600 -64.690900
Magnetic Var: 13.969 W

METAR

SVBC 041800Z 04010KT 9000 DZ BKN016 34/XX Q1008

TAF

TAF SVBC 041600Z 0418/0518 05001KT 9999 SCT013 SCT020 TX35/0318Z TN23/0406Z BECMG 0418/0423 09005KT 9999 SCT060 B

Frequencies

REC - 132.30 MHz - BARCELONA ATIS
TWR - 118.70 MHz - BARCELONA TOWER
APP - 121.10 MHz - BARCELONA APPROACH
GND - 121.90 MHz - BARCELONA GROUND
APP - 119.10 MHz - BARCELONA APPROACH
COM - 122.80 MHz - BARCELONA UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	130 ft	9,876 ft	142.62	ASPHALT	0 ft	495 ft
	40 m	3,010 m	156.59		0 m	151 m
33	130 ft	9,876 ft	322.62	ASPHALT	0 ft	0 ft
	40 m	3,010 m	336.59		0 m	0 m
02	130 ft	10,226 ft	12.47	ASPHALT	0 ft	0 ft
	40 m	3,117 m	26.44		0 m	0 m
20	130 ft	10,226 ft	192.47	ASPHALT	984 ft	0 ft
	40 m	3,117 m	206.44		300 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	IBNA	110.90 MHz	18 nm	142.72	-	26 ft
				33 km	156.69		26 m
15	GS	IBNA	110.90 MHz	10 nm	143.48	3.00	26 ft
				19 km	157.45		26 m

SVMI

Region: VENEZUELA
Timezone: AMERICA/CARACAS
Runways: 2

Elevation: 234 ft / 71 m
Location: 10.603200 -66.990400
Magnetic Var: 12.871 W

METAR

SVMI 041700Z 02005 9999 SCT016 SCT100 31/25 Q1009

TAF

TAF SVMI 041600Z 0418/0518 11001KT 9999 SCT016 SCT020 TX30/0318Z TN22/0408Z BECMG 0418/0422 11005KT 9000 -DZ SCT0

Frequencies

CLD - 119.50 MHz - CLEARANCE DELIVERY
TWR - 118.40 MHz - MAIQUETIA TOWER
DEP - 120.10 MHz - MAIQUETIA DEPARTURE
GND - 121.90 MHz - MAIQUETIA GROUND
APP - 120.40 MHz - MAIQUETIA APPROACH
REC - 132.85 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	11,494 ft	88.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	101.00		0 m	57 m
28	151 ft	11,494 ft	268.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	281.00		0 m	57 m
09	151 ft	9,523 ft	75.94	ASPHALT	0 ft	0 ft
	46 m	2,903 m	88.82		0 m	0 m
27	151 ft	9,523 ft	255.95	ASPHALT	0 ft	0 ft
	46 m	2,903 m	268.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMIQ	110.10 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
10	LOC-ILS	IMIQ	110.10 MHz	18 nm	87.90	-	235 ft
				33 km	100.77		235 m
10	GS	IMIQ	110.10 MHz	10 nm	88.29	3.00	235 ft
				19 km	101.16		235 m