

EGLL

London Heathrow


LEBL

Josep Tarradellas Barcelona-El Prat

2024/05/10 2101Z

EGLL SITET **UN859** LGL **A34** BENAR **UN859** LOMRA **UN727** ROCAN LEBL

623.47 nm / 1154.67 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL APT	-	51.47120 -0.46088	0 ft 0 m	-	London Heathrow
SITET FIX	-	50.10000 0.00000	30,000 ft 9,144 m	84	-
ETRAT FIX	UN859 AWY-HI	49.68330 0.16333	35,000 ft 10,668 m	25	-
DVL VOR	UN859 AWY-HI	49.31070 0.31272	35,000 ft 10,668 m	23	DEAUVILLE NORMANDIE
LGL VOR	UN859 AWY-HI	48.79060 0.53028	35,000 ft 10,668 m	32	L'AIGLE
BOBSA FIX	A34 AWY-LO	48.49580 0.64833	35,000 ft 10,668 m	18	-
BENAR FIX	A34 AWY-LO	48.25310 0.74444	35,000 ft 10,668 m	15	-
VANAD FIX	UN859 AWY-HI	47.83720 0.90722	35,000 ft 10,668 m	25	-
AMB VOR	UN859 AWY-HI	47.42890 1.06444	35,000 ft 10,668 m	25	AMBOISE
BALAN FIX	UN859 AWY-HI	46.51610 1.03333	35,000 ft 10,668 m	54	-
BEBIX FIX	UN859 AWY-HI	45.94920 1.39972	35,000 ft 10,668 m	37	-
VEGOB FIX	UN859 AWY-HI	45.57940 1.47972	35,000 ft 10,668 m	22	-
TUGLI FIX	UN859 AWY-HI	45.37720 1.52444	35,000 ft 10,668 m	12	-
TUSAK FIX	UN859 AWY-HI	44.65080 1.67611	35,000 ft 10,668 m	44	-
NARAK FIX	UN859 AWY-HI	44.29530 1.74889	35,000 ft 10,668 m	21	-
GAI VOR	UN859 AWY-HI	43.95410 1.82417	34,300 ft 10,455 m	20	GAILLAC
LOMRA FIX	UN859 AWY-HI	43.34420 1.88306	26,400 ft 8,047 m	36	-
ROCAN FIX	UN727 AWY-HI	42.67330 1.94667	17,700 ft 5,395 m	40	-
LEBL APT	-	41.29510 2.08804	0 ft 0 m	83	Josep Tarradellas Barcelona-El Prat

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.378 E

METAR

EGLL 102020Z AUTO 09009KT 9999 NCD 16/10 Q1023

TAF

TAF EGLL 101656Z 1018/1124 08007KT 9999 FEW045 TEMPO 1102/1108 7000 PROB30 TEMPO 1104/1107 4000 BR BKN004

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m

LEBL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 3

Elevation: 14 ft / 4 m
Location: 41.295100 2.088030
Magnetic Var: 1.541 E

METAR

LEBL 102030Z 21006KT CAVOK 18/12 Q1018 NOSIG

TAF

TAF LEBL 101700Z 1018/1118 22012KT 9999 FEW020 TX22/1112Z TN13/1105Z BECMG 1020/1022 32004KT TEMPO 1105/1107 2000

Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.37		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.38		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.96		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.94		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.38		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.38		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m