

LIML

Milano-Linate "Enrico Forlanini"


LICC

Catania-Fontanarossa "Vincenzo Bellini"

2024/06/05 1320Z

LIML RUXOL M727 AMTEL L995 GIKIN Q789 VAKOR LICC

547.95 nm / 1014.81 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIML	-	45.45030	0 ft	-	Milano-Linate	"Enrico Forlanini"
APT	-	9.27281	0 m			
RUXOL	-	44.11530	34,900 ft	97	-	
FIX	-	10.59310	10,638 m			
OSMOX	M727	43.83720	35,000 ft	21	-	
FIX	AWY-HI	10.91310	10,668 m			
AMTEL	M727	43.22030	35,000 ft	47	-	
FIX	AWY-HI	11.60860	10,668 m			
SOVAN	L995	42.83470	35,000 ft	26	-	
FIX	AWY-HI	11.89170	10,668 m			
GIKIN	L995	42.61830	35,000 ft	14	-	
FIX	AWY-HI	12.04860	10,668 m			
PNZ	Q789	40.91190	35,000 ft	110	PONZA	
VOR	AWY-HI	12.95740	10,668 m			
TAGEL	Q789	40.29780	35,000 ft	40	-	
FIX	AWY-HI	13.31110	10,668 m			
AMANO	Q789	39.42170	28,200 ft	57	-	
FIX	AWY-HI	13.79670	8,595 m			
VAKOR	Q789	38.83610	19,800 ft	38	-	
FIX	AWY-HI	14.15360	6,035 m			
LICC	-	37.46680	0 ft	92	Catania-Fontanarossa	"Vincenzo Bellini"
APT	-	15.06640	0 m			

LIML

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 354 ft / 108 m
Location: 45.450300 9.272810
Magnetic Var: 3.247 E

METAR

LIML 051250Z 23004KT 140V300 9999 FEW035 25/17 Q1015 NOSIG

TAF

TAF LIML 051100Z 0512/0612 VRB05KT 9999 FEW040 TEMPO 0516/0519 25010KT

Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.42		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.42		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.42		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.42		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.44		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.43		352 m

LICC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 39 ft / 12 m
Location: 37.466800 15.066400
Magnetic Var: 3.838 E

METAR

LICC 051250Z 06009KT 9999 SCT120 25/17 Q1014

TAF

TAF LICC 051100Z 0512/0612 06015KT 9999 SCT035 TEMPO 0512/0518 TSRA BECMG 0518/0520 VRB05KT BECMG 0610/0612 08010

Frequencies

GND - 129.72 MHz - CATANIA GROUND
APP - 120.80 MHz - CATANIA APPROACH
REC - 127.67 MHz - ATIS

TWR - 118.70 MHz - CATANIA TOWER
APP - 119.25 MHz - CATANIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	8,000 ft	83.93	ASPHALT	308 ft	0 ft
	45 m	2,438 m	80.09		94 m	0 m
26	148 ft	8,000 ft	263.95	ASPHALT	285 ft	0 ft
	45 m	2,438 m	260.11		87 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	CTN	109.90 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
08	LOC-ILS	CTN	109.90 MHz	18 nm	83.95	-	39 ft
				33 km	80.11		39 m
08	GS	CTN	109.90 MHz	10 nm	83.95	3.00	39 ft
				19 km	80.11		39 m