

# LEIB

Ibiza


# LEAL

Alicante

2024/05/23 0716Z

LEIB BRUNO LEAL

97.36 nm / 180.31 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 18000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEIB	-	38.87280	0 ft	-	Ibiza
APT	-	1.37313	0 m		
BRUNO	-	38.60830	11,300 ft	44	-
FIX	-	0.48333	3,444 m		
LEAL	-	38.28220	0 ft	52	Alicante
APT	-	-0.55811	0 m		

## LEIB

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 24 ft / 7 m  
Location: 38.872800 1.373130  
Magnetic Var: 1.359 E

## METAR

LEIB 230700Z VRB01KT CAVOK 20/16 Q1017 NOSIG

## TAF

TAF LEIB 230200Z 2303/2403 12005KT 9999 FEW025 TX24/2313Z TN15/2305Z PROB30 TEMPO 2303/2306 4000 BR BECMG 2308/23

## Frequencies

REC - 119.80 MHz - ATIS  
TWR - 118.50 MHz - IBIZA TOWER  
APP - 134.82 MHz - PALMA APPROACH  
GND - 121.92 MHz - IBIZA GROUND  
CLD - 121.37 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.65		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.64		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.64		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.64		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.64		24 m

## LEAL

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 142 ft / 43 m  
Location: 38.282200 -0.558114  
Magnetic Var: 0.891 E

## METAR

LEAL 230700Z 03005KT 010V070 9999 SCT009 19/12 Q1017 NOSIG

## TAF

TAF TAF LEAL 230500Z 2306/2406 31005KT 9999 FEW025 TX25/2315Z TN15/2306Z BECMG 2306/2308 08010KT PROB40 TEMPO 231

## Frequencies

REC - 120.05 MHz - ATIS	TWR - 118.15 MHz - ALICANTE TOWER
TWR - 125.15 MHz - ALICANTE TOWER	GND - 130.65 MHz - ALICANTE GROUND
CLD - 119.85 MHz - CLEARANCE DELIVERY	APP - 119.07 MHz - VALENCIA APPROACH
APP - 120.40 MHz - VALENCIA APPROACH	APP - 118.80 MHz - VALENCIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,828 ft	100.08	ASPHALT	0 ft	0 ft
	45 m	2,996 m	99.19		0 m	0 m
28	148 ft	9,828 ft	280.10	ASPHALT	0 ft	0 ft
	45 m	2,996 m	279.21		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAT	110.30 MHz	18 nm	-	-	129 ft
				33 km	-		129 m
10	LOC-ILS	IAT	110.30 MHz	18 nm	100.09	-	29 ft
				33 km	99.20		29 m
10	GS	IAT	110.30 MHz	10 nm	100.19	3.00	129 ft
				19 km	99.30		129 m