

LFMT

Montpellier/Mediterranee


LFKJ

Napoleon Bonaparte

2024/05/16 2126Z

LFMT NIBIK **UY268** RUBAS LFKJ

240.87 nm / 446.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMT	-	43.57620	0 ft	-	Montpellier/Mediterranee
APT	-	3.96325	0 m		
NIBIK	-	42.67940	29,400 ft	82	-
FIX	-	5.38833	8,961 m		
RUBAS	UY268	42.37690	22,000 ft	55	-
FIX	AWY-HI	6.56889	6,706 m		
LFKJ	-	41.92170	0 ft	103	Napoleon Bonaparte
APT	-	8.80109	0 m		

LFMT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 17 ft / 5 m
Location: 43.576200 3.963250
Magnetic Var: 1.991 E

METAR

LFMT 162100Z AUTO 35005KT CAVOK 13/11 Q1010 NOSIG

TAF

TAF LFMT 162000Z 1621/1721 03005KT 9999 FEW040 BECMG 1711/1715 12010KT TEMPO 1716/1718 BKN012

Frequencies

REC - 124.12 MHz - MONTPELLIER ATIS
TWR - 118.20 MHz - MONTPELLIER TWR
APP - 120.37 MHz - MONTPELLIER APP
APP - 133.77 MHz - MONTPELLIER APP

GND - 121.95 MHz - MONTPELLIER GND
TWR - 118.77 MHz - MONTPELLIER TWR
APP - 130.85 MHz - MONTPELLIER APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12L	164 ft	8,539 ft	124.83	ASPHALT	0 ft	0 ft
	50 m	2,603 m	122.84		0 m	0 m
30R	164 ft	8,539 ft	304.85	ASPHALT	0 ft	0 ft
	50 m	2,603 m	302.86		0 m	0 m
12R	98 ft	3,612 ft	124.80	ASPHALT	328 ft	0 ft
	30 m	1,101 m	122.81		100 m	0 m
30L	98 ft	3,612 ft	304.81	ASPHALT	0 ft	0 ft
	30 m	1,101 m	302.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	LOC-ILS	FG	108.55 MHz	18 nm	304.75	-	16 ft
				33 km	302.76		16 m
30R	GS	FG	108.55 MHz	10 nm	305.50	3.00	16 ft
				19 km	303.51		16 m

LFKJ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 19 ft / 6 m
Location: 41.921700 8.801090
Magnetic Var: 3.016 E

METAR

LFKJ 162100Z AUTO 05004KT CAVOK 16/13 Q1011 NOSIG

TAF

TAF LFKJ 162000Z 1621/1721 05006KT 9999 FEW030 BECMG 1709/1711 23010KT BECMG 1718/1720 05006KT

Frequencies

REC - 126.92 MHz - LFKJ ATIS
TWR - 118.07 MHz - AJACCIO TWR

GND - 121.70 MHz - AJACCIO GND
APP - 121.05 MHz - AJACCIO APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	7,904 ft	24.84	CONCRETE	0 ft	161 ft
	45 m	2,409 m	21.82		0 m	49 m
20	148 ft	7,904 ft	204.85	CONCRETE	741 ft	230 ft
	45 m	2,409 m	201.83		226 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	AC	110.30 MHz	27 nm	-	-	18 ft
				50 km	-		18 m
02	LOC-ILS	AC	110.30 MHz	18 nm	24.85	-	19 ft
				33 km	21.83		19 m
02	GS	AC	110.30 MHz	10 nm	24.85	3.00	19 ft
				19 km	21.83		19 m