



Notes

Generated

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GCTS	-	28.03920	0 ft	-	-
APT	-	-16.58764	0 m	-	-
GCLP	-	27.91818	0 ft	63	-
APT	-	-15.39035	0 m	-	-

## GCTS

Region: CANARY ISLANDS  
Timezone: ATLANTIC/CANARY  
Runways: 1

Elevation: 209 ft / 64 m  
Location: 28.044500 -16.572500  
Magnetic Var: 4.375 W

## METAR

GCTS 050230Z 07017KT CAVOK 18/14 Q1018 NOSIG

## TAF

TAF GCTS 050200Z 0503/0603 04018KT CAVOK TX29/0514Z TN19/0506Z PROB40 TEMPO 0503/0509 04008KT PROB30 TEMPO 0509/0603 04008KT CAVOK

## Frequencies

REC - 118.67 MHz - ATIS	GND - 121.90 MHz - TENERIFE SOUTH GROUND
TWR - 119.00 MHz - TENERIFE SOUTH TOWER	TWR - 120.30 MHz - TENERIFE SOUTH TOWER
CLD - 121.75 MHz - CLEARANCE DELIVERY	APP - 127.70 MHz - TENERIFE SOUTH APPROACH
APP - 128.12 MHz - TENERIFE SOUTH APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,479 ft	68.48	ASPHALT	0 ft	0 ft
	45 m	3,194 m	72.86		0 m	0 m
25	148 ft	10,479 ft	248.50	ASPHALT	0 ft	0 ft
	45 m	3,194 m	252.87		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	TRS	109.70 MHz	18 nm	68.49	-	187 ft
				33 km	72.87		187 m
25	LOC-ILS	ISUR	110.90 MHz	18 nm	248.52	-	209 ft
				33 km	252.89		209 m
07	GS	TRS	109.70 MHz	10 nm	68.96	3.00	209 ft
				19 km	73.34		209 m
25	GS	ISUR	110.90 MHz	10 nm	248.96	3.00	236 ft
				19 km	253.34		236 m

## GCLP

Region: CANARY ISLANDS  
Timezone: ATLANTIC/CANARY  
Runways: 2

Elevation: 78 ft / 24 m  
Location: 27.931600 -15.385600  
Magnetic Var: 3.952 W

## METAR

GCLP 050230Z 01019KT 9999 FEW030 19/13 Q1018 NOSIG

## TAF

TAF GCLP 050200Z 0503/0603 36016KT 9999 FEW020 TX26/0514Z TN18/0506Z PROB30 TEMPO 0508/0521 03020G30KT

## Frequencies

REC - 118.60 MHz - ATIS	GND - 121.70 MHz - GRAN CANARIA GROUND
TWR - 118.30 MHz - GRAN CANARIA TOWER	APP - 121.30 MHz - GRAN CANARIA APPROACH
APP - 124.30 MHz - GRAN CANARIA APPROACH	APP - 124.70 MHz - GRAN CANARIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.27		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.28		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.30		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.31		0 m	225 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.28		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.28		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.62		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.62		77 m