

# SKRG

Jose Maria Cordova Intl


# SKBO

El Dorado Intl

2024/05/07 2008Z

SKRG BOG SKBO

116.59 nm / 215.93 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKRG	-	6.16490	0 ft	-	Jose Maria Cordova Intl
APT	-	-75.42310	0 m		
BOG	-	4.84667	2,900 ft	102	BOGOTA
VOR	-	-74.32330	884 m		
SKBO	-	4.70160	0 ft	13	El Dorado Intl
APT	-	-74.14700	0 m		

## SKRG

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 1

Elevation: 7,027 ft / 2,142 m  
Location: 6.164900 -75.423100  
Magnetic Var: 7.547 W

## METAR

SKRG 071900Z 09013KT 040V180 9999 FEW020TCU 27/13 Q1022 NOSIG RMK TCUS/SW

## TAF

TAF SKRG 071630Z 0718/0818 13010KT 9999 SCT015 TEMPO 0720/0723 SCT020TCU BECMG 0800/0802 VRB02KT TEMPO 0803/0807

## Frequencies

REC - 115.10 MHz - ATIS  
TWR - 118.60 MHz - RIONEGRO TOWER  
APP - 121.10 MHz - MEDELLIN APPROACH  
GND - 121.90 MHz - RIONEGRO GROUND  
APP - 126.10 MHz - MEDELLIN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	151 ft	11,297 ft	359.63	ASPHALT	0 ft	0 ft
	46 m	3,443 m	7.18		0 m	0 m
19	151 ft	11,297 ft	179.63	ASPHALT	0 ft	112 ft
	46 m	3,443 m	187.18		0 m	34 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IMDE	110.90 MHz	18 nm	359.63	-	7,027 ft
				33 km	7.18		7,027 m
01	GS	IMDE	110.90 MHz	10 nm	359.63	3.00	7,027 ft
				19 km	7.18		7,027 m

## SKBO

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 2

Elevation: 8,358 ft / 2,548 m  
Location: 4.701600 -74.147000  
Magnetic Var: 8.191 W

## METAR

SKBO 071935Z 18022G35KT 1000 +TSRAGR BKN012CB 15/15 Q1023 NOSIG

## TAF

TAF AMD SKBO 071920Z 0719/0818 28010KT 3000 TSRA BKN015CB BECMG 0720/0722 9999 NSW BECMG 0801/0803 VRB02KT TX23/07

## Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m