


2024/05/23 0548Z

LOWS NAXAV **M736** OZE **T897** IXOGU **Q984** VOG **Q712** LESAN LFMN

349.59 nm / 647.44 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWS	-	47.79340	0 ft	-	Salzburg
APT	-	13.00390	0 m		
NAXAV	-	46.46390	35,000 ft	105	-
FIX	-	11.32220	10,668 m		
OZE	M736	46.40520	35,000 ft	3	BOLZANO
VOR	AWY-HI	11.29230	10,668 m		
IXOGU	T897	46.37220	35,000 ft	2	-
FIX	AWY-HI	11.25390	10,668 m		
LEVSI	Q984	45.93780	35,000 ft	49	-
FIX	AWY-HI	10.25360	10,668 m		
VOG	Q984	44.96460	23,400 ft	79	VOGHERA
VOR	AWY-HI	8.97019	7,132 m		
LESAN	Q712	44.77500	20,500 ft	13	-
FIX	AWY-HI	8.81222	6,248 m		
LFMN	-	43.65840	0 ft	96	Nice-Cote d'Azur
APT	-	7.21576	0 m		

## LOWS

Region: AUSTRIA  
Timezone: EUROPE/VIENNA  
Runways: 1

Elevation: 1,411 ft / 430 m  
Location: 47.793400 13.003900  
Magnetic Var: 4.195 E

## METAR

LOWS 230520Z AUTO VRB02KT 9999 FEW024 SCT034 BKN042 13/11 Q1017 NOSIG

## TAF

TAF LOWS 222315Z 2300/2324 15005KT 9999 FEW040 SCT070 TX19/2312Z TN12/2304Z TEMPO 2300/2324 -SHRA BECMG 2307/2309

## Frequencies

REC - 133.32 MHz - ATIS  
CLD - 121.75 MHz - CLEARANCE DELIVERY  
APP - 134.97 MHz - SALZBURG DIRECTOR  
TWR - 118.10 MHz - SALZBURG TOWER  
APP - 123.72 MHz - SALZBURG RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	9,031 ft	156.92	ASPHALT	653 ft	423 ft
	45 m	2,753 m	152.72		199 m	129 m
33	148 ft	9,031 ft	336.93	ASPHALT	791 ft	95 ft
	45 m	2,753 m	332.73		241 m	29 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	OES	109.90 MHz	18 nm	-	-	1,446 ft
				33 km	-		1,446 m
15	LOC-ILS	OES	109.90 MHz	18 nm	156.98	-	1,411 ft
				33 km	152.78		1,411 m
15	GS	OES	109.90 MHz	10 nm	156.98	3.00	1,411 ft
				19 km	152.78		1,411 m

## LFMN

Region: FRANCE  
Timezone: UNKNOWN  
Runways: 2

Elevation: 12 ft / 4 m  
Location: 43.658400 7.215760  
Magnetic Var: 2.740 E

## METAR

LFMN 230530Z 33008KT 9999 FEW021 SCT035 16/11 Q1015 NOSIG

## TAF

TAF AMD LFMN 230441Z 2304/2409 32008KT 9999 FEW020 PROB30 TEMPO 2304/2306 BKN014 BECMG 2308/2310 18010KT TEMPO 23

## Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.12		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m