

SAEZ

Ministro Pistarini (ezeiza)


SBGL

Galeão Antonio Carlos Jombim

2024/05/10 2115Z

SAEZ SARGO DAGUS CRR MOLBI AKPOD AROMA CALVE POR OCASO NADAR GLOVE OSAMU ANISE SAT SULCO LITRE
MOTOB SBGL

1146.91 nm / 2124.07 km



Notes

Decoded

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAEZ	-	-34.80841	0 ft	-	
APT	-	-58.53386	0 m		
SARGO	-	-34.98278	0 ft	81	
FIX	-	-56.88389	0 m		
DAGUS	-	-35.03806	0 ft	37	
FIX	-	-56.12361	0 m		
CRR	-	-34.83272	0 ft	13	CARRASCO VOR-DME
VOR	-	-56.02514	0 m		
MOLBI	-	-34.34722	0 ft	38	
FIX	-	-55.50500	0 m		
AKPOD	-	-32.47175	0 ft	148	
FIX	-	-53.58333	0 m		
AROMA	-	-31.28133	0 ft	93	
FIX	-	-52.39917	0 m		
CALVE	-	-30.76867	0 ft	40	
FIX	-	-51.90167	0 m		
POR	-	-29.99600	0 ft	60	PORTO ALEGRE VOR-DME
VOR	-	-51.16517	0 m		
OCASO	-	-28.78050	0 ft	82	
FIX	-	-50.42417	0 m		
NADAR	-	-28.19950	0 ft	36	
FIX	-	-50.19350	0 m		
GLOVE	-	-26.75117	0 ft	114	
FIX	-	-48.79500	0 m		
OSAMU	-	-25.94683	0 ft	63	
FIX	-	-48.02133	0 m		
ANISE	-	-24.60208	0 ft	110	
FIX	-	-46.62525	0 m		
SAT	-	-23.98333	0 ft	42	SANTOS NDB
NDB	-	-46.26333	0 m		
SULCO	-	-23.89967	0 ft	17	
FIX	-	-45.94900	0 m		
LITRE	-	-23.65450	0 ft	53	
FIX	-	-45.00733	0 m		
MOTOB	-	-23.36864	0 ft	58	
FIX	-	-43.99283	0 m		
SBGL	-	-22.81244	0 ft	52	
APT	-	-43.26360	0 m		

SAEZ

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/BUENOS_AIRES
Runways: 2

Elevation: 66 ft / 20 m
Location: -34.822000 -58.532600
Magnetic Var: 9.810 W

METAR

SAEZ 102100Z 13005KT CAVOK 14/08 Q1015 NOSIG

TAF

TAF SAEZ 101700Z 1018/1118 09008KT CAVOK TX17/1118Z TN06/1110Z BECMG 1102/1105 16005KT BECMG 1112/1114 16012KT 99

Frequencies

REC - 127.80 MHz - ATIS
GND - 121.75 MHz - EZEIZA GROUND
APP - 119.90 MHz - EZEIZA APPROACH
CLD - 127.10 MHz - EZEIZA CLEARANCE
TWR - 118.60 MHz - EZEIZA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.13		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.11		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.88		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.88		302 m	28 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.12		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.88		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.12		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.88		66 m

SBGL

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 28 ft / 9 m
Location: -22.808900 -43.243800
Magnetic Var: 23.421 W

METAR

SBGL 102100Z 13008KT CAVOK 25/22 Q1013

TAF

TAF SBGL 101615Z 1018/1124 18012KT 8000 SCT023 TN21/1109Z TX31/1117Z BECMG 1018/1021 15008KT BECMG 1023/1102 2700

Frequencies

REC - 127.60 MHz - ATIS	CLD - 121.00 MHz - GALEAO CLEARANCE
CLD - 135.10 MHz - GALEAO CLEARANCE	GND - 121.65 MHz - GALEAO GROUND
GND - 128.35 MHz - GALEAO GROUND	TWR - 118.00 MHz - GALEAO TOWER
TWR - 118.20 MHz - GALEAO TOWER	APP - 129.80 MHz - RIO APPROACH
APP - 125.95 MHz - RIO APPROACH	APP - 128.90 MHz - RIO APPROACH
APP - 119.35 MHz - RIO APPROACH	COM - 122.80 MHz - GALEAO UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	13,136 ft	74.40	CONCRETE	0 ft	0 ft
	45 m	4,004 m	97.82		0 m	0 m
28	148 ft	13,136 ft	254.38	CONCRETE	0 ft	174 ft
	45 m	4,004 m	277.80		0 m	53 m
15	154 ft	10,426 ft	125.65	ASPHALT	0 ft	184 ft
	47 m	3,178 m	149.07		0 m	56 m
33	154 ft	10,426 ft	305.64	ASPHALT	0 ft	184 ft
	47 m	3,178 m	329.06		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IGL	110.30 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28	DME	ILM	111.50 MHz	18 nm	-	-	28 ft
				33 km	-		28 m
10	LOC-ILS	ITB	109.30 MHz	18 nm	74.39	-	28 ft
				33 km	97.81		28 m
15	LOC-ILS	IGL	110.30 MHz	18 nm	125.65	-	28 ft
				33 km	149.07		28 m
28	LOC-ILS	ILM	111.50 MHz	18 nm	254.39	-	28 ft
				33 km	277.81		28 m
10	GS	ITB	109.30 MHz	10 nm	74.39	3.00	28 ft
				19 km	97.81		28 m
15	GS	IGL	110.30 MHz	10 nm	125.65	3.00	28 ft
				19 km	149.07		28 m
28	GS	ILM	111.50 MHz	10 nm	254.39	2.94	28 ft
				19 km	277.81		28 m