

TXKF

L.F. Wade International


MKJP

Norman Manley Intl

2024/05/10 0249Z

TXKF BDA **L458** GECAL **M331** GHANN **UM331** UHG UCU **UL347** VIKRO MKJP

1173.65 nm / 2173.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 28000ft
- Cruise Speed: 340kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TXKF APT	-	32.36400 -64.67860	0 ft 0 m	-	L.F. Wade International
BDA VOR	-	32.36440 -64.68960	200 ft 61 m	0	BERMUDA
GECAL FIX	L458 AWY-HI	29.42450 -65.42140	28,000 ft 8,534 m	180	-
MEGGG FIX	M331 AWY-HI	28.36110 -67.52850	28,000 ft 8,534 m	127	-
LFANO FIX	M331 AWY-HI	26.43390 -71.09840	28,000 ft 8,534 m	222	-
CANEE FIX	M331 AWY-HI	25.07970 -73.24470	28,000 ft 8,534 m	141	-
RENAH FIX	M331 AWY-HI	24.56660 -73.55220	28,000 ft 8,534 m	35	-
AVNEY FIX	M331 AWY-HI	23.89550 -73.94990	28,000 ft 8,534 m	45	-
SMTTY FIX	M331 AWY-HI	23.78920 -74.00860	28,000 ft 8,534 m	7	-
PAARR FIX	M331 AWY-HI	23.24500 -74.30690	28,000 ft 8,534 m	36	-
ROSEA FIX	M331 AWY-HI	22.65660 -74.69670	28,000 ft 8,534 m	41	-
FORST FIX	M331 AWY-HI	22.10970 -75.05530	28,000 ft 8,534 m	38	-
GHANN FIX	M331 AWY-HI	22.00000 -75.16670	28,000 ft 8,534 m	9	-
UHG VOR	UM331 AWY-HI	20.79810 -76.30300	28,000 ft 8,534 m	96	HOLGUIN
UCU VOR	-	19.97780 -75.82270	28,000 ft 8,534 m	56	SANTIAGO DE CUBA
VIKRO FIX	UL347 AWY-HI	19.01560 -76.27440	18,800 ft 5,730 m	63	-
MKJP APT	-	17.93570 -76.78760	0 ft 0 m	71	Norman Manley Intl

TXKF

Region: BERMUDA
Timezone: UNKNOWN
Runways: 1

Elevation: 18 ft / 5 m
Location: 32.364000 -64.678600
Magnetic Var: 14.533 W

METAR

TXKF 100222Z 23015KT 9999 BKN013 BKN130 BKN300 22/21 Q1014

TAF

TAF TXKF 092335Z 1000/1024 24015KT 9999 FEW014 SCT300 PROB30 TEMPO 1000/1006 BKN012

Frequencies

REC - 119.60 MHz - ATIS
APP - 119.10 MHz - NEW YORK APPROACH
COM - 122.80 MHz - BERMUDA UNICOM

DEP - 119.10 MHz - NEW YORK DEPARTURE
TWR - 118.10 MHz - BERMUDA TOWER
GND - 124.50 MHz - BERMUDA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	9,695 ft	101.50	ASPHALT	584 ft	768 ft
	46 m	2,955 m	116.03		178 m	234 m
30	150 ft	9,695 ft	281.52	ASPHALT	0 ft	203 ft
	46 m	2,955 m	296.05		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	LOC-ILS	IBDA	109.90 MHz	18 nm	281.51	-	18 ft
				33 km	296.04		18 m
30	GS	IBDA	109.90 MHz	10 nm	281.51	3.00	18 ft
				19 km	296.04		18 m

MKJP

Region: JAMAICA
Timezone: UNKNOWN
Runways: 1

Elevation: 7 ft / 2 m
Location: 17.935700 -76.787600
Magnetic Var: 8.259 W

METAR

MKJP 100200Z 14011KT 9999 FEW022 30/25 Q1012

TAF

TAF MKJP 092315Z 1000/1024 35006KT 9999 FEW022 SCT032 BECMG 1014/1016 15015KT

Frequencies

REC - 127.70 MHz - ATIS
TWR - 118.65 MHz - MANLEY TOWER

GND - 121.70 MHz - MANLEY GROUND
APP - 120.60 MHz - MANLEY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,920 ft	112.12	ASPHALT	0 ft	56 ft
	45 m	2,719 m	120.38		0 m	17 m
30	148 ft	8,920 ft	292.13	ASPHALT	0 ft	30 ft
	45 m	2,719 m	300.39		0 m	9 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IMLY	109.10 MHz	18 nm	115.09	-	10 ft
				33 km	123.35		10 m
12	GS	IMLY	109.10 MHz	10 nm	115.19	3.00	8 ft
				19 km	123.45		8 m