

# EHGG

Groningen Eelde Airport


# EKCH

Kastrup

2024/05/03 0200Z

EHGG MOVAX **UZ700** BUMAB EKCH

262.90 nm / 486.89 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHGG APT	-	53.11800 6.57558	0 ft 0 m	-	Groningen Eelde Airport
MOVAX FIX	-	54.08670 9.00000	34,000 ft 10,363 m	104	-
BUMAB FIX	UZ700 AWY-HI	54.60420 10.85000	18,600 ft 5,669 m	71	-
EKCH APT	-	55.61790 12.65600	0 ft 0 m	86	Kastrup

## EHGG

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: 17 ft / 5 m  
Location: 53.118000 6.575580  
Magnetic Var: 2.602 E

## METAR

EHGG 030125Z AUTO 30006KT 240V320 1800 BR OVC003/// 13/13 Q1001

## TAF

TAF EHGG 022313Z 0300/0406 28006KT CAVOK BECMG 0300/0303 6000 BKN006 PROB30 TEMPO 0300/0306 2000 BR BKN003 PROB30

## Frequencies

REC - 133.55 MHz - ATIS  
TWR - 118.70 MHz -

CLD - 121.70 MHz - DEL  
APP - 120.30 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	8,185 ft	51.78	ASPHALT	0 ft	98 ft
	45 m	2,495 m	49.18		0 m	30 m
23	148 ft	8,185 ft	231.81	ASPHALT	0 ft	98 ft
	45 m	2,495 m	229.21		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	GRO	109.90 MHz	18 nm	231.80	-	17 ft
				33 km	229.20		17 m
23	GS	GRO	109.90 MHz	10 nm	231.80	3.00	17 ft
				19 km	229.20		17 m

## EKCH

Region: DENMARK / FAROE ISLANDS  
Timezone: EUROPE/COPENHAGEN  
Runways: 3

Elevation: 17 ft / 5 m  
Location: 55.617900 12.656000  
Magnetic Var: 4.668 E

## METAR

EKCH 030120Z AUTO 07015KT 9999 NCD 13/08 Q1010 NOSIG

## TAF

TAF EKCH 022308Z 0300/0324 08015KT CAVOK TEMPO 0317/0320 SCT050CB BECMG 0318/0320 VRB03KT TEMPO 0320/0324 4000 -S

## Frequencies

REC - 122.75 MHz - KASTRUP ARRIVAL INFORMATION	REC - 122.85 MHz - KASTRUP DEPARTURE INFORMATION
CLD - 119.90 MHz - CLEARANCE DELIVERY	GND - 121.62 MHz - APRON
GND - 121.72 MHz - APRON	GND - 121.90 MHz - APRON
TWR - 118.10 MHz - TOWER (ARRIVAL)	TWR - 118.57 MHz - TOWER
TWR - 118.70 MHz - TOWER (VFR)	TWR - 119.35 MHz - TOWER (DEPARTURE)
APP - 120.20 MHz - FINAL	APP - 119.80 MHz - COPENHAGEN APPROACH
DEP - 120.25 MHz - DEPARTURE	DEP - 124.95 MHz - DEPARTURE
APP - 118.45 MHz - ARRIVAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	148 ft	11,695 ft	41.13	ASPHALT	0 ft	0 ft
	45 m	3,565 m	36.46		0 m	0 m
22R	148 ft	11,695 ft	221.16	ASPHALT	1,870 ft	0 ft
	45 m	3,565 m	216.49		570 m	0 m
04R	148 ft	10,814 ft	41.14	ASPHALT	0 ft	0 ft
	45 m	3,296 m	36.48		0 m	0 m
22L	148 ft	10,814 ft	221.17	ASPHALT	0 ft	0 ft
	45 m	3,296 m	216.50		0 m	0 m
12	148 ft	10,046 ft	123.21	ASPHALT	2,306 ft	0 ft
	45 m	3,062 m	118.54		703 m	0 m
30	148 ft	10,046 ft	303.24	ASPHALT	886 ft	0 ft
	45 m	3,062 m	298.58		270 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	CH	110.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
12	DME	KA	109.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
22L	DME	OXS	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
22R	DME	KLK	110.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
30	DME	OY	108.90 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
04L	LOC-ILS	CH	110.50 MHz	18 nm	41.16	-	17 ft
				33 km	36.49		17 m
04R	LOC-ILS	NE	109.30 MHz	18 nm	41.18	-	17 ft
				33 km	36.51		17 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	KA	109.90 MHz	18 nm	123.25	-	17 ft
				33 km	118.58		17 m
22L	LOC-ILS	OXS	109.50 MHz	18 nm	221.14	-	17 ft
				33 km	216.47		17 m
22R	LOC-ILS	KLK	110.90 MHz	18 nm	221.14	-	17 ft
				33 km	216.48		17 m
30	LOC-ILS	OY	108.90 MHz	18 nm	303.23	-	17 ft
				33 km	298.56		17 m
04L	GS	CH	110.50 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.66		17 m
04R	GS	NE	109.30 MHz	10 nm	41.32	3.00	17 ft
				19 km	36.65		17 m
12	GS	KA	109.90 MHz	10 nm	123.46	3.00	17 ft
				19 km	118.79		17 m
22L	GS	OXS	109.50 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.65		17 m
22R	GS	KLK	110.90 MHz	10 nm	221.32	3.00	17 ft
				19 km	216.66		17 m
30	GS	OY	108.90 MHz	10 nm	303.46	3.00	17 ft
				19 km	298.79		17 m