


2024/05/16 0147Z

EDDV GUKMA EDDW

48.01 nm / 88.92 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDV	-	52.46020	0 ft	-	Hannover
APT	-	9.68352	0 m		
GUKMA	-	52.76110	5,300 ft	23	-
FIX	-	9.29194	1,615 m		
EDDW	-	53.04570	0 ft	24	Bremen
APT	-	8.78900	0 m		

EDDV

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 3

Elevation: 183 ft / 56 m
Location: 52.460200 9.683520
Magnetic Var: 3.560 E

METAR

EDDV 160120Z AUTO 09010KT CAVOK 16/07 Q1007

TAF

TAF EDDV 152300Z 1600/1624 09010KT CAVOK BECMG 1606/1608 11015G25KT BECMG 1616/1618 11010KT PROB30 TEMPO 1616/1624

Frequencies

REC - 136.57 MHz - HANNOVER ATIS
APP - 118.05 MHz - BREMEN RADAR
TWR - 120.17 MHz - HANNOVER TOWER

APP - 131.32 MHz - BREMEN RADAR
DEP - 119.60 MHz - HANNOVER DIRECTOR
GND - 121.95 MHz - HANNOVER GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09C	75 ft	2,557 ft	92.64	ASPHALT	197 ft	0 ft
	23 m	779 m	89.08		60 m	0 m
27C	75 ft	2,557 ft	272.65	ASPHALT	558 ft	0 ft
	23 m	779 m	269.09		170 m	0 m
09R	148 ft	7,669 ft	92.60	CONCRETE	0 ft	0 ft
	45 m	2,338 m	89.04		0 m	0 m
27L	148 ft	7,669 ft	272.63	CONCRETE	0 ft	0 ft
	45 m	2,338 m	269.07		0 m	0 m
09L	148 ft	10,509 ft	92.57	CONCRETE	0 ft	0 ft
	45 m	3,203 m	89.01		0 m	0 m
27R	148 ft	10,509 ft	272.61	CONCRETE	0 ft	0 ft
	45 m	3,203 m	269.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IHNE	108.30 MHz	18 nm	92.59	-	187 ft
				33 km	89.03		187 m
09R	LOC-ILS	IHSE	108.70 MHz	18 nm	92.62	-	183 ft
				33 km	89.06		183 m
27L	LOC-ILS	IHSW	109.50 MHz	18 nm	272.62	-	183 ft
				33 km	269.06		183 m
27R	LOC-ILS	IHNW	108.90 MHz	18 nm	272.59	-	183 ft
				33 km	269.03		183 m
09L	GS	IHNE	108.30 MHz	10 nm	92.59	3.00	187 ft
				19 km	89.03		187 m
09R	GS	IHSE	108.70 MHz	10 nm	92.62	3.00	183 ft
				19 km	89.06		183 m
27L	GS	IHSW	109.50 MHz	10 nm	272.62	3.00	183 ft
				19 km	269.06		183 m
27R	GS	IHNW	108.90 MHz	10 nm	272.59	3.00	183 ft
				19 km	269.03		183 m

EDDW

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 14 ft / 4 m
Location: 53.045700 8.789000
Magnetic Var: 3.304 E

METAR

EDDW 160120Z AUTO 09009KT CAVOK 17/07 Q1007

TAF

TAF EDDW 152300Z 1600/1624 09010KT CAVOK BECMG 1606/1608 11015G25KT PROB30 TEMPO 1610/1613 12020G30KT BECMG 1617/

Frequencies

GND - 121.75 MHz -
TWR - 118.50 MHz -
APP - 124.80 MHz - RADAR

TWR - 125.10 MHz - INFO
TWR - 134.82 MHz -
APP - 136.27 MHz - RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	75 ft	2,299 ft	51.50	ASPHALT	0 ft	0 ft
	23 m	701 m	48.20		0 m	0 m
23	75 ft	2,299 ft	231.51	ASPHALT	0 ft	0 ft
	23 m	701 m	228.20		0 m	0 m
09	148 ft	8,616 ft	87.78	ASPHALT	945 ft	0 ft
	45 m	2,626 m	84.48		288 m	0 m
27	148 ft	8,616 ft	267.82	ASPHALT	984 ft	0 ft
	45 m	2,626 m	264.51		300 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IBRE	110.30 MHz	18 nm	87.80	-	14 ft
				33 km	84.50		14 m
27	LOC-ILS	IBRW	110.90 MHz	18 nm	267.80	-	14 ft
				33 km	264.50		14 m
09	GS	IBRE	110.30 MHz	10 nm	87.80	3.00	14 ft
				19 km	84.50		14 m
27	GS	IBRW	110.90 MHz	10 nm	267.80	3.00	14 ft
				19 km	264.50		14 m