


2024/05/16 0839Z

EBBR MILGI EDDL

88.91 nm / 164.66 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBBR	-	50.89990	0 ft	-	Brussels
APT	-	4.49277	0 m		
MILGI	-	51.19700	5,300 ft	64	-
FIX	-	6.12500	1,615 m		
EDDL	-	51.28940	0 ft	24	Dusseldorf
APT	-	6.76662	0 m		

## EBBR

Region: BELGIUM  
Timezone: EUROPE/BRUSSELS  
Runways: 3

Elevation: 184 ft / 56 m  
Location: 50.899900 4.492770  
Magnetic Var: 2.004 E

## METAR

EBBR 160750Z 22003KT 190V250 9999 -RA FEW009 SCT020 14/13 Q1003 NOSIG

## TAF

TAF TAF EBBR 160510Z 1606/1712 22008KT 6000 -RA SCT006 BKN020 TEMPO 1606/1609 3500 RA SHRA BKN006 BKN020CB PROB30

## Frequencies

REC - 121.75 MHz - ATIS DEP	REC - 132.47 MHz - ATIS ARR
COM - 130.55 MHz - ABELAG UNICOM	CLD - 121.95 MHz - CLNC DEL
GND - 118.05 MHz -	GND - 121.70 MHz -
GND - 121.87 MHz -	TWR - 118.60 MHz -
TWR - 120.77 MHz -	APP - 118.25 MHz -
APP - 120.10 MHz -	APP - 122.50 MHz -
DEP - 126.62 MHz -	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	11,917 ft	65.37	ASPHALT	843 ft	72 ft
	45 m	3,632 m	63.37		257 m	22 m
25R	148 ft	11,917 ft	245.41	ASPHALT	981 ft	0 ft
	45 m	3,632 m	243.41		299 m	0 m
07R	148 ft	10,522 ft	69.88	ASPHALT	407 ft	0 ft
	45 m	3,207 m	67.87		124 m	0 m
25L	148 ft	10,522 ft	249.91	ASPHALT	0 ft	13 ft
	45 m	3,207 m	247.90		0 m	4 m
01	164 ft	9,810 ft	14.44	ASPHALT	157 ft	0 ft
	50 m	2,990 m	12.44		48 m	0 m
19	164 ft	9,810 ft	194.45	ASPHALT	722 ft	43 ft
	50 m	2,990 m	192.44		220 m	13 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	IBX	109.90 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
19	DME	IBM	111.15 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
25R	DME	IBR	108.90 MHz	18 nm	-	-	184 ft
				33 km	-		184 m
01	LOC-ILS	IBX	109.90 MHz	18 nm	14.45	-	184 ft
				33 km	12.45		184 m
19	LOC-ILS	IBM	111.15 MHz	18 nm	194.45	-	184 ft
				33 km	192.45		184 m
25L	LOC-ILS	IBL	110.35 MHz	18 nm	249.89	-	184 ft
				33 km	247.89		184 m
25R	LOC-ILS	IBR	108.90 MHz	18 nm	245.39	-	184 ft
				33 km	243.39		184 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	GS	IBX	109.90 MHz	10 nm	14.45	3.00	184 ft
				19 km	12.45		184 m
19	GS	IBM	111.15 MHz	10 nm	194.45	3.00	184 ft
				19 km	192.45		184 m
25L	GS	IBL	110.35 MHz	10 nm	249.89	3.00	184 ft
				19 km	247.89		184 m
25R	GS	IBR	108.90 MHz	10 nm	245.39	3.00	184 ft
				19 km	243.39		184 m

## EDDL

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 145 ft / 44 m  
Location: 51.289400 6.766620  
Magnetic Var: 2.679 E

## METAR

EDDL 160820Z AUTO 16011KT 130V190 9999 SCT016 BKN023 BKN037 18/14 Q1004 NOSIG

## TAF

TAF EDDL 160500Z 1606/1712 VRB03KT 6000 SCT010 BKN020 TEMPO 1606/1608 2500 BR BKN014 BECMG 1607/1610 20005KT TEMPO

## Frequencies

REC - 123.77 MHz - ATIS	CLD - 121.77 MHz - CLEARANCE DELIVERY
GND - 121.90 MHz - GROUND	GND - 121.60 MHz - GROUND
GND - 121.67 MHz - GROUND	TWR - 118.30 MHz - TOWER
TWR - 124.35 MHz - TOWER	APP - 128.55 MHz - LANGEN RADAR
APP - 121.35 MHz - LANGEN RADAR	APP - 128.50 MHz - LANGEN RADAR
APP - 128.65 MHz - DUSSELDORF DIRECTOR	DEP - 133.77 MHz - DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	9,851 ft	52.68	CONCRETE	984 ft	659 ft
	45 m	3,003 m	50.00		300 m	201 m
23L	148 ft	9,851 ft	232.71	CONCRETE	984 ft	702 ft
	45 m	3,003 m	230.03		300 m	214 m
05L	148 ft	8,866 ft	52.68	CONCRETE	994 ft	906 ft
	45 m	2,702 m	50.00		303 m	276 m
23R	148 ft	8,866 ft	232.70	CONCRETE	971 ft	928 ft
	45 m	2,702 m	230.02		296 m	283 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	LOC-ILS	IDNE	110.95 MHz	18 nm	52.69	-	145 ft
				33 km	50.01		145 m
05R	LOC-ILS	IDSE	110.15 MHz	18 nm	52.70	-	145 ft
				33 km	50.02		145 m
23L	LOC-ILS	IDSW	109.90 MHz	18 nm	232.70	-	145 ft
				33 km	230.02		145 m
23R	LOC-ILS	IDNW	109.30 MHz	18 nm	232.69	-	145 ft
				33 km	230.01		145 m
05L	GS	IDNE	110.95 MHz	10 nm	52.69	3.00	145 ft
				19 km	50.01		145 m
05R	GS	IDSE	110.15 MHz	10 nm	52.70	3.00	145 ft
				19 km	50.02		145 m
23L	GS	IDSW	109.90 MHz	10 nm	232.70	3.00	145 ft
				19 km	230.02		145 m
23R	GS	IDNW	109.30 MHz	10 nm	232.69	3.00	145 ft
				19 km	230.01		145 m