

LTAC

Ankara Esenboga International Airport


LTAU

Kayseri Erkilet Airport

2024/05/16 0422Z

LTAC GOBIT LTAU

142.31 nm / 263.56 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 18000ft
- Cruise Speed: 340kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LTAC	-	40.12810	0 ft	-		Ankara Esenboga International Airport
APT	-	32.99500	0 m			
GOBIT	-	39.77610	12,200 ft	46	-	
FIX	-	33.88690	3,719 m			
LTAU	-	38.77040	0 ft	96		Kayseri Erkilet Airport
APT	-	35.49550	0 m			

LTAC

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 2

Elevation: 3,125 ft / 953 m
Location: 40.128100 32.995000
Magnetic Var: 6.322 E

METAR

LTAC 160350Z VRB01KT CAVOK 10/04 Q1019 NOSIG RMK RWY21L VRB02KT RWY03L 00000KT RWY21R 00000KT

TAF

TAF LTAC 152240Z 1600/1624 VRB02KT CAVOK BECMG 1602/1604 FEW040 SCT100 BECMG 1607/1609 27012KT BECMG 1614/1617 VR

Frequencies

REC - 123.60 MHz - D-ATIS
GND - 121.90 MHz - ESENBOA GROUND

TWR - 118.10 MHz - ESENBOA TOWER
APP - 119.10 MHz - ESENBOA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	148 ft	11,128 ft	36.04	CONCRETE	0 ft	0 ft
	45 m	3,392 m	29.72		0 m	0 m
21R	148 ft	11,128 ft	216.06	CONCRETE	0 ft	0 ft
	45 m	3,392 m	209.74		0 m	0 m
03R	197 ft	12,316 ft	36.10	CONCRETE	0 ft	0 ft
	60 m	3,754 m	29.78		0 m	0 m
21L	197 ft	12,316 ft	216.12	CONCRETE	0 ft	0 ft
	60 m	3,754 m	209.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	LOC-ILS	IAKR	108.90 MHz	18 nm	35.62	-	3,125 ft
				33 km	29.29		3,125 m
03R	LOC-ILS	IANK	110.30 MHz	18 nm	35.48	-	3,125 ft
				33 km	29.15		3,125 m
21L	LOC-ILS	IESB	108.10 MHz	18 nm	216.08	-	3,097 ft
				33 km	209.76		3,097 m
21R	LOC-ILS	IEBG	108.30 MHz	18 nm	217.00	-	3,125 ft
				33 km	210.68		3,125 m
03L	GS	IAKR	108.90 MHz	10 nm	36.40	3.00	3,125 ft
				19 km	30.07		3,125 m
03R	GS	IANK	110.30 MHz	10 nm	35.60	3.00	3,125 ft
				19 km	29.28		3,125 m
21L	GS	IESB	108.10 MHz	10 nm	215.60	3.00	3,125 ft
				19 km	209.28		3,125 m
21R	GS	IEBG	108.30 MHz	10 nm	216.40	3.00	3,125 ft
				19 km	210.07		3,125 m

LTAU

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 3,462 ft / 1,055 m
Location: 38.770400 35.495500
Magnetic Var: 6.228 E

METAR

LTAU 160350Z 06002KT 9999 SCT040 10/05 Q1019 NOSIG RMK RWY07 03004KT

TAF

TAF LTAU 152240Z 1600/1624 VRB02KT 9999 SCT040 BECMG 1607/1610 28012KT TEMPO 1609/1613 28015G25KT -TSRA FEW025CB

Frequencies

REC - 127.22 MHz - ATIS	GND - 121.95 MHz - ERKILET GROUND
GND - 121.60 MHz - ERKILET GROUND	TWR - 126.20 MHz - ERKILET TOWER
TWR - 122.10 MHz - ERKILET TOWER	APP - 122.10 MHz - ERKILET APPROACH
APP - 119.20 MHz - ERKILET APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	145 ft	9,838 ft	76.30	CONCRETE	0 ft	482 ft
	44 m	2,999 m	70.07		0 m	147 m
25	145 ft	9,838 ft	256.32	CONCRETE	0 ft	479 ft
	44 m	2,999 m	250.09		0 m	146 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	IKSR	110.30 MHz	18 nm	256.40	-	3,453 ft
				33 km	250.17		3,453 m
25	GS	IKSR	110.30 MHz	10 nm	256.60	3.00	3,463 ft
				19 km	250.37		3,463 m