

# AYPY

Port Moresby Jacksons Intl


# WABB

Biak Frans Kaisiepo

2024/06/06 1015Z

AYPY EMPRA **B462** BIK WABB

831.21 nm / 1539.41 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
AYPY	-	-9.44073	0 ft	-	Port Moresby Jacksons Intl
APT	-	147.21800	0 m		
EMPRA	-	-8.70578	28,500 ft	79	-
FIX	-	146.09700	8,687 m		
KIBAV	B462	-7.42833	35,000 ft	134	-
FIX	AWY-HI	144.24800	10,668 m		
KAPPU	B462	-5.88500	35,000 ft	152	-
FIX	AWY-HI	142.21000	10,668 m		
KADAB	B462	-4.96667	35,000 ft	90	-
FIX	AWY-HI	141.00000	10,668 m		
OSMON	B462	-3.40872	35,000 ft	153	-
FIX	AWY-HI	138.97300	10,668 m		
BIK	B462	-1.18246	200 ft	218	BIAK
VOR	AWY-HI	136.08600	61 m		
WABB	-	-1.19004	0 ft	1	Biak Frans Kaisiepo
APT	-	136.10800	0 m		

## AYPY

Region: PAPUA NEW GUINEA  
Timezone: PACIFIC/PORT\_MORESBY  
Runways: 2

Elevation: 129 ft / 39 m  
Location: -9.440730 147.218000  
Magnetic Var: 5.657 E

## METAR

AYPY 060900Z 15010G20KT 9999 FEW015 SCT050 26/23 Q1011

## TAF

TAF AYPY 060200Z 0606/0706 16015KT 9999 -SHRA BKN020= TAF MRLB 060540Z 0606/0706 14004KT 9999 SCT030 TX33/0619Z T

## Frequencies

REC - 128.00 MHz - JACKSONS ATIS  
TWR - 118.10 MHz - JACKSONS TOWER

GND - 121.70 MHz - JACKSONS GROUND  
APP - 125.80 MHz - JACKSONS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	150 ft	9,051 ft	148.67	ASPHALT	0 ft	200 ft
	46 m	2,759 m	143.01		0 m	61 m
32R	150 ft	9,051 ft	328.67	ASPHALT	0 ft	200 ft
	46 m	2,759 m	323.01		0 m	61 m
14R	98 ft	4,484 ft	148.68	ASPHALT	0 ft	0 ft
	30 m	1,367 m	143.03		0 m	0 m
32L	98 ft	4,484 ft	328.68	ASPHALT	197 ft	2,316 ft
	30 m	1,367 m	323.03		60 m	706 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14L	DME	IWG	110.10 MHz	18 nm	-	-	128 ft
				33 km	-		128 m
32R	DME	IBB	109.50 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
14L	LOC-ILS	IWG	110.10 MHz	18 nm	148.67	-	129 ft
				33 km	143.01		129 m
32R	LOC-ILS	IBB	109.50 MHz	18 nm	328.67	-	129 ft
				33 km	323.01		129 m
14L	GS	IWG	110.10 MHz	10 nm	148.67	3.00	129 ft
				19 km	143.01		129 m
32R	GS	IBB	109.50 MHz	10 nm	328.67	3.00	129 ft
				19 km	323.01		129 m

## WABB

Region: INDONESIA  
Timezone: ASIA/JAYAPURA  
Runways: 1

Elevation: 45 ft / 14 m  
Location: -1.190040 136.108000  
Magnetic Var: 1.504 E

## METAR

WABB 060930Z 04003KT 230V040 9999 SCT015 27/26 Q1010 NOSIG

## TAF

TAF WABB 060500Z 0606/0712 26004KT 9999 SCT015

## Frequencies

REC - 126.50 MHz - ATIS  
APP - 119.30 MHz - BIAK APP

TWR - 118.10 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	11,722 ft	109.26	CONCRETE	0 ft	194 ft
	45 m	3,573 m	107.75		0 m	59 m
29	148 ft	11,722 ft	289.26	CONCRETE	0 ft	200 ft
	45 m	3,573 m	287.75		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IBIK	110.50 MHz	18 nm	109.38	-	25 ft
				33 km	107.87		25 m
11	GS	IBIK	110.50 MHz	10 nm	109.60	3.00	36 ft
				19 km	108.10		36 m