

LTBS

Dalaman


EGBB

Birmingham

2024/05/01 0450Z

LTBS ULKAN **UN127** LMO **UN128** FSK **UL608** DISOR **L608** LONTA **UL608** DOLEV **L608** BOSNA **L615** NAKIT BABAG
N606 BADOP **P66** SOTOV **UP66** NESES **P66** KPT **UL608** TEDGO **UZ210** LAMGO **UM150** KRH **UZ210** LIRSU **UL608** COA
UL179 SASKI **UL608** SUMUM **L608** LOGAN **UL980** LIVSU EGGB

1630.97 nm / 3020.55 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTBS	-	36.71320	0 ft	-	Dalaman
APT	-	28.79250	0 m		
ULKAN	-	37.30250	17,000 ft	47	-
FIX	-	28.12580	5,182 m		
IMR	UN127	38.31740	35,000 ft	80	IZMIR
VOR	AWY-HI	27.00720	10,668 m		
RIKSO	UN127	38.83330	35,000 ft	41	-
FIX	AWY-HI	26.43330	10,668 m		
ERESO	UN127	39.29190	35,000 ft	35	-
FIX	AWY-HI	25.94360	10,668 m		
LMO	UN127	39.91950	35,000 ft	49	LIMNOS
VOR	AWY-HI	25.23720	10,668 m		
PEREN	UN128	40.59670	35,000 ft	70	-
FIX	AWY-HI	23.96780	10,668 m		
ODIKO	UN128	40.97140	35,000 ft	39	-
FIX	AWY-HI	23.24190	10,668 m		
FSK	UN128	41.09870	35,000 ft	13	FISKA
VOR	AWY-HI	22.99150	10,668 m		
DISOR	UL608	41.24720	35,000 ft	13	-
FIX	AWY-HI	22.75830	10,668 m		
LONTA	L608	42.15940	35,000 ft	82	-
FIX	AWY-LO	21.39720	10,668 m		
DOLEV	UL608	42.83390	35,000 ft	62	-
FIX	AWY-HI	20.31140	10,668 m		
BEDAK	L608	43.23970	35,000 ft	38	-
FIX	AWY-LO	19.63840	10,668 m		
GENLU	L608	43.35550	35,000 ft	11	-
FIX	AWY-LO	19.44340	10,668 m		
PODOB	L608	43.53170	35,000 ft	16	-
FIX	AWY-LO	19.14440	10,668 m		
KEB	L608	43.93390	35,000 ft	38	SARAJEVO
VOR	AWY-LO	18.44980	10,668 m		
BOSNA	L608	44.37060	35,000 ft	39	-
FIX	AWY-LO	17.75970	10,668 m		
NAVSU	L615	44.54830	35,000 ft	38	-
FIX	AWY-LO	16.90140	10,668 m		
KOREX	L615	44.77110	35,000 ft	50	-
FIX	AWY-LO	15.76920	10,668 m		
OBALA	L615	44.92030	35,000 ft	35	-
FIX	AWY-LO	14.97250	10,668 m		
NAKIT	L615	45.18810	35,000 ft	66	-
FIX	AWY-LO	13.44780	10,668 m		
BABAG	-	45.38690	35,000 ft	18	-
FIX	-	13.12690	10,668 m		
BADOP	N606	45.46220	35,000 ft	6	-
FIX	AWY-HI	13.00420	10,668 m		
MOBDO	P66	46.42440	35,000 ft	76	-
FIX	AWY-HI	11.81170	10,668 m		
EKPEB	P66	46.69030	35,000 ft	21	-
FIX	AWY-HI	11.47190	10,668 m		
ATRIG	P66	46.88530	35,000 ft	14	-
FIX	AWY-HI	11.26560	10,668 m		
SOTOV	P66	46.94390	35,000 ft	4	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	11.21040	10,668 m		
NIGEB	UP66	47.08910	35,000 ft	10	-
FIX	AWY-HI	11.07690	10,668 m		
MOGTI	UP66	47.38900	35,000 ft	23	-
FIX	AWY-HI	10.71680	10,668 m		
NESES	UP66	47.54810	35,000 ft	11	-
FIX	AWY-HI	10.55470	10,668 m		
KPT	P66	47.74580	35,000 ft	14	KEMPTEN
VOR	AWY-HI	10.34980	10,668 m		
KUNOD	UL608	48.33880	35,000 ft	46	-
FIX	AWY-HI	9.61854	10,668 m		
TEDGO	UL608	48.61840	35,000 ft	22	-
FIX	AWY-HI	9.25921	10,668 m		
LAMGO	UZ210	48.88580	35,000 ft	24	-
FIX	AWY-HI	8.77917	10,668 m		
KRH	UM150	48.99290	35,000 ft	10	KARLSRUHE
VOR	AWY-HI	8.58424	10,668 m		
NOSPA	UZ210	50.02060	35,000 ft	95	-
FIX	AWY-HI	6.71139	10,668 m		
LIRSU	UZ210	50.18670	35,000 ft	14	-
FIX	AWY-HI	6.45333	10,668 m		
BATTY	UL608	50.64920	35,000 ft	36	-
FIX	AWY-HI	5.84878	10,668 m		
TERLA	UL608	50.68250	35,000 ft	7	-
FIX	AWY-HI	5.66556	10,668 m		
SOGRI	UL608	50.80640	35,000 ft	24	-
FIX	AWY-HI	5.04528	10,668 m		
BUB	UL608	50.90230	35,000 ft	20	BRUSSELS
VOR	AWY-HI	4.53808	10,668 m		
DENUT	UL608	51.23610	35,000 ft	38	-
FIX	AWY-HI	3.65761	10,668 m		
COA	UL608	51.34810	35,000 ft	13	COSTA
VOR	AWY-HI	3.35528	10,668 m		
KEGIT	UL179	51.40700	35,000 ft	9	-
FIX	AWY-HI	3.10660	10,668 m		
SASKI	UL179	51.54810	35,000 ft	24	-
FIX	AWY-HI	2.50000	10,668 m		
INLOD	UL608	51.58040	35,000 ft	5	-
FIX	AWY-HI	2.35893	10,668 m		
SUMUM	UL608	51.63720	33,000 ft	9	-
FIX	AWY-HI	2.10778	10,058 m		
LOGAN	L608	51.74760	28,800 ft	19	-
FIX	AWY-HI	1.61183	8,778 m		
TRIPO	UL980	51.71310	24,600 ft	19	-
FIX	AWY-HI	1.08278	7,498 m		
SABER	UL980	51.70380	23,500 ft	4	-
FIX	AWY-HI	0.94950	7,163 m		
LIVSU	UL980	51.69690	22,700 ft	3	-
FIX	AWY-HI	0.84944	6,919 m		
EGBB	-	52.45430	0 ft	106	Birmingham
APT	-	-1.74852	0 m		

LTBS

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 20 ft / 6 m
Location: 36.713200 28.792500
Magnetic Var: 5.480 E

METAR

LTBS 010420Z VRB02KT 9999 SCT100 18/16 Q1010 NOSIG RMK RWY19 36004KT 3AC100

TAF

TAF LTBS 302240Z 0100/0124 VRB02KT CAVOK BECMG 0106/0108 22012KT SCT030 BECMG 0116/0118 VRB02KT CAVOK

Frequencies

REC - 127.35 MHz - ATIS	TWR - 118.50 MHz - DALAMAN TOWER
APP - 119.22 MHz - DALAMAN APPROACH	DEP - 119.22 MHz - DALAMAN RADAR
APP - 119.22 MHz - DALAMAN RADAR	GND - 121.90 MHz - DALAMAN GROUND
APP - 122.40 MHz - DALAMAN APPROACH	DEP - 122.40 MHz - DALAMAN RADAR
APP - 122.40 MHz - DALAMAN RADAR	APP - 124.40 MHz - DALAMAN APPROACH
APP - 124.40 MHz - DALAMAN RADAR	DEP - 124.40 MHz - DALAMAN RADAR
APP - 126.05 MHz - DALAMAN APPROACH	APP - 126.05 MHz - DALAMAN RADAR
DEP - 126.05 MHz - DALAMAN RADAR	TWR - 128.90 MHz - DALAMAN TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	9,852 ft	15.25	CONCRETE	0 ft	0 ft
	45 m	3,003 m	9.77		0 m	0 m
19	148 ft	9,852 ft	195.25	CONCRETE	0 ft	0 ft
	45 m	3,003 m	189.77		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IDLM	110.10 MHz	18 nm	15.25	-	20 ft
				33 km	9.77		20 m
19	LOC-LOC	IDMN	110.90 MHz	18 nm	195.25	-	20 ft
				33 km	189.77		20 m
01	GS	IDLM	110.10 MHz	10 nm	15.25	3.00	20 ft
				19 km	9.77		20 m

EGBB

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 338 ft / 103 m
Location: 52.454300 -1.748520
Magnetic Var: 0.169 W

METAR

EGBB 010420Z 13002KT 4000 BR SCT006 SCT010 09/09 Q1008

TAF

TAF AMD EGBB 010425Z 0104/0124 12004KT 9999 FEW035 TEMPO 0104/0109 4000 BR BKN009 PROB30 0104/0108 BKN004 TEMPO 01

Frequencies

APP - 118.05 MHz - BIRMINGHAM APPROACH
GND - 121.80 MHz - BIRMINGHAM GROUND
APP - 131.00 MHz - BIRMINGHAM DIRECTOR
TWR - 118.30 MHz - BIRMINGHAM TOWER
APP - 118.05 MHz - BIRMINGHAM RADAR
REC - 136.02 MHz - BIRMINGHAM INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	9,999 ft	145.88	ASPHALT	922 ft	0 ft
	45 m	3,048 m	146.05		281 m	0 m
33	148 ft	9,999 ft	325.90	ASPHALT	1,421 ft	0 ft
	45 m	3,048 m	326.07		433 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IBIR	110.10 MHz	18 nm	-	-	349 ft
				33 km	-		349 m
33	DME	IBM	110.10 MHz	18 nm	-	-	327 ft
				33 km	-		327 m
15	LOC-ILS	IBIR	110.10 MHz	18 nm	145.90	-	338 ft
				33 km	146.07		338 m
33	LOC-ILS	IBM	110.10 MHz	18 nm	325.90	-	338 ft
				33 km	326.07		338 m
15	GS	IBIR	110.10 MHz	10 nm	145.90	3.00	338 ft
				19 km	146.07		338 m
33	GS	IBM	110.10 MHz	10 nm	325.90	3.00	338 ft
				19 km	326.07		338 m