

LTFJ

Sabiha Gokcen International Airport


LTAC

Ankara Esenboga International Airport

2024/06/06 0522Z

LTFJ RIPNU LTAC

174.52 nm / 323.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 22000ft
- Cruise Speed: 290kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LTFJ	-	40.89860	0 ft	-		Sabiha Gokcen International Airport
APT	-	29.30920	0 m			
RIPNU	-	40.52530	22,000 ft	89	-	
FIX	-	31.21030	6,706 m			
LTAC	-	40.12810	0 ft	85		Ankara Esenboga International Airport
APT	-	32.99500	0 m			

LTFJ

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 312 ft / 95 m
Location: 40.898600 29.309200
Magnetic Var: 6.116 E

METAR

LTFJ 060450Z 05012KT 9999 SCT005 BKN120 22/19 Q1014 NOSIG

TAF

TAF LTFJ 052240Z 0600/0624 06012KT CAVOK PROB30 0603/0607 SCT020

Frequencies

REC - 128.55 MHz - ATIS
GND - 121.75 MHz - GOKCEN GROUND
APP - 120.42 MHz - IST LOW
TWR - 118.80 MHz - GOKCEN TOWER
GND - 122.62 MHz - GOKCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,832 ft	64.02	CONCRETE	0 ft	0 ft
	45 m	2,997 m	57.90		0 m	0 m
24	148 ft	9,832 ft	244.04	CONCRETE	0 ft	0 ft
	45 m	2,997 m	237.92		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ISAB	109.90 MHz	18 nm	-	-	312 ft
				33 km	-		312 m
24	DME	ISBH	110.90 MHz	18 nm	-	-	318 ft
				33 km	-		318 m
06	LOC-ILS	ISAB	109.90 MHz	18 nm	64.03	-	293 ft
				33 km	57.92		293 m
24	LOC-ILS	ISBH	110.90 MHz	18 nm	244.01	-	285 ft
				33 km	237.89		285 m
06	GS	ISAB	109.90 MHz	10 nm	64.04	3.50	294 ft
				19 km	57.93		294 m
24	GS	ISBH	110.90 MHz	10 nm	244.04	3.50	299 ft
				19 km	237.93		299 m

LTAC

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 2

Elevation: 3,125 ft / 953 m
Location: 40.128100 32.995000
Magnetic Var: 6.327 E

METAR

LTAC 060450Z VRB02KT CAVOK 18/11 Q1018 NOSIG

TAF

TAF TAF LTAC 052240Z 0600/0624 VRB02KT CAVOK BECMG 0606/0609 SCT040 TEMPO 0610/0614 30012KT

Frequencies

REC - 123.60 MHz - D-ATIS
GND - 121.90 MHz - ESENBOA GROUND

TWR - 118.10 MHz - ESENBOA TOWER
APP - 119.10 MHz - ESENBOA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	148 ft	11,128 ft	36.04	CONCRETE	0 ft	0 ft
	45 m	3,392 m	29.72		0 m	0 m
21R	148 ft	11,128 ft	216.06	CONCRETE	0 ft	0 ft
	45 m	3,392 m	209.73		0 m	0 m
03R	197 ft	12,316 ft	36.10	CONCRETE	0 ft	0 ft
	60 m	3,754 m	29.77		0 m	0 m
21L	197 ft	12,316 ft	216.12	CONCRETE	0 ft	0 ft
	60 m	3,754 m	209.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	LOC-ILS	IAKR	108.90 MHz	18 nm	35.62	-	3,125 ft
				33 km	29.29		3,125 m
03R	LOC-ILS	IANK	110.30 MHz	18 nm	35.48	-	3,125 ft
				33 km	29.15		3,125 m
21L	LOC-ILS	IESB	108.10 MHz	18 nm	216.08	-	3,097 ft
				33 km	209.75		3,097 m
21R	LOC-ILS	IEBG	108.30 MHz	18 nm	217.00	-	3,125 ft
				33 km	210.67		3,125 m
03L	GS	IAKR	108.90 MHz	10 nm	36.40	3.00	3,125 ft
				19 km	30.07		3,125 m
03R	GS	IANK	110.30 MHz	10 nm	35.60	3.00	3,125 ft
				19 km	29.27		3,125 m
21L	GS	IESB	108.10 MHz	10 nm	215.60	3.00	3,125 ft
				19 km	209.27		3,125 m
21R	GS	IEBG	108.30 MHz	10 nm	216.40	3.00	3,125 ft
				19 km	210.07		3,125 m