

SEGU

Jose Joaquin de Olmedo Intl


SECO

FRANCISCO DE ORELLANA

2024/05/19 1117Z

SEGU BIVAN AMV MS16 ML16 SECO

210.42 nm / 389.70 km



Notes

Requested: SEGU BIVAN2 BIVAN AMV MS16 ML16 SECO

Unmatched points: BIVAN2

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SEGU	-	-2.15783	0 ft	-	Jose Joaquin de Olmedo Intl
APT	-	-79.88390	0 m		
BIVAN	-	-1.56889	0 ft	42	-
FIX	-	-79.50420	0 m		
AMV	-	-1.28589	0 ft	59	AMBATO
VOR	-	-78.54630	0 m		
MS16	-	-0.42538	0 ft	106	-
FIX	-	-77.00510	0 m		
ML16	-	-0.44225	0 ft	1	-
FIX	-	-76.99700	0 m		
SECO	-	-0.46093	0 ft	1	FRANCISCO DE ORELLANA
APT	-	-76.98780	0 m		

SEGU

Region: EQUADOR
Timezone: AMERICA/GUAYAQUIL
Runways: 1

Elevation: 19 ft / 6 m
Location: -2.157830 -79.883900
Magnetic Var: 3.177 W

METAR

SEGU 191100Z 21007KT 9999 FEW026 SCT100 24/22 Q1009 NOSIG RMK A2981

TAF

TAF SEGU 190420Z 1906/2006 22008KT 9999 SCT026 BKN100 BECMG 1916/1918 05006KT FEW026 BKN100 BECMG 2002/2003 22010

Frequencies

APP - 119.30 MHz - GUAYAQUIL APPROACH	APP - 120.70 MHz - GUAYAQUIL APPROACH
GND - 121.70 MHz - GUAYAQUIL GROUND	GND - 121.90 MHz - GUAYAQUIL GROUND
TWR - 118.90 MHz - GUAYAQUIL TOWER	TWR - 118.30 MHz - GUAYAQUIL TOWER
REC - 115.90 MHz - ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	8,814 ft	29.95	ASPHALT	318 ft	299 ft
	45 m	2,687 m	33.13		97 m	91 m
21	148 ft	8,814 ft	209.95	ASPHALT	427 ft	0 ft
	45 m	2,687 m	213.13		130 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	ILG	110.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
21	LOC-ILS	ILG	110.30 MHz	18 nm	210.13	-	17 ft
				33 km	213.30		17 m
21	GS	ILG	110.30 MHz	10 nm	210.86	3.00	17 ft
				19 km	214.03		17 m