

LOWW

Vienna


LFPG

Paris Charles De Gaulle

2024/05/15 0442Z

LOWW LNZ J21 SBG TRAUN **UL856** AKABI **UZ613** TRA **UN491** EPL **UM164** MELKO LFPG

583.15 nm / 1079.99 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 3400ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWW	-	48.11010	0 ft	-	Vienna
APT	-	16.56960	0 m		
LNZ	-	48.22970	300 ft	99	LINZ
VOR	-	14.10320	91 m		
SBG	J21	48.00260	300 ft	50	SALZBURG
VOR	AWY-LO	12.89280	91 m		
TRAUN	-	47.97470	300 ft	12	-
FIX	-	12.58750	91 m		
MANAL	UL856	47.89940	300 ft	32	-
FIX	AWY-HI	11.80000	91 m		
KONIN	UL856	47.85580	300 ft	17	-
FIX	AWY-HI	11.36810	91 m		
KPT	UL856	47.74580	300 ft	41	KEMPTEN
VOR	AWY-HI	10.34980	91 m		
RAVED	UL856	47.72920	300 ft	27	-
FIX	AWY-HI	9.66944	91 m		
NEGRA	UL856	47.72220	300 ft	9	-
FIX	AWY-HI	9.42722	91 m		
AKABI	UL856	47.71690	300 ft	7	-
FIX	AWY-HI	9.23333	91 m		
TRA	UZ613	47.68950	300 ft	32	TRASADINGEN
VOR	AWY-HI	8.43697	91 m		
Lengi	UN491	47.77920	300 ft	15	-
FIX	AWY-HI	8.07694	91 m		
BEGAR	UN491	47.90830	300 ft	21	-
FIX	AWY-HI	7.58333	91 m		
LASAT	UN491	48.15890	300 ft	39	-
FIX	AWY-HI	6.68417	91 m		
EPL	UN491	48.31780	300 ft	26	EPINAL MIRECOURT
VOR	AWY-HI	6.05942	91 m		
LANVI	UM164	48.31170	300 ft	10	-
FIX	AWY-HI	5.79722	91 m		
LUVAL	UM164	48.29390	300 ft	25	-
FIX	AWY-HI	5.15361	91 m		
MELKO	UM164	48.27810	300 ft	19	-
FIX	AWY-HI	4.67361	91 m		
LFPG	-	49.00970	0 ft	94	Paris Charles De Gaulle
APT	-	2.56257	0 m		

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.015 E

METAR

LOWW 150420Z 13008KT CAVOK 12/05 Q1013 NOSIG

TAF

TAF LOWW 150215Z 1503/1609 14005KT CAVOK TX22/1514Z TN11/1503Z BECMG 1503/1504 14010KT TEMPO 1507/1517 15015G25K

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL
TWR - 124.47 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY
APP - 125.17 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION

REC - 121.72 MHz - ATIS DEPARTURE
TWR - 123.80 MHz - WIEN TOWER
TWR - 119.40 MHz - WIEN TOWER
GND - 121.60 MHz - WIEN GROUND
APP - 134.67 MHz - WIEN RADAR
APP - 129.05 MHz - WIEN RADAR
APP - 136.25 MHz - WIEN RADAR
APP - 134.12 MHz - WIEN DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.00		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.00		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.497 E

METAR

LFPG 150430Z 18006KT 9999 -RA BKN005 SCT066 BKN083 13/12 Q1005 TEMPO BKN005

TAF

TAF LFPG 142300Z 1500/1606 17007KT 9999 BKN007 TX21/1514Z TN12/1504Z PROB30 TEMPO 1500/1505 4000 -SHRA BKN015TCU

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm 33 km	- -	-	338 ft 338 m
27L	DME	CGW	110.70 MHz	18 nm 33 km	- -	-	407 ft 407 m
27R	DME	PNW	110.35 MHz	18 nm 33 km	- -	-	392 ft 392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm 33 km	85.34 83.84	-	392 ft 392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm 33 km	85.33 83.83	-	392 ft 392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm 33 km	85.32 83.82	-	392 ft 392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm 33 km	265.34 263.84	-	392 ft 392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm 33 km	265.32 263.82	-	392 ft 392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm 33 km	265.33 263.83	-	392 ft 392 m
08L	GS	GLE	108.70 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
08R	GS	DSE	108.55 MHz	10 nm 19 km	85.34 83.84	3.00	392 ft 392 m
09L	GS	PNE	109.35 MHz	10 nm 19 km	85.33 83.83	3.00	392 ft 392 m
09R	GS	CGE	110.10 MHz	10 nm 19 km	85.32 83.82	3.00	392 ft 392 m
26L	GS	DSU	108.35 MHz	10 nm 19 km	265.34 263.84	3.00	392 ft 392 m
26R	GS	GAU	111.95 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m
27L	GS	CGW	110.70 MHz	10 nm 19 km	265.32 263.82	3.00	392 ft 392 m
27R	GS	PNW	110.35 MHz	10 nm 19 km	265.33 263.83	3.00	392 ft 392 m