

# LIML

Milano-Linate "Enrico Forlanini"


# LIPR

Rimini-Miramare "Federico Fellini"

2024/05/12 1608Z

LIML IBTOK LIPR

166.34 nm / 308.06 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIML	-	45.45030	0 ft	-	Milano-Linate	"Enrico Forlanini"
APT	-	9.27281	0 m			
IBTOK	-	44.91190	21,300 ft	66	-	
FIX	-	10.64970	6,492 m			
LIPR	-	44.02040	0 ft	99	Rimini-Miramare	"Federico Fellini"
APT	-	12.61160	0 m			

## LIML

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 354 ft / 108 m  
Location: 45.450300 9.272810  
Magnetic Var: 3.240 E

## METAR

LIML 121520Z VRB05KT CAVOK 26/11 Q1015 NOSIG

## TAF

TAF LIML 121100Z 1212/1312 VRB05KT 9999 SCT050 BECMG 1212/1214 19010KT BECMG 1218/1220 VRB05KT TEMPO 1218/1309 40

## Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.42		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.42		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.44		352 m

## LIPR

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 41 ft / 12 m  
Location: 44.020400 12.611600  
Magnetic Var: 3.869 E

## METAR

LIPR 121520Z 11009KT 9999 FEW050 22/13 Q1016

## TAF

TAF LIPR 121100Z 1212/1312 07010KT 9999 FEW060 BECMG 1216/1218 VRB05KT BECMG 1309/1311 08010KT

## Frequencies

TWR - 119.10 MHz - RIMINI TOWER  
TWR - 122.10 MHz - RIMINI TOWER  
APP - 122.10 MHz - ROMAGNA RADAR

TWR - 121.60 MHz - RIMINI TOWER  
APP - 118.15 MHz - ROMAGNA RADAR  
APP - 118.57 MHz - ROMAGNA RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	9,728 ft	127.78	CONCRETE	1,024 ft	830 ft
	45 m	2,965 m	123.91		312 m	253 m
31	148 ft	9,728 ft	307.80	CONCRETE	896 ft	459 ft
	45 m	2,965 m	303.94		273 m	140 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	LOC-ILS	MIR	109.30 MHz	18 nm	307.77	-	41 ft
				33 km	303.90		41 m
31	GS	MIR	109.30 MHz	10 nm	308.60	3.00	41 ft
				19 km	304.73		41 m