


2024/05/23 0955Z

SCVD VLD SCPC

60.07 nm / 111.24 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SCVD	-	-39.64980	0 ft	-	Valdivia Pichoy
APT	-	-73.08630	0 m		
VLD	-	-39.67110	400 ft	1	VALDIVIA
VOR	-	-73.08560	122 m		
SCPC	-	-39.29280	0 ft	58	Pucon
APT	-	-71.91590	0 m		

SCVD

Region: CHILE
Timezone: AMERICA/SANTIAGO
Runways: 1

Elevation: 59 ft / 18 m
Location: -39.649800 -73.086300
Magnetic Var: 6.658 E

METAR

SCVD 230900Z AUTO VRB02KT ///// R35///// BR FEW002 BKN019 01/01 Q1025

TAF

UNKNOWN

Frequencies

GND - 121.80 MHz - VALDIVIA GROUND
APP - 118.70 MHz - TEMUCO APPROACH

TWR - 118.30 MHz - VALDIVIA TOWER
APP - 119.20 MHz - TEMUCO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	6,914 ft	178.40	ASPHALT	0 ft	371 ft
	45 m	2,107 m	171.74		0 m	113 m
35	148 ft	6,914 ft	358.40	ASPHALT	0 ft	243 ft
	45 m	2,107 m	351.74		0 m	74 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	LOC-ILS	IVLD	110.50 MHz	18 nm	358.40	-	59 ft
				33 km	351.74		59 m
35	GS	IVLD	110.50 MHz	10 nm	358.40	3.00	59 ft
				19 km	351.74		59 m