CYXK
Rimouski


-

CYUL
Montreal Pierre E Trudeau Intl

2024/03/29 0715Z

CYXK ZUL CYUL

281.32 nm / 521.01 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYXK APT	–	48.47389 −68.50389	0 ft 0 m	–	–
ZUL NDB	–	45.52361 −73.65389	0 ft 0 m	275	ROCKLAND(MONTREAL NDB
CYUL APT	–	45.46250 −73.76500	0 ft 0 m	5	–

CYUL

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 3

Elevation: 118 ft / 36 m
Location: 45.467500 -73.743800
Magnetic Var: 13.904 W

METAR

CYUL 290700Z 24006KT 15SM FEW230 02/M03 A2988 RMK CI2 SLP120

TAF

TAF TAF CYUL 290540Z 2906/3006 24007KT P6SM BKN230 FM291300 28007KT P6SM FEW200 BECMG 2915/2917 28015KT FM292100 2

Frequencies

TWR - 119.90 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER
GND - 121.90 MHz - MONTREAL GROUND
APP - 132.85 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY

TWR - 119.30 MHz - MONTREAL TOWER
GND - 121.00 MHz - MONTREAL GROUND
CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 126.90 MHz - MONTREAL APPROACH
DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 127.50 MHz - ATIS
COM - 126.70 MHz - QUEBEC FIC

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft 60 m	11,010 ft 3,356 m	42.55 56.45	ASPHALT	0 ft 0 m	0 ft 0 m
24R	197 ft 60 m	11,010 ft 3,356 m	222.57 236.48	ASPHALT	0 ft 0 m	0 ft 0 m
06R	197 ft 60 m	9,608 ft 2,929 m	42.59 56.49	CONCRETE	0 ft 0 m	0 ft 0 m
24L	197 ft 60 m	9,608 ft 2,929 m	222.60 236.51	CONCRETE	0 ft 0 m	0 ft 0 m
10	197 ft 60 m	7,008 ft 2,136 m	87.61 101.51	ASPHALT	0 ft 0 m	0 ft 0 m
28	197 ft 60 m	7,008 ft 2,136 m	267.63 281.53	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm 33 km	42.57 56.47	-	118 ft 118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm 33 km	42.60 56.50	-	118 ft 118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm 33 km	87.62 101.52	-	118 ft 118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm 33 km	222.60 236.50	-	118 ft 118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm 33 km	222.57 236.47	-	118 ft 118 m
06L	GS	IUL	109.30 MHz	10 nm 19 km	42.57 56.47	3.00	118 ft 118 m
06R	GS	IOA	110.50 MHz	10 nm 19 km	42.60 56.50	3.00	118 ft 118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm 19 km	87.62 101.52	3.00	118 ft 118 m
24L	GS	IMQ	110.50 MHz	10 nm 19 km	222.60 236.50	3.00	118 ft 118 m
24R	GS	IZZ	111.90 MHz	10 nm 19 km	222.57 236.47	3.00	118 ft 118 m