


2024/05/03 1416Z

EGGD LISTO **R101** POL **P18** GASKO **UP18** ALASO EGPD

355.26 nm / 657.93 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 260kts
- Cruise Altitude: 34000ft
- Cruise Speed: 460kts
- Descent Rate: 1700ft/min
- Descent Speed: 240kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGGD APT	-	51.38266 -2.71892	0 ft 0 m	-	Bristol International
LISTO FIX	-	53.14333 -2.19917	35,000 ft 10,668 m	107	-
POL VOR	R101 AWY-LO	53.74389 -2.10333	35,000 ft 10,668 m	36	POLE HILL VOR-DME
POL22 FIX	P18 AWY-LO	54.09528 -1.99583	35,000 ft 10,668 m	21	-
GASKO FIX	P18 AWY-LO	54.22472 -1.95583	35,000 ft 10,668 m	7	-
TILNI FIX	UP18 AWY-HI	54.54750 -1.85500	33,800 ft 10,302 m	19	-
NEW VOR	UP18 AWY-HI	55.03845 -1.69837	27,400 ft 8,352 m	29	NEWCASTLE VOR-DME
ALASO FIX	UP18 AWY-HI	55.44722 -1.56500	23,000 ft 7,010 m	24	-
EGPD APT	-	57.20362 -2.19902	0 ft 0 m	107	Aberdeen Dyce

## EGPD

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 4

Elevation: 213 ft / 65 m  
Location: 57.204100 -2.199110  
Magnetic Var: 0.911 W

## METAR

EGPD 031350Z AUTO 08009KT 9999 NCD 13/07 Q1010 NOSIG

## TAF

TAF EGPD 031056Z 0312/0412 07010KT 9999 FEW035 PROB40 TEMPO 0315/0318 BKN012 PROB40 TEMPO 0315/0321 6000 SHRA BECM

## Frequencies

REC - 121.85 MHz - ABERDEEN INFO  
GND - 121.70 MHz - ABERDEEN GROUND  
APP - 128.30 MHz - ABERDEEN DIRECTOR  
TWR - 118.10 MHz - ABERDEEN TOWER  
APP - 119.05 MHz - ABERDEEN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	6,414 ft	158.27	ASPHALT	0 ft	0 ft
	46 m	1,955 m	159.18		0 m	0 m
34	151 ft	6,414 ft	338.28	ASPHALT	0 ft	0 ft
	46 m	1,955 m	339.19		0 m	0 m
14	118 ft	1,908 ft	139.39	ASPHALT	0 ft	0 ft
	36 m	582 m	140.30		0 m	0 m
32	118 ft	1,908 ft	319.39	ASPHALT	0 ft	0 ft
	36 m	582 m	320.30		0 m	0 m
05	151 ft	1,563 ft	46.09	ASPHALT	0 ft	0 ft
	46 m	476 m	47.00		0 m	0 m
23	151 ft	1,563 ft	226.09	ASPHALT	0 ft	0 ft
	46 m	476 m	227.00		0 m	0 m
18	75 ft	1,868 ft	179.47	ASPHALT	0 ft	0 ft
	23 m	569 m	180.38		0 m	0 m
36	75 ft	1,868 ft	359.47	ASPHALT	0 ft	0 ft
	23 m	569 m	0.38		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAX	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
34	DME	IABD	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
16	LOC-ILS	IAX	109.90 MHz	18 nm	158.25	-	213 ft
				33 km	159.16		213 m
34	LOC-ILS	IABD	109.90 MHz	18 nm	338.25	-	213 ft
				33 km	339.16		213 m
16	GS	IAX	109.90 MHz	10 nm	158.25	3.00	213 ft
				19 km	159.16		213 m
34	GS	IABD	109.90 MHz	10 nm	338.25	3.00	213 ft
				19 km	339.16		213 m