


2024/05/14 2056Z

TTPP BOVEL **A324** MINDA **UA324** ORANI SYCJ

307.07 nm / 568.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TTPP	-	10.59540	0 ft	-	Piarco Intl
APT	-	-61.33730	0 m		
BOVEL	-	9.80977	19,500 ft	54	-
FIX	-	-60.86820	5,944 m		
MINDA	A324	8.91669	35,000 ft	68	-
FIX	AWY-LO	-60.15960	10,668 m		
ALBEP	UA324	8.31771	29,700 ft	45	-
FIX	AWY-HI	-59.68700	9,053 m		
ORANI	UA324	7.48244	16,000 ft	63	-
FIX	AWY-HI	-59.03110	4,877 m		
SYCJ	-	6.49886	0 ft	75	Cheddi Jagan Intl
APT	-	-58.25450	0 m		

TTPP

Region: TRINIDAD AND TOBAGO
Timezone: AMERICA/PORT_OF_SPAIN
Runways: 1

Elevation: 57 ft / 17 m
Location: 10.595400 -61.337300
Magnetic Var: 15.351 W

METAR

TTPP 142000Z 11013KT 7000 SCT022 32/24 Q1011 RMK FU TO NE TO NW

TAF

TAF TTPP 141600Z 1418/1518 12010KT 9999 SCT023 BECMG 1500/1502 09005KT FEW016 BECMG 1513/1515 11010KT SCT020

Frequencies

REC - 126.70 MHz - ATIS
TWR - 118.10 MHz - PIARCO TOWER
APP - 119.55 MHz - PIARCO APPROACH
GND - 121.90 MHz - PIARCO GROUND
APP - 119.00 MHz - PIARCO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	10,505 ft	89.80	ASPHALT	0 ft	62 ft
	46 m	3,202 m	105.15		0 m	19 m
28	151 ft	10,505 ft	269.81	ASPHALT	0 ft	180 ft
	46 m	3,202 m	285.16		0 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IPOS	109.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
10	LOC-ILS	IPOS	109.70 MHz	18 nm	89.49	-	57 ft
				33 km	104.84		57 m
10	GS	IPOS	109.70 MHz	10 nm	90.67	3.00	57 ft
				19 km	106.02		57 m

SYCJ

Region: GUYANA
Timezone: AMERICA/GUYANA
Runways: 2

Elevation: 96 ft / 29 m
Location: 6.498860 -58.254500
Magnetic Var: 16.745 W

METAR

SYCJ 142000Z 05008KT 9999 FEW020CB SCT021 30/25 Q1009 NOSIG RMK CB SSE-NW NNE

TAF

TAF TAF SYCJ 141700Z 1418/1518 08012KT 5000 SHRA BKN015 SCT040 BKN080 BECMG 1423/1501 06006KT 9999 SCT016 BKN090 T

Frequencies

REC - 132.80 MHz - ATIS
TWR - 118.30 MHz - TIMEHRI TOWER
APP - 119.40 MHz - TIMEHRI APPROACH
GND - 121.70 MHz - TIMEHRI GROUND
APP - 118.30 MHz - TIMEHRI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	151 ft	7,455 ft	44.80	ASPHALT	0 ft	200 ft
	46 m	2,272 m	61.54		0 m	61 m
24	151 ft	7,455 ft	224.80	ASPHALT	0 ft	197 ft
	46 m	2,272 m	241.54		0 m	60 m
11	151 ft	5,008 ft	89.94	ASPHALT	0 ft	0 ft
	46 m	1,526 m	106.69		0 m	0 m
29	151 ft	5,008 ft	269.95	ASPHALT	0 ft	0 ft
	46 m	1,526 m	286.69		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	ITIM	109.30 MHz	18 nm	44.78	-	95 ft
				33 km	61.53		95 m
06	GS	ITIM	109.30 MHz	10 nm	45.56	2.50	95 ft
				19 km	62.31		95 m