

KJFK

John F. Kennedy Intl


KMCI

Kansas City International

2024/04/28 0253Z

KJFK DUMMR V162 HAR J152 COFAX V12 DQN V50 VHP J80 SAAGS KMCI

969.06 nm / 1794.70 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK APT	-	40.64010 -73.77650	0 ft 0 m	-	John F. Kennedy Intl
DUMMR FIX	-	40.46960 -76.11120	35,000 ft 10,668 m	107	-
HWANG FIX	V162 AWY-LO	40.40910 -76.33030	35,000 ft 10,668 m	10	-
BOBSS FIX	V162 AWY-LO	40.29490 -76.75020	35,000 ft 10,668 m	20	-
HAR VOR	V162 AWY-LO	40.30220 -77.06960	35,000 ft 10,668 m	14	HARRISBURG
LOMON FIX	J152 AWY-HI	40.30810 -77.48340	35,000 ft 10,668 m	18	-
COFAX FIX	J152 AWY-HI	40.31300 -77.96690	35,000 ft 10,668 m	22	-
ZOTBI FIX	V12 AWY-LO	40.31630 -78.57920	35,000 ft 10,668 m	28	-
JST VOR	V12 AWY-LO	40.31670 -78.83420	35,000 ft 10,668 m	11	JOHNSTOWN
MILWO FIX	V12 AWY-LO	40.30090 -79.38580	35,000 ft 10,668 m	25	-
FURIX FIX	V12 AWY-LO	40.29530 -79.56130	35,000 ft 10,668 m	8	-
AGC VOR	V12 AWY-LO	40.27860 -80.04090	35,000 ft 10,668 m	21	ALLEGHENY (PITTSBURGH)
HEFJA FIX	V12 AWY-LO	40.26540 -80.42190	35,000 ft 10,668 m	17	-
PIDYY FIX	V12 AWY-LO	40.25800 -80.70480	35,000 ft 10,668 m	12	-
CTW VOR	V12 AWY-LO	40.22920 -81.47650	35,000 ft 10,668 m	35	NEWCOMERSTOWN
ROSCO FIX	V12 AWY-LO	40.19330 -82.00650	35,000 ft 10,668 m	24	-
APE VOR	V12 AWY-LO	40.15110 -82.58830	35,000 ft 10,668 m	26	APPLETON
DIPNE FIX	V12 AWY-LO	40.11330 -83.13670	35,000 ft 10,668 m	25	-
PIZZA FIX	V12 AWY-LO	40.09940 -83.32860	35,000 ft 10,668 m	8	-
MECAN FIX	V12 AWY-LO	40.08620 -83.50820	35,000 ft 10,668 m	8	-
TARRY FIX	V12 AWY-LO	40.05440 -83.91420	35,000 ft 10,668 m	18	-
BONEE FIX	V12 AWY-LO	40.05250 -83.94890	35,000 ft 10,668 m	1	-
TRUNC FIX	V12 AWY-LO	40.03430 -84.17680	35,000 ft 10,668 m	10	-
DQN VOR	V12 AWY-LO	40.01640 -84.39690	35,000 ft 10,668 m	10	DAYTON
LEEDS FIX	V50 AWY-LO	39.98860 -84.69070	35,000 ft 10,668 m	13	-
ARBAS FIX	V50 AWY-LO	39.96830 -84.89880	35,000 ft 10,668 m	9	-
MOTTS	V50	39.95200	35,000 ft	7	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-85.06430	10,668 m		
NEWTO	V50	39.91100	35,000 ft	18	-
FIX	AWY-LO	-85.46900	10,668 m		
HOMAR	V50	39.89320	35,000 ft	7	-
FIX	AWY-LO	-85.63990	10,668 m		
ZAVNE	V50	39.84230	35,000 ft	22	-
FIX	AWY-LO	-86.11670	10,668 m		
VHP	V50	39.81470	35,000 ft	11	BRICKYARD
VOR	AWY-LO	-86.36750	10,668 m		
JAAVE	J80	39.84050	35,000 ft	87	-
FIX	AWY-HI	-88.25470	10,668 m		
GORDO	J80	39.84180	35,000 ft	11	-
FIX	AWY-HI	-88.51200	10,668 m		
SPI	J80	39.83970	35,000 ft	53	SPINNER (SPRINGFIELD)
VOR	AWY-HI	-89.67770	10,668 m		
BAYLI	J80	39.70900	35,000 ft	65	-
FIX	AWY-HI	-91.07960	10,668 m		
TWAIN	J80	39.67240	32,800 ft	16	-
FIX	AWY-HI	-91.44310	9,997 m		
SAAGS	J80	39.46780	14,300 ft	86	-
FIX	AWY-HI	-93.28640	4,359 m		
KMCI	-	39.29720	0 ft	67	Kansas City International
APT	-	-94.71340	0 m		

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.820 W

METAR

KJFK 280151Z 19010KT 10SM -RA OVC035 10/06 A3039 RMK A02 RAB11 SLP291 P0000 T01000061 \$

TAF

TAF AMD KJFK 280234Z 2803/2906 18009KT P6SM VCSH BKN035 FM280400 17009KT P6SM -SHRA OVC030 FM280700 17007KT P6SM -

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m

KMCI

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 1,024 ft / 312 m
Location: 39.297200 -94.713400
Magnetic Var: 1.140 E

METAR

KMCI 280233Z 11019G24KT 9SM VCTS -RA BKN075CB OVC100 17/16 A2975 RMK A02 LTG DSNT S TSE03B05 PRESFR TS VC SE-S MOV

TAF

TAF KMCI 272320Z 2800/2824 VRB15G25KT 3SM -TSRA BR OVC050CB FM280300 17013KT P6SM OVC025 FM281500 18014G20KT P6SM

Frequencies

REC - 126.62 MHz - ATIS
GND - 121.65 MHz -
APP - 120.95 MHz -
COM - 122.95 MHz - UNICOM
TWR - 128.20 MHz - INTL TWR
DEP - 124.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	151 ft	10,819 ft	12.88	ASPHALT	0 ft	400 ft
	46 m	3,298 m	11.74		0 m	122 m
19R	151 ft	10,819 ft	192.88	ASPHALT	0 ft	400 ft
	46 m	3,298 m	191.74		0 m	122 m
09	151 ft	9,512 ft	96.15	CONCRETE	0 ft	400 ft
	46 m	2,899 m	95.01		0 m	122 m
27	151 ft	9,512 ft	276.17	CONCRETE	0 ft	394 ft
	46 m	2,899 m	275.03		0 m	120 m
01R	151 ft	9,515 ft	12.90	CONCRETE	0 ft	400 ft
	46 m	2,900 m	11.76		0 m	122 m
19L	151 ft	9,515 ft	192.90	CONCRETE	0 ft	400 ft
	46 m	2,900 m	191.76		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	PVL	110.75 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
09	DME	IRNI	109.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
19L	DME	IDYH	109.55 MHz	18 nm	-	-	1,016 ft
				33 km	-		1,016 m
27	DME	IUQY	109.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
01L	LOC-ILS	IDOT	110.50 MHz	18 nm	12.88	-	1,026 ft
				33 km	11.74		1,026 m
01R	LOC-ILS	PVL	110.75 MHz	18 nm	12.90	-	1,026 ft
				33 km	11.76		1,026 m
09	LOC-ILS	IRNI	109.70 MHz	18 nm	96.17	-	1,026 ft
				33 km	95.03		1,026 m
19L	LOC-ILS	IDYH	109.55 MHz	18 nm	192.90	-	1,011 ft
				33 km	191.76		1,011 m
19R	LOC-ILS	IPAJ	109.10 MHz	18 nm	192.88	-	1,026 ft
				33 km	191.74		1,026 m
27	LOC-ILS	IUQY	109.70 MHz	18 nm	276.14	-	1,026 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	275.00		1,026 m
01L	GS	IDOT	110.50 MHz	10 nm	13.76	3.00	1,007 ft
				19 km	12.62		1,007 m
01R	GS	PVL	110.75 MHz	10 nm	13.80	3.00	1,026 ft
				19 km	12.66		1,026 m
09	GS	IRNI	109.70 MHz	10 nm	96.32	3.00	1,014 ft
				19 km	95.18		1,014 m
19L	GS	IDYH	109.55 MHz	10 nm	193.80	3.00	982 ft
				19 km	192.66		982 m
19R	GS	IPAJ	109.10 MHz	10 nm	193.76	3.00	981 ft
				19 km	192.62		981 m
27	GS	IUQY	109.70 MHz	10 nm	276.32	3.00	1,026 ft
				19 km	275.18		1,026 m