

KDFW

Dallas Fort Worth Intl


KATL

Hartsfield-Jackson Atlanta Intl

2024/05/20 1723Z

KDFW OSUYE **V573** TXK **J52** SQS **Q30** VUZ **J14** ATL KATL

636.93 nm / 1179.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDFW APT	- -	32.89720 -97.03770	0 ft 0 m	-	Dallas Fort Worth Intl
OSUYE FIX	- -	33.30390 -95.06180	35,000 ft 10,668 m	102 -	-
TXK VOR	V573 AWY-LO	33.51390 -94.07320	35,000 ft 10,668 m	51	TEXARKANA
CISAR FIX	J52 AWY-HI	33.51190 -93.04850	35,000 ft 10,668 m	51	-
SUTTN FIX	J52 AWY-HI	33.50580 -92.36480	35,000 ft 10,668 m	34	-
SQS VOR	J52 AWY-HI	33.46380 -90.27740	35,000 ft 10,668 m	104	SIDON
VUZ VOR	Q30 AWY-HI	33.67010 -86.89980	26,500 ft 8,077 m	169	VULCAN (BIRMINGHAM)
ATL VOR	J14 AWY-HI	33.62910 -84.43510	100 ft 30 m	123	ATLANTA
KATL APT	- -	33.63660 -84.42800	0 ft 0 m	0	Hartsfield-Jackson Atlanta Intl

KDFW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 7

Elevation: 604 ft / 184 m
Location: 32.897200 -97.037700
Magnetic Var: 2.728 E

METAR

KDFW 201653Z 18017G26KT 10SM CLR 30/18 A2983 RMK AO2 PK WND 17029/1605 SLP093 T03000183

TAF

KDFW 201451Z 2015/2118 16014KT P6SM FEW150 FM201700 18015G25KT P6SM FEW250 FM211100 17016KT P6SM BKN020 FM211700

Frequencies

REC - 123.77 MHz - ATIS ARRIVAL	REC - 135.92 MHz - ATIS DEPARTURE
COM - 122.95 MHz - UNICOM	CLD - 128.25 MHz - CLNC DEL
GND - 121.65 MHz - RGNL GND EAST 1	GND - 121.80 MHz - RGNL GND EAST 2
GND - 121.85 MHz - RGNL GND WEST	TWR - 126.55 MHz - RGNL TWR EAST 1
TWR - 127.50 MHz - RGNL TWR EAST 2	TWR - 134.90 MHz - RGNL TWR WEST 1
TWR - 124.15 MHz - RGNL TWR WEST 2	APP - 125.02 MHz - RGNL APP EAST 1
APP - 133.52 MHz - RGNL APP EAST 3	APP - 133.62 MHz - RGNL APP WEST 1
APP - 119.87 MHz - RGNL APP WEST 2	DEP - 118.55 MHz - RGNL DEP EAST 1
DEP - 124.82 MHz - RGNL DEP NORTH 1	DEP - 125.12 MHz - RGNL DEP SOUTH 1
DEP - 126.47 MHz - RGNL DEP WEST 1	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17C	151 ft	13,440 ft	180.26	CONCRETE	0 ft	413 ft
	46 m	4,097 m	177.54		0 m	126 m
35C	151 ft	13,440 ft	0.26	CONCRETE	0 ft	299 ft
	46 m	4,097 m	357.54		0 m	91 m
17L	151 ft	8,523 ft	180.25	CONCRETE	0 ft	400 ft
	46 m	2,598 m	177.52		0 m	122 m
35R	151 ft	8,523 ft	0.25	CONCRETE	0 ft	407 ft
	46 m	2,598 m	357.52		0 m	124 m
18R	151 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	46 m	4,096 m	177.52		0 m	123 m
36L	151 ft	13,439 ft	0.25	CONCRETE	0 ft	299 ft
	46 m	4,096 m	357.52		0 m	91 m
17R	200 ft	13,439 ft	180.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	177.53		0 m	122 m
35L	200 ft	13,439 ft	0.26	CONCRETE	0 ft	400 ft
	61 m	4,096 m	357.53		0 m	122 m
18L	200 ft	13,439 ft	180.25	CONCRETE	0 ft	404 ft
	61 m	4,096 m	177.52		0 m	123 m
36R	200 ft	13,439 ft	0.25	CONCRETE	0 ft	394 ft
	61 m	4,096 m	357.52		0 m	120 m
13R	151 ft	9,309 ft	139.18	CONCRETE	0 ft	397 ft
	46 m	2,837 m	136.46		0 m	121 m
31L	151 ft	9,309 ft	319.19	CONCRETE	0 ft	400 ft
	46 m	2,837 m	316.47		0 m	122 m
13L	200 ft	9,010 ft	135.41	CONCRETE	630 ft	299 ft
	61 m	2,746 m	132.68		192 m	91 m
31R	200 ft	9,010 ft	315.42	CONCRETE	0 ft	299 ft
	61 m	2,746 m	312.69		0 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	DME	ILWN	109.50 MHz	18 nm	-	-	590 ft
				33 km	-		590 m
17C	DME	IFLQ	110.30 MHz	18 nm	-	-	575 ft
				33 km	-		575 m
17L	DME	IPPZ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
17R	DME	IJHZ	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18L	DME	ICIX	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
18R	DME	IVYN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
31R	DME	IRRA	110.90 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
35C	DME	IPKQ	110.30 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
35L	DME	IUWX	111.35 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
35R	DME	IAJQ	111.75 MHz	18 nm	-	-	603 ft
				33 km	-		603 m
36L	DME	IBXN	111.90 MHz	18 nm	-	-	584 ft
				33 km	-		584 m
36R	DME	IFJN	110.55 MHz	18 nm	-	-	607 ft
				33 km	-		607 m
13R	LOC-ILS	ILWN	109.50 MHz	18 nm	139.19	-	577 ft
				33 km	136.46		577 m
17C	LOC-ILS	IFLQ	110.30 MHz	18 nm	180.26	-	563 ft
				33 km	177.54		563 m
17L	LOC-ILS	IPPZ	111.75 MHz	18 nm	180.27	-	570 ft
				33 km	177.54		570 m
17R	LOC-ILS	IJHZ	111.35 MHz	18 nm	180.26	-	558 ft
				33 km	177.53		558 m
18L	LOC-ILS	ICIX	110.55 MHz	18 nm	180.25	-	570 ft
				33 km	177.52		570 m
18R	LOC-ILS	IVYN	111.90 MHz	18 nm	180.25	-	580 ft
				33 km	177.52		580 m
31R	LOC-ILS	IRRA	110.90 MHz	18 nm	315.40	-	552 ft
				33 km	312.67		552 m
35C	LOC-ILS	IPKQ	110.30 MHz	18 nm	0.26	-	558 ft
				33 km	357.53		558 m
35L	LOC-ILS	IUWX	111.35 MHz	18 nm	0.26	-	607 ft
				33 km	357.53		607 m
35R	LOC-ILS	IAJQ	111.75 MHz	18 nm	0.27	-	607 ft
				33 km	357.54		607 m
36L	LOC-ILS	IBXN	111.90 MHz	18 nm	0.25	-	598 ft
				33 km	357.52		598 m
36R	LOC-ILS	IFJN	110.55 MHz	18 nm	0.25	-	595 ft
				33 km	357.52		595 m
13R	GS	ILWN	109.50 MHz	10 nm	139.37	3.00	589 ft
				19 km	136.64		589 m
17C	GS	IFLQ	110.30 MHz	10 nm	180.53	3.00	562 ft
				19 km	177.80		562 m
17L	GS	IPPZ	111.75 MHz	10 nm	180.54	3.00	532 ft
				19 km	177.81		532 m
17R	GS	IJHZ	111.35 MHz	10 nm	180.52	3.00	567 ft
				19 km	177.79		567 m
18L	GS	ICIX	110.55 MHz	10 nm	180.49	3.00	594 ft
				19 km	177.77		594 m
18R	GS	IVYN	111.90 MHz	10 nm	180.50	3.00	601 ft
				19 km	177.77		601 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	177.77		601 m
31R	GS	IRRA	110.90 MHz	10 nm	315.80	3.00	513 ft
				19 km	313.07		513 m
35C	GS	IPKQ	110.30 MHz	10 nm	0.52	3.00	563 ft
				19 km	357.79		563 m
35L	GS	IUWX	111.35 MHz	10 nm	0.52	3.00	564 ft
				19 km	357.79		564 m
35R	GS	IAJQ	111.75 MHz	10 nm	0.54	3.00	565 ft
				19 km	357.81		565 m
36L	GS	IBXN	111.90 MHz	10 nm	0.50	3.00	584 ft
				19 km	357.77		584 m
36R	GS	IFJN	110.55 MHz	10 nm	0.49	3.00	577 ft
				19 km	357.77		577 m

KATL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 5

Elevation: 1,026 ft / 313 m
Location: 33.636600 -84.428000
Magnetic Var: 5.633 W

METAR

KATL 201652Z 06006KT 10SM FEW038 FEW250 26/15 A3005 RMK A02 SLP166 T02610150

TAF

TAF AMD KATL 201537Z 2016/2118 09008KT P6SM FEW040 FEW250 FM210000 10003KT P6SM FEW250 FM211700 12004KT P6SM FEW0

Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.62		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.65		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.63		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.61		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.63		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.64		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.61		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.63		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.60		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.59		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.59		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.65		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.59		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.57		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.59		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.59		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.59		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.65		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.57		990 m