

# EDDT

Berlin-Tegel "Otto Lilienthal"


# BIKF

Keflavik

2024/05/03 0208Z

EDDT TIMIB **Q280** GESKA **Z706** PEPUT BISTA **M725** AAL AAL **L621** VALDI **G3** NASBU BIKF

1349.03 nm / 2498.40 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDT	-	52.55910	0 ft	-	Berlin-Tegel "Otto Lilienthal"
APT	-	13.29020	0 m		
TIMIB	-	53.75220	26,600 ft	74	-
FIX	-	12.69970	8,108 m		
GASBO	Q280	54.27480	35,000 ft	34	-
FIX	AWY-HI	12.27650	10,668 m		
NEDIK	Q280	54.48640	35,000 ft	14	-
FIX	AWY-HI	12.06500	10,668 m		
GESKA	Q280	54.61750	35,000 ft	9	-
FIX	AWY-HI	11.93250	10,668 m		
PEPUT	Z706	55.19940	35,000 ft	35	-
FIX	AWY-HI	12.05030	10,668 m		
BISTA	-	55.20340	35,000 ft	2	-
FIX	-	12.12300	10,668 m		
INPUN	M725	55.78440	35,000 ft	43	-
FIX	AWY-HI	11.36970	10,668 m		
ADSEN	M725	56.14470	35,000 ft	27	-
FIX	AWY-HI	10.88390	10,668 m		
AAL	M725	57.10370	35,000 ft	64	AALBORG
VOR	AWY-HI	9.99558	10,668 m		
AAL	-	57.10390	35,000 ft	0	AALBORG VOR-DME
DME	-	9.99281	10,668 m		
LAGUM	L621	57.45560	35,000 ft	31	-
FIX	AWY-HI	9.26833	10,668 m		
AMSEV	L621	57.67520	35,000 ft	19	-
FIX	AWY-HI	8.80215	10,668 m		
TUKMU	L621	58.16350	35,000 ft	42	-
FIX	AWY-HI	7.81637	10,668 m		
PEVEB	L621	58.49710	35,000 ft	37	-
FIX	AWY-HI	6.80775	10,668 m		
ZOL	L621	58.87500	35,000 ft	42	SOLA (STAVANGER)
VOR	AWY-HI	5.64007	10,668 m		
VALDI	L621	61.21440	35,000 ft	219	-
FIX	AWY-HI	0.00000	10,668 m		
CONNY	G3	61.90000	35,000 ft	164	-
FIX	AWY-HI	-5.58333	10,668 m		
MY	G3	62.10690	35,000 ft	57	MYGGENAES (VAGAR)
NDB	AWY-HI	-7.58768	10,668 m		
LARUX	G3	62.62170	35,000 ft	73	-
FIX	AWY-HI	-10.00000	10,668 m		
ROSTI	G3	63.40640	35,000 ft	121	-
FIX	AWY-HI	-14.11220	10,668 m		
ING	G3	63.80310	33,900 ft	71	INGO
VOR	AWY-HI	-16.63810	10,333 m		
MIKLA	G3	63.84830	28,500 ft	24	-
FIX	AWY-HI	-17.57420	8,687 m		
NASBU	G3	63.94670	12,800 ft	73	-
FIX	AWY-HI	-20.34820	3,901 m		
BIKF	-	63.98160	0 ft	59	Keflavik
APT	-	-22.61460	0 m		

## EDDT

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 122 ft / 37 m  
Location: 52.559100 13.290200  
Magnetic Var: 4.609 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

REC - 125.90 MHz - ATIS  
TWR - 118.85 MHz - TEGEL TOWER  
GND - 121.75 MHz - TEGEL GROUND  
CLD - 121.92 MHz - CLEARANCE DELIVERY  
APP - 119.60 MHz - BREMEN RADAR  
APP - 126.42 MHz - BREMEN RADAR

REC - 112.30 MHz - ATIS  
TWR - 124.52 MHz - TEGEL TOWER  
GND - 136.00 MHz - TEGEL GROUND  
APP - 120.60 MHz - BREMEN RADAR  
APP - 119.50 MHz - BREMEN RADAR  
APP - 136.10 MHz - BERLIN DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	9,888 ft	80.82	ASPHALT	0 ft	217 ft
	46 m	3,014 m	76.21		0 m	66 m
26R	151 ft	9,888 ft	260.86	ASPHALT	0 ft	230 ft
	46 m	3,014 m	256.25		0 m	70 m
08R	151 ft	7,907 ft	80.84	ASPHALT	325 ft	164 ft
	46 m	2,410 m	76.23		99 m	50 m
26L	151 ft	7,907 ft	260.87	ASPHALT	686 ft	233 ft
	46 m	2,410 m	256.26		209 m	71 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ITLE	109.10 MHz	18 nm	80.84	-	122 ft
				33 km	76.23		122 m
08R	LOC-ILS	ITGE	108.50 MHz	18 nm	80.85	-	122 ft
				33 km	76.24		122 m
26L	LOC-ILS	ITGW	109.30 MHz	18 nm	260.85	-	122 ft
				33 km	256.24		122 m
26R	LOC-ILS	ITLW	110.10 MHz	18 nm	260.84	-	122 ft
				33 km	256.23		122 m
08L	GS	ITLE	109.10 MHz	10 nm	80.84	3.00	122 ft
				19 km	76.23		122 m
08R	GS	ITGE	108.50 MHz	10 nm	80.85	3.00	122 ft
				19 km	76.24		122 m
26L	GS	ITGW	109.30 MHz	10 nm	260.85	3.00	122 ft
				19 km	256.24		122 m
26R	GS	ITLW	110.10 MHz	10 nm	260.84	3.00	122 ft
				19 km	256.23		122 m

## BIKF

Region: ICELAND  
Timezone: ATLANTIC/REYKJAVIK  
Runways: 2

Elevation: 168 ft / 51 m  
Location: 63.981600 -22.614600  
Magnetic Var: 12.375 W

## METAR

BIKF 030130Z 19008KT 9000 -RA BKN014 OVC025 05/04 Q1019

## TAF

TAF BIKF 030102Z 0303/0403 18008KT 9999 -SHRA BKN025 TX08/0312Z TN02/0400Z TEMPO 0303/0318 4000 RADZ BKN008 BECMG

## Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.39		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.39		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.33		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.38		0 m	67 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.39		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.36		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.39		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.36		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.39		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.36		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.39		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.36		169 m