

LIRA

Roma-Ciampino "G. B. Pastine"


LGAV

Athens Eleftherios Venizelos

2024/05/15 0357Z

LIRA AKAMO L995 EKTOL T75 TIGRA UL995 KRK L995 VARDI LGAV

573.78 nm / 1062.64 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 250ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRA	-	41.79920	0 ft	-	Roma-Ciampino "G. B. Pastine"
APT	-	12.59490	0 m	-	
AKAMO	-	41.19080	200 ft	99	-
FIX	-	14.65330	61 m	-	-
AMSOR	L995	41.15720	200 ft	9	-
FIX	AWY-HI	14.86920	61 m	-	-
EKTOL	L995	41.10780	200 ft	13	-
FIX	AWY-HI	15.17140	61 m	-	-
TIGRA	T75	40.05670	200 ft	185	-
FIX	AWY-LO	19.00000	61 m	-	-
KRK	UL995	39.44390	200 ft	61	KERKIRA
VOR	AWY-HI	20.07280	61 m	-	
LATSO	L995	39.32000	200 ft	16	-
FIX	AWY-LO	20.38190	61 m	-	-
VARDI	L995	38.67190	200 ft	82	-
FIX	AWY-LO	21.95110	61 m	-	-
LGAV	-	37.93670	0 ft	103	Athens Eleftherios Venizelos
APT	-	23.94450	0 m	-	

LIRA

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 424 ft / 129 m
Location: 41.799200 12.594900
Magnetic Var: 3.728 E

METAR

LIRA 150320Z VRB02KT CAVOK 17/12 Q1007

TAF

TAF LIRA 150116Z 1500/1524 VRB05KT 9999 FEW040 BECMG 1506/1508 16013KT TEMPO 1510/1517 16018G28KT BECMG 1516/1518

Frequencies

REC - 122.42 MHz - ATIS	GND - 121.75 MHz - CIAMPINO GROUND
TWR - 122.10 MHz - CIAMPINO TOWER	TWR - 120.50 MHz - CIAMPINO TOWER
CLD - 119.40 MHz - CLEARANCE DELIVERY	APP - 125.50 MHz - ROMA APPROACH
APP - 127.95 MHz - ROMA APPROACH	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	7,235 ft	152.77	ASPHALT	0 ft	0 ft
	46 m	2,205 m	149.04		0 m	0 m
33	151 ft	7,235 ft	332.78	ASPHALT	0 ft	0 ft
	46 m	2,205 m	329.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	CIA	109.90 MHz	18 nm	152.78	-	425 ft
				33 km	149.05		425 m
15	GS	CIA	109.90 MHz	10 nm	152.78	3.00	425 ft
				19 km	149.05		425 m

LGAV

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 308 ft / 94 m
Location: 37.936700 23.944500
Magnetic Var: 5.108 E

METAR

LGAV 150320Z VRB03KT 9999 FEW020 09/07 Q1015 NOSIG

TAF

TAF TAF LGAV 142300Z 1500/1524 VRB05KT 9999 FEW025 BECMG 1508/1510 08010KT SCT025 SCT070 BECMG 1517/1519 FEW020

Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.76		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.77		300 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.41		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.86		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.40		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m