

RJAA

Narita


PHNL

Daniel K. Inouye International Airport

2024/05/01 0318Z

RJAA ACQUA **Y808** ALLEN **Y814** VACKY **OTR13** SEALS 3500N14700E 3500N14800E 3500N14900E 3500N15000E
3400N15200E 3400N15300E 3400N15400E 3400N15500E 3400N15600E 3400N15700E 3400N15800E 3400N15900E
3400N16000E 3400N16100E 3300N16300E 3300N16400E 3300N16500E 3300N16600E 3300N16700E 3200N16900E
3200N17000E 3200N17100E 3200N17200E 3200N17300E 3100N17500E 3100N17600E 3100N17700E 3000N17900E
2900N18100E 2900N-17900W 2900N-17800W 2900N-17700W 2800N-17500W 2700N-17300W 2700N-17200W
2700N-17100W 2600N-16900W 2500N-16700W 2500N-16600W 2400N-16400W 2300N-16300W CANON **V15** SOK PHNL

3412.92 nm / 6320.73 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJAA	-	35.77720	0 ft	-	Narita
APT	-	140.38200	0 m		
ACQUA	-	35.16250	33,800 ft	94	-
FIX	-	142.16400	10,302 m		
ALLEN	Y808	35.20040	35,000 ft	36	-
FIX	AWY-HI	142.91000	10,668 m		
VACKY	Y814	35.24010	35,000 ft	44	-
FIX	AWY-HI	143.81100	10,668 m		
KENTO	OTR13	35.29630	35,000 ft	66	-
FIX	AWY-HI	145.16300	10,668 m		
SEALS	OTR13	35.32180	35,000 ft	40	-
FIX	AWY-HI	145.99600	10,668 m		
3500N14700E	-	35.00000	35,000 ft	52	-
LATLON	-	147.00000	10,668 m		
3500N14800E	-	35.00000	35,000 ft	49	-
LATLON	-	148.00000	10,668 m		
3500N14900E	-	35.00000	35,000 ft	49	-
LATLON	-	149.00000	10,668 m		
3500N15000E	-	35.00000	35,000 ft	49	-
LATLON	-	150.00000	10,668 m		
3400N15200E	-	34.00000	35,000 ft	115	-
LATLON	-	152.00000	10,668 m		
3400N15300E	-	34.00000	35,000 ft	49	-
LATLON	-	153.00000	10,668 m		
3400N15400E	-	34.00000	35,000 ft	49	-
LATLON	-	154.00000	10,668 m		
3400N15500E	-	34.00000	35,000 ft	49	-
LATLON	-	155.00000	10,668 m		
3400N15600E	-	34.00000	35,000 ft	49	-
LATLON	-	156.00000	10,668 m		
3400N15700E	-	34.00000	35,000 ft	49	-
LATLON	-	157.00000	10,668 m		
3400N15800E	-	34.00000	35,000 ft	49	-
LATLON	-	158.00000	10,668 m		
3400N15900E	-	34.00000	35,000 ft	49	-
LATLON	-	159.00000	10,668 m		
3400N16000E	-	34.00000	35,000 ft	49	-
LATLON	-	160.00000	10,668 m		
3400N16100E	-	34.00000	35,000 ft	49	-
LATLON	-	161.00000	10,668 m		
3300N16300E	-	33.00000	35,000 ft	116	-
LATLON	-	163.00000	10,668 m		
3300N16400E	-	33.00000	35,000 ft	50	-
LATLON	-	164.00000	10,668 m		
3300N16500E	-	33.00000	35,000 ft	50	-
LATLON	-	165.00000	10,668 m		
3300N16600E	-	33.00000	35,000 ft	50	-
LATLON	-	166.00000	10,668 m		
3300N16700E	-	33.00000	35,000 ft	50	-
LATLON	-	167.00000	10,668 m		
3200N16900E	-	32.00000	35,000 ft	117	-
LATLON	-	169.00000	10,668 m		
3200N17000E	-	32.00000	35,000 ft	50	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	170.00000	10,668 m		
3200N17100E	-	32.00000	35,000 ft	50	-
LATLON	-	171.00000	10,668 m		
3200N17200E	-	32.00000	35,000 ft	50	-
LATLON	-	172.00000	10,668 m		
3200N17300E	-	32.00000	35,000 ft	50	-
LATLON	-	173.00000	10,668 m		
3100N17500E	-	31.00000	35,000 ft	118	-
LATLON	-	175.00000	10,668 m		
3100N17600E	-	31.00000	35,000 ft	51	-
LATLON	-	176.00000	10,668 m		
3100N17700E	-	31.00000	35,000 ft	51	-
LATLON	-	177.00000	10,668 m		
3000N17900E	-	30.00000	35,000 ft	119	-
LATLON	-	179.00000	10,668 m		
2900N18100E	-	29.00000	35,000 ft	120	-
LATLON	-	-179.00000	10,668 m		
2900N-17900W	-	29.00000	35,000 ft	0	-
LATLON	-	-179.00000	10,668 m		
2900N-17800W	-	29.00000	35,000 ft	52	-
LATLON	-	-178.00000	10,668 m		
2900N-17700W	-	29.00000	35,000 ft	52	-
LATLON	-	-177.00000	10,668 m		
2800N-17500W	-	28.00000	35,000 ft	121	-
LATLON	-	-175.00000	10,668 m		
2700N-17300W	-	27.00000	35,000 ft	122	-
LATLON	-	-173.00000	10,668 m		
2700N-17200W	-	27.00000	35,000 ft	53	-
LATLON	-	-172.00000	10,668 m		
2700N-17100W	-	27.00000	35,000 ft	53	-
LATLON	-	-171.00000	10,668 m		
2600N-16900W	-	26.00000	35,000 ft	123	-
LATLON	-	-169.00000	10,668 m		
2500N-16700W	-	25.00000	35,000 ft	123	-
LATLON	-	-167.00000	10,668 m		
2500N-16600W	-	25.00000	35,000 ft	54	-
LATLON	-	-166.00000	10,668 m		
2400N-16400W	-	24.00000	35,000 ft	124	-
LATLON	-	-164.00000	10,668 m		
2300N-16300W	-	23.00000	35,000 ft	81	-
LATLON	-	-163.00000	10,668 m		
CANON	-	22.80150	35,000 ft	24	-
FIX	-	-162.61700	10,668 m		
LILIA	V15	22.50770	35,000 ft	59	-
FIX	AWY-HI	-161.58300	10,668 m		
SOK	V15	21.90040	20,600 ft	119	SOUTH KAUAI
VOR	AWY-HI	-159.52900	6,279 m		
PHNL	-	21.31940	0 ft	96	Daniel K. Inouye International Airport
APT	-	-157.92100	0 m		

RJAA

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 2

Elevation: 135 ft / 41 m
Location: 35.777200 140.382000
Magnetic Var: 7.776 W

METAR

RJAA 010300Z 06010KT 020V080 3500 R34L/2000N R34R/P2000N SHRA BR FEW003 BKN006 BKN030 16/15 Q1005 BECMG 04010KT T

TAF

TAF AMD RJAA 010120Z 0101/0206 04010KT 6000 -SHRA FEW005 BKN008 TEMPO 0101/0106 2000 SHRA BR FEW003 BKN005 BECMG 0

Frequencies

REC - 128.25 MHz - ATIS	TWR - 122.70 MHz - NARITA TOWER
TWR - 126.20 MHz - NARITA TOWER	TWR - 118.35 MHz - NARITA TOWER
TWR - 118.20 MHz - NARITA TOWER	GND - 121.85 MHz - NARITA GROUND
GND - 121.95 MHz - NARITA GROUND	GND - 121.60 MHz - NARITA GROUND
GND - 121.75 MHz - NARITA GROUND	APP - 125.20 MHz - NARITA APPROACH
APP - 124.40 MHz - NARITA APPROACH	APP - 121.27 MHz - NARITA APPROACH
APP - 125.80 MHz - NARITA APPROACH	APP - 127.70 MHz - NARITA APPROACH
DEP - 120.60 MHz - NARITA DEPARTURE	DEP - 127.50 MHz - NARITA DEPARTURE
DEP - 119.60 MHz - NARITA DEPARTURE	DEP - 125.52 MHz - NARITA DEPARTURE
DEP - 124.20 MHz - NARITA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	197 ft	13,146 ft	149.63	ASPHALT	0 ft	407 ft
	60 m	4,007 m	157.41		0 m	124 m
34L	197 ft	13,146 ft	329.64	ASPHALT	0 ft	404 ft
	60 m	4,007 m	337.42		0 m	123 m
16L	197 ft	8,210 ft	149.61	ASPHALT	0 ft	197 ft
	60 m	2,503 m	157.39		0 m	60 m
34R	197 ft	8,210 ft	329.62	ASPHALT	0 ft	0 ft
	60 m	2,503 m	337.40		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	ITM	110.70 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
16R	DME	IKF	111.50 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
34L	DME	IYQ	111.90 MHz	18 nm	-	-	153 ft
				33 km	-		153 m
34R	DME	ITJ	110.90 MHz	18 nm	-	-	148 ft
				33 km	-		148 m
16L	LOC-ILS	ITM	110.70 MHz	18 nm	149.64	-	135 ft
				33 km	157.42		135 m
16R	LOC-ILS	IKF	111.50 MHz	18 nm	149.62	-	135 ft
				33 km	157.40		135 m
34L	LOC-ILS	IYQ	111.90 MHz	18 nm	329.62	-	135 ft
				33 km	337.40		135 m
34R	LOC-ILS	ITJ	110.90 MHz	18 nm	329.64	-	135 ft
				33 km	337.42		135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	GS	ITM	110.70 MHz	10 nm	149.64	3.00	135 ft
				19 km	157.42		135 m
16R	GS	IKF	111.50 MHz	10 nm	149.62	3.00	135 ft
				19 km	157.40		135 m
34L	GS	IYQ	111.90 MHz	10 nm	329.62	3.00	135 ft
				19 km	337.40		135 m
34R	GS	ITJ	110.90 MHz	10 nm	329.64	3.00	135 ft
				19 km	337.42		135 m

PHNL

Region: USA (HAWAII)

Timezone: PACIFIC/HONOLULU

Runways: 4

Elevation: 13 ft / 4 m

Location: 21.319400 -157.921000

Magnetic Var: 9.260 E

METAR

PHNL 010253Z 16009KT 10SM FEW023 SCT035 SCT060 27/19 A2993

TAF

PHNL 010258Z 0103/0206 15010KT P6SM FEW025 SCT035 BKN060 FM010500 07005KT P6SM FEW025 FEW040 FM012000 10011KT P6S

Frequencies

REC - 127.90 MHz - ATIS

TWR - 123.90 MHz - HONOLULU TOWER

CLD - 121.40 MHz - CLEARANCE DELIVERY

DEP - 124.80 MHz - HCF DEPARTURE

TWR - 118.10 MHz - HONOLULU TOWER

GND - 121.90 MHz - HONOLULU GROUND

APP - 118.30 MHz - HCF APPROACH

DEP - 124.80 MHz - HCF DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	6,961 ft	52.84	ASPHALT	0 ft	0 ft
	46 m	2,122 m	43.58		0 m	0 m
22R	150 ft	6,961 ft	232.85	ASPHALT	0 ft	0 ft
	46 m	2,122 m	223.59		0 m	0 m
04R	150 ft	9,010 ft	52.85	ASPHALT	0 ft	194 ft
	46 m	2,746 m	43.59		0 m	59 m
22L	150 ft	9,010 ft	232.86	ASPHALT	0 ft	197 ft
	46 m	2,746 m	223.60		0 m	60 m
08R	200 ft	11,987 ft	90.01	ASPHALT	0 ft	558 ft
	61 m	3,654 m	80.75		0 m	170 m
26L	200 ft	11,987 ft	270.02	ASPHALT	0 ft	554 ft
	61 m	3,654 m	260.76		0 m	169 m
08L	150 ft	12,297 ft	90.00	ASPHALT	0 ft	469 ft
	46 m	3,748 m	80.74		0 m	143 m
26R	150 ft	12,297 ft	270.01	ASPHALT	0 ft	696 ft
	46 m	3,748 m	260.75		0 m	212 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IIUM	110.50 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
26L	DME	IEPC	109.10 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
26L	LOC-LOC	IEPC	109.10 MHz	18 nm	304.00	-	13 ft
				33 km	294.74		13 m
04R	GS	IIUM	110.50 MHz	10 nm	52.85	3.00	13 ft
				19 km	43.59		13 m
08L	GS	IHNL	111.70 MHz	10 nm	90.01	3.01	13 ft
				19 km	80.75		13 m