

LIRP

Pisa-San Giusto "Galileo Galilei"


LIMJ

Genova-Sestri "Cristoforo Colombo"

2024/05/06 0224Z

LIRP LUKIM LIMJ

80.34 nm / 148.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIRP	-	43.68280	0 ft	-	Pisa-San Giusto	"Galileo Galilei"
APT	-	10.39560	0 m			
LUKIM	-	44.14000	5,500 ft	54	-	
FIX	-	9.30861	1,676 m			
LIMJ	-	44.41200	0 ft	25	Genova-Sestri	"Cristoforo Colombo"
APT	-	8.84187	0 m			

LIRP

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 43.682800 10.395600
Magnetic Var: 3.407 E

METAR

LIRP 060145Z 11004KT CAVOK 11/11 Q1016 NOSIG

TAF

TAF LIRP 052300Z 0600/0624 12006KT CAVOK BECMG 0602/0604 9999 SCT070 TEMPO 0609/0614 17015KT

Frequencies

GND - 121.60 MHz - PISA GROUND
TWR - 119.10 MHz - PISA TOWER
APP - 122.10 MHz - PISA APPROACH

TWR - 122.10 MHz - PISA TOWER
APP - 124.27 MHz - PISA APPROACH
APP - 126.07 MHz - PISA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,825 ft	36.73	ASPHALT	463 ft	0 ft
	45 m	2,995 m	33.32		141 m	0 m
22L	148 ft	9,825 ft	216.74	ASPHALT	833 ft	190 ft
	45 m	2,995 m	213.33		254 m	58 m
04L	148 ft	8,984 ft	36.71	ASPHALT	791 ft	0 ft
	45 m	2,738 m	33.31		241 m	0 m
22R	148 ft	8,984 ft	216.73	ASPHALT	0 ft	190 ft
	45 m	2,738 m	213.32		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IPI	109.70 MHz	18 nm	36.76	-	7 ft
				33 km	33.36		7 m
04R	GS	IPI	109.70 MHz	10 nm	37.45	3.00	3 ft
				19 km	34.04		3 m

LIMJ

Region: ITALY
Timezone: UNKNOWN
Runways: 1

Elevation: 13 ft / 4 m
Location: 44.412000 8.841870
Magnetic Var: 3.110 E

METAR

LIMJ 060150Z 14007KT 9999 FEW014 16/10 Q1014

TAF

TAF LIMJ 052300Z 0600/0624 16012KT 9999 FEW020 TEMPO 0606/0612 RA TEMPO 0610/0615 16015G25KT TEMPO 0612/0621 SHRA

Frequencies

REC - 122.82 MHz - ATIS
TWR - 257.80 MHz - GENOVA TOWER
APP - 119.60 MHz - GENOVA APPROACH
TWR - 118.60 MHz - GENOVA TOWER
APP - 119.85 MHz - GENOVA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,576 ft	105.34	ASPHALT	0 ft	197 ft
	45 m	2,919 m	102.23		0 m	60 m
28	148 ft	9,576 ft	285.37	ASPHALT	535 ft	0 ft
	45 m	2,919 m	282.26		163 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	GSE	109.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
28	LOC-ILS	GSE	109.30 MHz	18 nm	285.40	-	9 ft
				33 km	282.29		9 m
28	GS	GSE	109.30 MHz	10 nm	285.40	3.17	26 ft
				19 km	282.29		26 m